

AIR MINISTRY
METEOROLOGICAL OFFICE

THE
OBSERVATORIES'
YEAR BOOK
1942

Comprising the meteorological and geophysical results
obtained from autographic records and eye observations
at the Lerwick, Aberdeen, Eskdalemuir, and Kew
Observatories

LONDON: HER MAJESTY'S STATIONERY OFFICE
1958

Universal Decimal Classification

550.38(058)

551.506.1

551.510.42(058)

551.594(058)

PREFACE

The *Observatories' Year Book* was published for the years 1922 to 1937 in continuation of Part III Section II and Part IV of the *British Meteorological and Magnetic Year Book* for the period 1908 to 1921.

Publication of the *Observatories' Year Book* was necessarily suspended during the 1939-45 war. Restrictions on supplies and printing since the war resulted in a regrettably long delay in the resumption of publication. In face of the formidable accumulation of arrears, and taking changed requirements into account, it was decided to adopt an abridged form as outlined below.

It was agreed that the **General Introduction** to the Meteorological Tables and the parts of the sectional Introductions which deal with site, instruments, procedure and tabulation included in the volume for 1938 should serve as standards of reference for several years; and that only important departures from these standards, together with any requisite additional information, should be included in the relevant parts of the volume for the years after 1938. The space devoted to the discussion of observations was reduced. Monthly tables of individual hourly values of meteorological elements were discontinued, but summaries of daily mean values (or totals), monthly means (or totals) of hourly values and some maximum and minimum values are given. The diary of cloud, weather and visibility was also discontinued. No major changes were made in the atmospheric electrical and magnetic tables. The aerological and seismological tables were discontinued after 1939.

The present volume, 1942, presents atmospheric electrical and geomagnetic data for Lerwick Observatory; meteorological data for Aberdeen; meteorological, atmospheric electrical and geomagnetic data for Eskdalemuir; meteorological, atmospheric electrical and atmospheric pollution data for Kew.

Meteorological and geomagnetic data for Valentia Observatory are no longer included in the *Observatories' Year Book*, but are published by the Dublin Department of Industry and Commerce Meteorological Service.

Manuscript tabulations of hourly values of the meteorological elements are available at the observatories. Requests for information from these tabulations should be addressed to the Director-General, Meteorological Office, Air Ministry, Victory House, Kingsway, London, W.C.2.

NOTES ON THE TABLES: Maximum and minimum values are shown in italics.

TABLE OF CONTENTS

Preface	PAGE
	iii

LERWICK OBSERVATORY

Introduction	2
----------------------	---

TABLE

ATMOSPHERIC ELECTRICITY

Potential gradient

1	Daily values and monthly and annual means at 2-3h., 8-9h., 14-15h., 20-21h.	10
2	Diurnal inequalities (0a days only and 1a and 2a days only)	12
3	Electrical character of each day and approximate duration of negative potential gradient	13

TERRESTRIAL MAGNETISM

4-51	Hourly values of horizontal force, declination and vertical force; hourly, daily and monthly means	14
	Daily extremes and range; monthly means	15
	Magnetic character figures; daily values and monthly means	15
	Temperature in magnet house; daily observations and monthly means	15
52-54	Diurnal inequalities; horizontal force, declination and vertical force, monthly, annual and seasonal means for each hour	38
55	Diurnal inequalities; monthly, seasonal and annual range	41
56	Average departure from daily mean	41
57	Monthly, annual, and seasonal values of non-cyclic change of horizontal force, declination and vertical force	41
58	Mean monthly and annual values of magnetic elements	41

AURORA

59	Auroral log	42
60	General auroral log	44

ABERDEEN OBSERVATORY

Introduction	46
----------------------	----

METEOROLOGY

Pressure

61	Daily, monthly and annual maximum, minimum and mean values at station level	48
62	Monthly and annual means of hourly values at station level	49
63	Monthly and annual means of hourly values at mean sea level	49

Temperature

64	Monthly and annual means of hourly values	49
65	Daily, monthly and annual maximum, minimum and mean values	50

Humidity

66	Daily and monthly means of relative humidity and vapour pressure	51
67	Monthly and annual means of hourly values of relative humidity	51
68	Monthly and annual means of hourly values of vapour pressure	51

TABLE OF CONTENTS

TABLE	ABERDEEN OBSERVATORY— <i>continued</i>	PAGE
	<i>Rainfall</i>	
69	Daily and monthly values of amount, duration and maximum rate	52
70	Monthly and annual hourly totals of amount	53
71	Monthly and annual hourly totals of duration	53
72	Notes on rainfall for the year	53
	<i>Sunshine</i>	
73	Daily totals and monthly and annual means of duration with percentage of possible for each day	54
74	Monthly and annual hourly totals of duration	54
	<i>Wind</i>	
75	Daily mean and highest instantaneous speed	55
76	Monthly and annual means of hourly mean speed	55
77	Distribution of speed, extreme velocities	55
	<i>Ground temperature</i>	
78	Daily values and monthly and annual means at 9h. at depths of 30 cm. and 122 cm.	56
	<i>Minimum temperature on the grass</i>	
79	Daily values and monthly and annual means, 18h. to 7h.	56
 ESKDALEMUIR OBSERVATORY 		
	Introduction	58
 METEOROLOGY 		
	<i>Pressure</i>	
80	Daily, monthly and annual maximum, minimum and mean values at station level	71
81	Monthly and annual means of hourly values at station level	72
82	Monthly and annual means of hourly values at mean sea level	72
	<i>Temperature</i>	
83	Monthly and annual means of hourly values	72
84	Daily, monthly and annual maximum, minimum and mean values	73
	<i>Humidity</i>	
85	Daily and monthly means of relative humidity and vapour pressure	74
86	Monthly and annual means of hourly values of relative humidity	74
87	Monthly and annual means of hourly values of vapour pressure	74
	<i>Rainfall</i>	
88	Daily and monthly values of amount, duration and maximum rate	75
89	Monthly and annual hourly totals of amount	76
90	Monthly and annual hourly totals of duration	76
91	Notes on rainfall for the year	76
	<i>Sunshine</i>	
92	Daily totals and monthly and annual means of duration with percentage of possible for each day	77
93	Monthly and annual hourly totals of duration	77

ESKDALEMUIR OBSERVATORY—*continued*

TABLE		PAGE
	<i>Wind</i>	
94	Daily mean and highest instantaneous speed	78
95	Monthly and annual means of hourly mean speed	78
96	Distribution of speed, extreme velocities	78
	<i>Ground temperature</i>	
97	Daily values and monthly and annual means at 9h. at depths of 30 cm. and 122 cm.	79
	<i>Minimum temperature on the grass</i>	
98	Daily values and monthly and annual means, 18h. to 7h.	79
	ATMOSPHERIC ELECTRICITY	
	<i>Potential gradient</i>	
99	Daily values and monthly and annual means at 2-3h., 8-9h., 14-15h., 20-21h.	80
100	Diurnal inequalities (0a days only and 1a and 2a days only)	82
101	Electrical character of each day and approximate duration of negative potential gradient	83
	TERRESTRIAL MAGNETISM	
102-149	Hourly values of horizontal component, declination and vertical component; hourly, daily and monthly means	84
	Daily extremes and range; monthly means	85
	Magnetic character figures; daily values and monthly means	85
	Temperature in magnet house; daily values and monthly means	85
150-155	Diurnal inequalities; north, west and vertical components, declination, inclination and horizontal components, monthly, seasonal and annual means for each hour	108
156	Diurnal inequalities; monthly, seasonal and annual range	114
157	Monthly, annual and seasonal values of non-cyclic change of horizontal force, declination and vertical force	114
158	Mean monthly and annual values of magnetic elements	114
159-160	Harmonic components of the diurnal inequality of magnetic force	115
	KEW OBSERVATORY	
	Introduction	118
	METEOROLOGY	
	<i>Pressure</i>	
161	Daily, monthly and annual maximum, minimum and mean values at station level	122
162	Monthly and annual means of hourly values at station level	123
163	Monthly and annual means of hourly values at mean sea level	123
	<i>Temperature</i>	
164	Monthly and annual means of hourly values	123
165	Daily, monthly and annual maximum, minimum and mean values	124
	<i>Humidity</i>	
166	Daily and monthly means of relative humidity and vapour pressure	125
167	Monthly and annual means of hourly values of relative humidity	125
168	Monthly and annual means of hourly values of vapour pressure	125

KEW OBSERVATORY— *continued*

TABLE		PAGE
	<i>Rainfall</i>	
169	Daily and monthly values of amount, duration and maximum rate	126
170	Monthly and annual hourly totals of amount	127
171	Monthly and annual hourly totals of duration	127
172	Notes on rainfall for the year	127
	<i>Sunshine and solar radiation</i>	
173	Daily totals and monthly and annual means of duration of bright sunshine with percentage of possible for each day	128
	Daily totals and monthly and annual means of total solar radiation	128
174	Monthly and annual hourly totals of duration of bright sunshine	129
175	Monthly and annual hourly totals of solar radiation	129
	<i>Wind</i>	
176	Daily mean and highest instantaneous speed	130
177	Monthly and annual means of hourly mean speed	130
178	Distribution of speed, extreme velocities	130
	<i>Ground temperature</i>	
179	Daily values and monthly and annual means at 9h. at depths of 30 cm. and 122 cm.	131
	<i>Minimum temperature on the grass</i>	
180	Daily values and monthly and annual means, 18h. to 7h.	131
	ATMOSPHERIC ELECTRICITY	
181	Daily values and monthly and annual means of conductivity, air-earth current and of ionic charges	132
182	Electric character of each day and approximate duration of negative potential gradient	133
	<i>Potential gradient</i>	
183	Daily values and monthly and annual means at 2-3h., 8-9h., 14-15h., 20-21h.	134
184	Diurnal inequalities (selected quiet days)	136
	ATMOSPHERIC POLLUTION	
185	Monthly, seasonal and annual means for each hour	136

LERWICK

LERWICK OBSERVATORY

Latitude 60°08'N.
Longitude 1°11'W.
G.M.T. of Local Mean Noon 12h. 5m.
Height of site above M.S.L. 80 to 90 metres

INTRODUCTION

Full details of the site, instruments, procedure and tabulation are given in the *Observatories' Year Book* for 1938. Changes and additions only are mentioned here.

ATMOSPHERIC ELECTRICITY

No changes were made in 1942.

TERRESTRIAL MAGNETISM

The average day-to-day change of temperature in the magnetograph house for each of the 12 months of 1942 and for the year as a whole was as follows (in degrees Absolute):-

Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
0.37	0.29	0.35	0.42	0.44	0.41	0.33	0.31	0.30	0.30	0.56	0.37	0.37

There were 24 occasions on which the change reached or exceeded 1°A.

As already stated in the 1938 Year Book, a Smith portable coil magnetometer, which had been reconstructed to operate as a Schuster-Smith coil magnetometer, was brought into use and adopted as the standard instrument in October 1939. The volume for 1938 contains a statement on the corrections, arising from instrumental changes and comparisons, to be applied to the values of H, D and V published for the years 1923 to 1938. Corresponding corrections have not been applied to the individual values in the four tables for each month given in this volume (1942) but are shown in the tables and repeated below. The values of the elements given in Table 58 and elsewhere in the volume have been corrected.

Corrections

H -6 γ throughout
D -4.2' throughout
V varies from month to month as below

Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
-10 γ	-10 γ	-8 γ	-7 γ	-4 γ	-3 γ	-1 γ	0 γ	-2 γ	-3 γ	-4 γ	-5 γ

NOTES ON THE RESULTS

The factor to change variations of D expressed in minutes to units of force (γ) perpendicular to the magnetic meridian is approximately 4.18.

Comparing the mean values for all days of 1942 with those for 1941 it is noted that H increased by 4 γ ; D (west) decreased by 8.5' and V increased by 15 γ . The ranges between the extreme values recorded during 1942 were H, 1709 γ ; D, 3°14.4'; and V, 1009 γ .

At the assembly of the Association of Terrestrial Magnetism and Electricity at Washington, in September 1939, a new measure of magnetic disturbance the K index was agreed upon. Measurements of K are now given in this volume, replacing the former measure $(HR_H + VR_V)10^{-4}$, in accordance with the I.A.T.M.E. circular letter dated January 20, 1940.

The K index is fully described in *Terrestrial Magnetism and Atmospheric Electricity**. Briefly, a figure is allotted, on a scale 0-9, to each 3-hr. interval. The figure is a measure of the range of magnetic force during that period, measured from a curved line which represents the normal quiet-day variation. The figures are first allotted from the H magnetogram, and then increased, if necessary, by inspection of the D and V curves, so that the most disturbed component determines the final figure.

The scale of ranges in γ corresponding to the figures 0-9 varies from observatory to observatory. The lower limit of each number for Lerwick is

K	0	1	2	3	4	5	6	7	8	9
Range in γ	0	10	20	40	80	140	240	400	650	1000

Table I has been slightly changed in form from previous years owing to the omission of $(HR_H + VR_V)10^{-4}$. K figures and their sums, have been given for each day in the main tables, but as it is considered that monthly means of K figures are not a good measure of activity, they are not included. Tables II, III, IV, and V follow the pattern of previous volumes.

TABLE I

	Magnetic character figures			Mean character figures	
	0 days	1 days	2 days	Lerwick	International
January	18	13	0	0.42	0.53
February	13	12	3	0.64	0.62
March	7	18	6	0.97	0.88
April	10	15	5	0.83	0.71
May	18	12	1	0.45	0.39
June	14	16	0	0.53	0.47
July	9	21	1	0.74	0.65
August	10	21	0	0.68	0.65
September	13	15	2	0.63	0.71
October	8	18	5	0.90	0.85
November	10	19	1	0.70	0.69
December	16	14	1	0.52	0.55
Year					
1942	146	194	25	0.67	0.64
1941	172	169	24	0.60	0.73
1940	178	162	26	0.59	0.72
1939	186	143	36	0.59	0.77
1938	180	133	52	0.65	0.76
1937	119	197	49	0.81	0.73
1936	133	206	27	0.71	0.65
1935	100	245	20	0.78	0.67
1934	168	173	24	0.61	0.56
1933	157	169	39	0.59	0.64
1932	97	230	39	0.84	0.71

* BARTELS, J., HECK, N.H. AND JOHNSTON, H.F: The three-hour-range index measuring geomagnetic activity. *Terr. Magn. atmos. Elect., Baltimore Ma.* 44, 1939, p.411.

TABLE II - ABSOLUTE DAILY RANGE AND MEAN MONTHLY VALUES

	Mean absolute daily range						Mean daily range expressed as percentage of yearly mean					
	1942			Mean 1932-42			1942			Mean 1932-42		
	H	D	V	H	D	V	H	D	V	H	D	V
	γ	γ	γ	γ	γ	γ	%	%	%	%	%	%
January	53	82	67	94	96	96	38	74	52	65	92	80
February	124	101	109	110	106	114	88	91	84	76	102	95
March	238	163	201	196	138	165	169	147	155	136	133	137
April	250	145	203	206	123	160	177	131	156	143	118	133
May	108	82	85	181	103	129	77	74	65	126	99	107
June	95	78	80	135	88	100	67	70	62	94	84	83
July	139	90	121	153	90	107	99	81	93	106	86	89
August	118	96	110	151	98	108	84	86	85	105	94	90
September	142	106	153	159	114	138	101	96	118	111	110	115
October	229	168	193	160	119	141	162	151	148	111	114	117
November	111	120	132	93	92	99	79	108	102	65	88	82
December	90	98	110	85	87	88	64	88	85	59	84	73
Winter	95	100	105	96	95	100	67	90	81	67	91	83
Equinox	215	145	187	180	124	151	152	131	144	125	119	126
Summer	115	87	99	155	95	111	82	78	76	108	91	92
Year	141	111	130	144	104	120

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

TABLE III - FREQUENCY DISTRIBUTION OF ABSOLUTE DAILY RANGE

Range	Number of cases, 1942			Percentage distribution					
	H	D	V	H		D		V	
				1942	1932-42	1942	1932-42	1942	1932-42
γ				%	%	%	%	%	%
0 - 9	0	0	1	0.0	0.0	0.0	0.0	0.3	0.5
10 - 19	4	1	24	1.1	1.8	0.3	0.5	6.6	8.2
20 - 29	20	7	32	5.5	5.2	1.9	2.6	8.8	12.2
30 - 39	23	9	28	6.3	7.4	2.5	4.8	7.7	9.9
40 - 49	25	30	22	6.9	7.7	8.2	8.6	6.0	7.4
50 - 59	40	37	22	11.0	10.3	10.1	11.3	6.0	6.0
60 - 69	40	50	20	11.0	10.2	13.7	13.9	5.5	5.2
70 - 79	32	43	19	8.8	9.7	11.8	9.8	5.2	4.8
80 - 89	21	30	16	5.8	7.8	8.2	9.2	4.4	3.8
90 - 99	27	21	13	7.4	5.6	5.8	6.5	3.6	3.3
100 - 109	11	21	18	3.0	4.1	5.8	4.8	4.9	3.6
110 - 119	8	10	10	2.2	2.9	2.7	3.6	2.7	2.7
120 - 129	8	11	15	2.2	2.6	3.0	3.4	4.1	2.5
130 - 139	6	12	6	1.6	1.7	3.3	3.3	1.6	2.2
140 - 149	12	18	6	3.3	2.1	4.9	3.0	1.6	2.2
150 - 159	5	9	6	1.4	1.3	2.5	1.6	1.6	1.9
160 - 169	10	5	11	2.7	1.5	1.4	1.5	3.0	1.8
170 - 179	5	7	6	1.4	1.0	1.9	1.4	1.6	1.1
180 - 189	3	5	11	0.7	0.9	1.4	1.2	3.0	1.5
190 - 199	3	3	7	0.7	1.0	0.8	0.9	1.9	1.5
200 +	62	36	72	17.0	15.2	9.9	8.0	19.7	17.8
Days omitted	0	0	0

TABLE IV - AVERAGE RANGE OF DIURNAL INEQUALITY 1932-42
WITH 1942 AS A PERCENTAGE OF THIS

		All days			International quiet days			International disturbed days		
		V	H	D	V	H	D	V	H	D
Year	1932-42	47.5	46.7	9.04	9.3	36.5	8.30	118.9	117.1	13.55
	1942(%)	122	92	96	105	89	96	104	87	98
Winter	1932-42	38.0	23.4	7.60	7.3	14.7	4.32	110.2	79.3	12.83
	1942(%)	110	86	115	112	74	98	98	95	114
Equinox	1932-42	60.0	54.3	10.60	11.6	41.4	9.25	150.3	167.2	18.61
	1942(%)	140	113	91	119	98	105	115	103	88
Summer	1932-42	47.6	69.7	12.38	15.6	55.8	12.14	124.3	140.3	14.59
	1942(%)	103	87	95	100	88	90	83	64	105

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

TABLE V - RATIO OF RANGE OF INEQUALITY AT LERWICK TO THAT AT ESKDALEMUIR 1942

Type of day	Element	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
q	D	1.17	1.12	1.00	1.06	1.09	1.16	1.21	1.15	1.08	1.04	1.32	1.15
d	D	1.23	1.35	1.53	1.29	1.24	1.24	1.35	1.13	1.10	1.18	1.22	1.24
q	H	0.85	1.09	1.12	1.14	1.29	1.35	1.10	1.16	1.05	0.95	0.84	0.95
d	H	0.93	6.48	2.42	3.22	1.57	1.41	1.74	1.64	1.25	5.33	2.05	2.21
q	V	1.48	0.81	1.10	0.70	0.77	0.69	0.87	0.82	1.42	1.79	2.35	1.58
d	V	1.88	1.77	1.82	1.57	1.95	1.76	1.91	2.03	2.36	1.54	1.97	2.38

Magnetic disturbances.— Particulars of the principal magnetic disturbances recorded at Lerwick during the year are given in Table VI. In the Eskdalemuir Section will be found a similar list which deals with the same disturbances as recorded at that Observatory. Within the limit of accuracy of measurement and registration "sudden commencements" appear to occur simultaneously at the two Observatories.

TABLE VI - PRINCIPAL MAGNETIC DISTURBANCES RECORDED AT LERWICK, 1942

No.	From		To		Horizontal force				Declination				Vertical force				
	Max.	Time	Min.	Time	Range	Max.	Time	Min.	Time	Range	Max.	Time	Min.	Time	Range		
	d. h. m.	d. h. m.	γ	d. h. m.	γ	d. h. m.	γ	d. h. m.	γ	d. h. m.	γ	d. h. m.	γ	d. h. m.	γ		
1*	Feb. 23 13 27	Feb. 24 5	1038	23 16 56	-101	24 1 34	1139	704.4	23 21 13	11.3	23 22 8	93.1	1154	23 15 59	621	23 21 11	533
2*	Feb. 27 15 26	Mar. 1 3	732	28 16 44	-286	28 12 14		74.8	27 19 42	40.5	28 4 30	34.3	1139	28 17 7	795	28 0 0	344
3*	Mar. 1 7 25	Mar. 2 7	716	1 22 30	-448	2 1 54	1164	147.3	1 7 53	-42.7	1 9 33	190.0	1240	1 9 26	231	2 1 50	1009
4	Mar. 3 1	Mar. 4 7	644	3 15 15	218	3 8 13	426	74.0	3 2 26	27.3	3 17 5	46.7	1128	3 16 24	783	3 2 48	345
5*	Mar. 5 4 17	Mar. 6 7	885	5 18 25	20	5 19 50	865	104.9	5 18 51	12.2	5 20 30	92.7	1073	5 17 28	669	5 20 41	404
6	Mar. 7 7	Mar. 8 7	421	7 20 36	-128	8 2 50	549	64.0	7 14 50	23.6	8 2 49	40.4	942	7 17 0	550	8 3 20	392
7	Mar. 8 10	Mar. 9 7	568	8 18 50	-46	9 3 27	614	76.6	9 1 30	9.9	9 2 47	66.7	1064	8 18 50	464	9 3 23	600
8	Mar. 26 6	Mar. 26 24	445	26 16 19	301	26 10 52	144	76.6	26 14 53	43.6	26 8 50	33.0	964	26 14 26	840	27 4 29	124
9	Apr. 2 5	Apr. 4 24	1022	4 16 35	-349	4 20 15	1371	125.9	4 20 13	3.3	4 19 59	122.6	1096	4 16 33	585	4 20 8	511
10*	Apr. 8 1 15	Apr. 9 2	480	8 16 57	264	8 2 57	216	69.0	8 14 51	22.5	8 3 30	46.5	1018	8 17 20	719	8 2 38	299
11	Apr. 13 13	Apr. 14 19	496	13 15 43	-598	14 1 2	1094	75.2	14 2 25	-15.2	14 0 33	90.4	1013	13 17 43	311	14 2 11	702
12	Apr. 16 13	Apr. 19 6	545	18 14 4	-177	17 1 31	722	73.2	18 13 37	35.2	17 2 1	108.4	1032	18 15 59	505	17 2 0	527
13	Apr. 23 0	Apr. 24 22	506	23 17 8	224	24 0 57	282	70.5	24 0 42	38.6	23 19 15	31.9	1021	23 16 48	693	24 1 52	328
14	Apr. 27 10	Apr. 28 6	516	27 18 45	-209	28 1 56	725	67.0	27 17 40	-11.6	28 1 35	78.6	1005	27 18 44	482	28 1 45	523
15	May 4 12	May 5 8	518	4 18 23	-39	5 1 11	557	71.2	4 16 20	-10.2	5 1 39	81.4	1003	4 18 21	601	5 1 50	402
16	May 27 9	May 28 9	529	27 18 59	275	28 5 34	254	69.9	27 13 32	27.5	27 19 0	42.4	1007	27 17 42	751	27 23 10	256
17	June 11 0	June 12 5	550	11 16 17	279	12 0 54	271	71.3	11 16 11	38.8	11 23 38	32.5	1020	11 19 30	756	12 1 15	264
18	June 19 10	June 20 7	576	19 16 35	361	19 10 13	215	68.9	19 16 45	46.0	19 21 29	22.9	982	19 16 12	840	20 4 38	142
19	July 8 1	July 9 5	452	8 19 2	284	8 23 50	168	69.9	8 14 15	36.0	8 20 26	33.9	954	8 19 25	790	(8 23 57)	164
20*	July 10 23 35	July 12 7	824	11 15 20	225	11 6 15	599	77.2	11 15 28	27.9	11 1 50	49.3	1146	11 14 17	730	11 1 28	416
21	July 15 14	July 16 5	546	15 17 27	241	15 23 53	305	63.3	15 16 43	28.0	15 17 32	35.3	1015	15 17 27	744	16 0 39	271
22	Aug. 10 12	Aug. 11 1	533	10 18 52	347	10 13 21	186	66.2	10 15 23	27.6	10 19 7	38.6	1043	10 18 47	830	10 23 58	213
23	Aug. 15 18	Aug. 17 6	529	16 20 7	187	16 4 5	332	67.1	16 19 57	3.8	16 20 22	63.3	977	16 19 56	721	16 4 1	256
24	Aug. 18 6	Aug. 20 6	475	19 18 35	267	19 0 17	208	67.1	18 14 28	23.6	19 18 33	43.5	990	19 14 40	764	20 2 30	226
25	Aug. 22 21	Aug. 24 5	629	23 15 50	217	23 0 25	412	68.1	23 14 28	17.6	23 23 4	50.5	1072	23 15 46	680	23 1 33	392
26*	Sept. 11 11 37	Sept. 13 5	476	12 20 42	12	11 23 56	464	81.0	11 23 42	21.5	12 0 12	59.5	988	11 19 53	560	12 1 7	428
27	Sept. 14 12	Sept. 15 7	467	14 19 13	186	14 23 43	281	72.5	14 19 31	30.4	14 19 52	42.1	976	14 17 5	731	14 23 47	245
28	Sept. 17 9	Sept. 18 6	502	17 17 34	276	17 19 53	226	63.9	17 14 31	24.0	17 17 42	39.9	1044	17 17 35	732	17 22 28	312
29	Sept. 20 8	Sept. 22 8	485	21 18 29	221	21 2 18	264	63.0	21 5 4	27.5	21 18 29	35.5	990	21 16 48	746	20 23 18	244
30	Oct. 2 2 45	Oct. 3 8	1111	2 15 30	-4	3 4 11	1115	117.0	2 20 47	10.4	2 19 49	106.6	1115	2 15 25	576	3 4 15	539
31	Oct. 11 15	Oct. 14 3	470	11 20 25	260	13 1 39	210	63.6	12 12 28	5.6	13 17 38	58.0	1036	13 17 10	785	13 1 50	251
32	Oct. 28 11	Oct. 31 5	1092	28 15 53	-553	28 23 37	1645	137.3	28 18 17	-47.1	28 23 58	184.4	1153	28 16 22	617	29 21 27	536
33	Nov. 23 11	Nov. 27 1	476	26 19 56	-258	24 1 0	734	79.5	24 4 22	-7.1	23 22 53	86.6	1036	24 10 17	518	23 23 11	518
34	Dec. 9 13	Dec. 10 6	754	9 19 10	-22	9 23 43	776	75.4	9 19 13	-20.2	9 23 56	95.6	1122	9 19 4	532	10 0 15	590

Where the beginning of a disturbance has been marked by a "sudden commencement", the serial number is followed by an asterisk(*), and the time entered in the second column is that of the sudden commencement estimated to the nearest minute. In other cases, the exact hour nearest the time at which disturbance may be regarded as having begun is entered in the second column. To the tabulated values of maximum and minimum the following have to be added:— H, 14000γ; D, 11°; V, 46000γ.

REMARKS ON THE AUTOGRAPHIC RECORDS, 1942

The Lerwick mean character figure for the month is shown in brackets after the name of the month.

JANUARY (0.42).— This was a very quiet month with no "2" days and the lowest average character figure since August 1940.

After a calm beginning to the month, slight disturbance developed during the morning of the 2nd and continued with no marked features until late on the 7th. A small "sudden commencement" at 8d.23h.9m. brought a return of very mild activity, which was still in evidence when another "sudden commencement" (+85γ in H; -7.0', +9.0', -13.7' in D; +32γ in V) at 18d.21h.17m. gave it increased vigour. Quiet conditions were re-established by the afternoon of the 19th and prevailed with only slight interruptions for the remainder of the month.

FEBRUARY (0.64).— Apart from some small irregular pulsations between 2d.2h. and 18h., the first four days were relatively quiet. Minor disturbances on the 5th and 6th were followed by another long quiet spell from the 8th until the 22nd. The first large storm of the year was heralded by a "sudden commencement" at 23d.13h.27m. (-8γ, +33γ in H; +3.5' in D; +7γ in V). H formed a high peak from 15h.-20h. with a maximum of 15038γ at 15h.56m. V was also above normal during the initial period, while D was only slightly affected until it suddenly fell 57' and then increased 70' between 18h.55m. and 18h.59m. All the elements were subnormal after 21h., the

biggest departure from the usual value being a trough 400γ deep in H centred at 24d.1h.30m. By 4h. the storm had subsided, but sporadic minor outbursts occurred during the remainder of the month. The most interesting of these was a small bay in H at the unusual time of 12h.-13h. on the 28th, followed by moderate peaks in both H and V centred at 16h.45m.

MARCH (0.97).— This was a month of almost continuous minor disturbance, as is illustrated by the low number of "0" days (7), a record unequalled since April 1940.

The only severe storm began suddenly at 1d.7h.27m. ($+60\gamma$, -110γ in H; $-15.5'$, $+33.0'$ in D; $+32\gamma$, -58γ in V). The outstanding feature of the storm was a series of "giant pulsations" between 14h.30m. and 17h.30m. The average period of these was $4\frac{1}{2}$ min. and the maximum amplitudes 125γ , $14'$ and 35γ in H, D and V respectively. The largest movements in H and V occurred between 22h. and 2d.3h. when they formed deep bays, with minima of 13552γ in H at 1h.54m. and 46231γ in V at 1h.50m. D was also subnormal at this time, but had been more seriously affected in the initial stage of the storm, its maximum of $13^\circ 27.3'$ at 7h.53m. being followed by its minimum of $10^\circ 17.3'$ at 9h.33m. All the elements were recovering steadily by 2d.4h. and conditions were only slightly disturbed for the remainder of the 2nd. H and V formed moderate peaks on the afternoon of the 3rd, with smaller changes in D. A small "sudden commencement" at 5d.4h.18m. was followed by a short sharp disturbance between 16h. and 22h. H reached its maximum for the month, 14885γ at 18h.25m. and fell 865γ in the next 85 min. The ranges in D and V were less than half that in H.

Minor activity continued until 6d.16h. and was renewed again at 7d.7h. with small rapid oscillations. A sharp trough 500γ deep in H at 8d.3h. accompanied by similar but smaller movements in D and V was the next feature of note. Between 8d.18h.55m. and 19h.3m. H rose 106γ and fell 136γ in a needle-like peak and fell more gradually thereafter to a broad bay from 9d.1h. to 4h. V was likewise depressed at the same time, while D changed more irregularly through a range of $66.7'$.

Moderately disturbed conditions with occasional quiet spells of a few hours duration prevailed for the rest of the month; the only movements large enough to be described as a storm were between 19d.15h. and 20d.6h. when a broad peak in V centred at 18h. was followed by bays in all the elements round about midnight.

APRIL (0.83).— The high level of magnetic activity featured in March, continued throughout April.

The relatively quiet conditions with which the month opened gave way on the 2nd to slight disturbance, which led up to a short but severe storm between 4d.15h. and 21h. H reached its maximum of the month at 16h.35m. and then fell 1371γ to its minimum at 20h.15m. Ranges in V and D were barely one third that in H. The storm subsided suddenly just before 21h. leaving the magnetic field as quiet as it had been on the 1st.

Minor activity from 8d.1h. to 21h. and from 10d.22h. to 11d.22h. interrupted this quiet spell and it was ended by a small "sudden commencement" at 13d.8h.31m. The ensuing disturbance did not reach storm proportions until after 21h. when H and V started to fall and formed deep bays, with maximum depths of 950γ and 550γ respectively. Recovery at about 14d.3h. was rapid and there were no movements greater than 100γ on the remainder of the 14th. There was another very similar but smaller storm on the night of the 15th-17th; this time D was more markedly affected and formed a series of troughs, with its minimum for the month at 17d.2h.1m. Minor disturbance after this storm was more pronounced and conditions did not become quiet again until the 20th.

Small rapid pulsations set in at 23d.5h. and gave way at 12h. to further mild disturbance. The period 24d.15h. to 27d.12h. was the quietest of the month. A small storm developed gradually during the afternoon of the 27th and reached its climax between 27d.23h. and 28d.3h. when all the elements formed moderate bays. The storm had subsided by 28d.6h. and there was nothing of note in the remainder of the month.

MAY (0.45).— With no large storms and only sporadic minor activity, May was much quieter than April and March.

There were only small variations from the usual diurnal variations until the 4th, when the only definite storm of the month began gradually during the afternoon. All the elements were subnormal by 21h. and the minima were reached between 5d.1h. and 2h. The magnetic field had calmed down by 9h. and it remained fairly quiet with only occasional departures of more than 50γ for the rest of the month. The most disturbed period was 27d.9h. to 24h. and the calmest 6d.20h. to 10d.20h. There was a small movement resembling a "sudden commencement" at 10d.20h.40m.

JUNE (0.53).— This was again a quiet month, but there was rather more mild disturbance than in May.

After 10 days of quiet conditions, minor disturbance broke out on the 11th and persisted until the 15th with no features of special note. Further slight activity marked the 18th-19th, 23rd-24th and 28th-30th, while the intervening periods were relatively quiet.

JULY (0.74).— Although there were no very large storms during July, the magnetic field was subject to almost continuous minor activity.

The month opened with seven fairly quiet days; on the 4th there were no "K" indices greater than 1. Mild disturbance developed in the early hours of the 8th, chiefly in the form of small rapid oscillations, and continued intermittently throughout the 9th and 10th. The largest storm of the month occurred on the 11th, when shallow early morning bays in all the elements were followed by moderate afternoon peaks in H and V; the maxima of the month of 14824γ and 47146γ were recorded at 15h.20m. and 14h.17m. respectively. The traces were nearly back to normal by 18h., but mildly active conditions prevailed until the 13th.

Further slight disturbance marked the periods 14th-17th, and 20th-29th; the only noteworthy feature was a trough 300γ deep in H centred at 21d.1h. accompanied by a shallower broader trough in V.

AUGUST (0.68).— This was again a month of considerable minor activity.

There was little of note in the first nine days, conditions being generally quiet. Small peaks in H and V and a depression in D between 10d.15h. and 20h. interrupted this spell, but from 11d.15h. to 15d.19h. it was again quiet. A slight storm on the 16th featured the usual night bays and afternoon peaks in H and V; the largest movement was a decrease of $63.3'$ in D between 19h.57m. and 20h.22m. The minor activity which followed came to a head on the 23rd when there was a second storm similar to that on the 16th; this storm gave greater ranges in H and V but a smaller range in D.

Mildly disturbed conditions continued until the 27th, while the last four days of the month were relatively quiet.

SEPTEMBER (0.63).— Magnetic activity in September was largely confined to the period 11d.11h. to 23d.1h.; during this time there were fifteen three-hourly periods with a K index of 5 or greater and only 11 with index 2 or less; during the remainder of the month there were 117 periods with index 2 or less and only one with index 5.

The biggest storm occurred between 11d.21h. and 12d.12h., with ranges of 464γ , $59.5'$ and 428γ in H, D and V respectively. A broad bay 200γ deep in V between 11d.22h. and 12d.2h. was accompanied by a peak in D and a trough 300γ deep in H. A second trough in H centred at 3h.40m. concluded the main movements. The remainder of the disturbed period 11th-22nd was characterized by day after day of slight storms with about uniform diurnal ranges in H, D and V of about 200γ , $30'$ and 200γ respectively, and a remarkable absence of larger changes. The period 27d.23h. to 30d.24h. was the quietest spell of the month.

OCTOBER (0.90).— October brought a return to more generally disturbed conditions.

After a brief quiet spell, a storm developed gradually on the morning of the 2nd. H began a steep rise at about 15h. and reached its maximum for the year, 1511 γ , at 15h.30m. Simultaneous changes in the other elements were of much smaller magnitude. A sharp peak up to 12° 57.0' in D at 20h.47m. was accompanied by small troughs in H and V. Further depressions in H and V between midnight and 3d.5h. concluded the main storm, but minor activity continued until the 5th.

The period 6d. to 10d. was somewhat quieter, but the next ten days were marked by practically continuous minor disturbance. Much of the disturbance was of the small rapid irregular oscillation type. Conditions became quiet fairly abruptly at 20d.20h. and remained so until midday on the 28th apart from a few small humps.

A severe magnetic storm began with rises in H and V shortly after 28d.14h. H reached its maximum of 15092 γ at 15h.53m. and remained some 400 γ above normal until 18h.30m. It then fell over 1250 γ to form a deep trough centred at 21h., rose 550 γ to a second peak at 22h.30m. and finally plunged 550 γ in 15 min. to its minimum of 13447 γ at 23h.37m. An hour later it was only a few gamma below normal. Changes in V were not nearly so large, its range being only 520 γ . The chief features in the D trace were a peak up to 13° 17.2' at 18h.17m. and a trough with a minimum of 10° 12.9' at 23h.58m. Disturbance was renewed in more moderate form at 29d.6h. and continued until the end of the month. The largest change during this period was a decrease of 90' in D between 29d.21h.29m. and 53m.

NOVEMBER (0.70).— November was as usual a much less stormy month than its predecessor.

The mild activity which prevailed at the opening of the month subsided in the course of the first three days. The ensuing quiet spell was broken by small humps in H and V and a bay in D at 8d.20h. and terminated by the onset of slight disturbance during the 10th and 11th. This was of a much milder form than the minor activity of the preceding month, with few "K" indices above 3. Quieter conditions were renewed on the 15th and continued with few interruptions until the 23rd.

The only storm of the month began with falls in all the elements at 23d.21h. H and V formed broad bays, while D made a temporary recovery at 23h.20m. and rose again to a peak at 24d.1h.10m. By 5h. V was rising steadily but H remained subnormal until after 9h. Minor activity continued until the 29th, with no outstanding features. The last day of the month was relatively quiet.

DECEMBER (0.52).— The decrease in magnetic activity noted in November, was maintained in December.

There was nothing of note in the first week; the period 5d.3h. to 6d.19h. was especially quiet. Minor disturbance on the 7th and 8th led up to a moderate storm on the 9th. H and V started rising at 9d.17h. and formed irregular peaks until 21h.; the maximum of 14754 γ in H occurred during a sharp increase at 19h.10m. Both elements passed through bays between 22h. and 10d.1h., while D was also mainly subnormal at this time. The storm was virtually over by 10d.1h. but the traces showed signs of mild activity until 12h. and intermittently until the 12th.

The quiet period 13d. to 19d. was followed by a week of slight disturbance with no outstanding features; the 23rd was the most stormy day. The last five days of the month were very quiet. Between 30d.5h. and 16h. there were some regular oscillations in all the elements with a period of about 1.6 min. and a maximum amplitude in H of 6 γ .

POTENTIAL GRADIENT (reduced to level surface)
Mean values for periods of sixty minutes between exact hours, G.M.T.

1942

1 LERWICK

JANUARY, factor 1.19					FEBRUARY, factor 1.16				MARCH, factor 1.26			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	57	149	152	241	157	176	134	126	-	151	121	160
2	103	<-106	109	-37	84	34	129	56	39	60	21	36
3	115	95	112	83	-	-	-	64	72	91	136	124
4	37	100	138	126	28	123	171	165	166	184	166	166
5	40	98	146	109	106	171	123	53	97	91	133	112
6	86	92	<-588	164	84	90	146	78	88	72	94	127
7	402	115	135	132	53	78	227	104	94	100	127	320
8	66	86	155	143	95	62	<-616	104	Z±	302	175	163
9	49	135	207	313	17	67	361	104	124	199	148	100
10	77	178	146	149	50	50	154	274	54	368	91	106
11	80	109	164	218	48	126	204	53	57	24	121	169
12	181	<-445	210	161	<218	137	>840	>196	115	130	109	118
13	126	-3	<-674	-875	95	216	143	126	>393	142	72	202
14	26	258	218	385	64	104	140	134	205	184	136	121
15	255	250	86	106	53	76	146	182	60	187	103	172
16	103	83	98	95	154	218	210	286	269	516	909	1241
17	89	123	<-502	192	171	252	101	204	275	136	76	-9
18	187	52	89	164	347	188	95	-109	-263	-9	72	109
19	135	146	109	106	132	120	59	87	27	76	230	45
20	121	298	>416	617	64	90	<-532	53	85	82	57	48
21	129	198	273	123	20	73	<280	64	24	350	365	103
22	98	431	164	103	109	148	115	207	88	145	100	127
23	20	-141	80	-49	118	140	134	722	112	184	163	82
24	43	115	83	29	53	42	109	-	94	208	205	109
25	20	-86	26	34	59	101	165	160	223	124	-	>529
26	-	-	57	46	Z-	87	137	106	>453	91	103	133
27	72	210	9	>502	109	106	90	171	94	88	121	112
28	Z±	Z±	118	258	Z±	101	165	157	.60	82	85	88
29	135	75	161	115					60	124	118	160
30	<-402	143	141	89					139	169	181	Z±
31	57	>1033	247	164					257	<-151	6	118
(a)	104	191	145	177	100	118	183	159	137	161	151	179
(b)	104	122	137	136	102	129	152	154	87	153	162	162
Mean	(a) 154		(b) 125		(a) 140		(b) 134		(a) 157		(b) 141	
APRIL, factor 1.36					MAY, factor 1.41				JUNE, factor 1.35			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	184	92	30	<-526	87	123	42	94	98	140	-195	250
2	82	112	95	99	58	84	107	71	259	247	278	113
3	92	79	106	138	62	65	36	110	82	128	192	372
4	-13	-345	-717	309	36	71	126	-340	140	165	104	220
5	178	-234	<-1546	89	-288	181	146	-217	119	180	238	143
6	39	72	155	-257	75	65	65	120	329	299	342	165
7	290	Z±	89	362	100	237	156	139	128	159	34	88
8	237	211	99	72	75	32	130	52	107	-55	37	6
9	53	82	122	168	120	-65	185	172	46	104	104	82
10	-388	-276	112	155	139	91	175	233	98	125	113	-119
11	76	79	99	197	113	130	139	156	67	110	31	73
12	395	316	214	188	78	97	81	110	24	171	131	171
13	188	230	197	181	78	126	168	198	88	128	95	159
14	158	191	197	230	120	146	120	181	95	88	113	122
15	86	99	214	293	97	39	39	104	70	110	101	168
16	151	89	234	145	133	104	100	330	88	128	192	217
17	197	220	234	290	269	185	253	528	195	49	153	113
18	95	174	296	237	629	282	-165	211	31	70	91	125
19	190	265	9	95	126	162	139	117	137	131	113	171
20	70	85	-	136	87	94	29	97	91	110	113	-
21	70	92	107	117	68	107	156	130	-	122	85	82
22	76	60	95	136	123	133	211	91	-488	235	220	445
23	114	139	126	145	113	123	-3	78	162	149	153	146
24	60	-19	171	265	198	16	-347	-1215	143	85	85	116
25	325	183	155	272	104	181	314	-629	88	101	146	180
26	155	95	98	180	146	324	518	230	101	305	131	220
27	152	171	193	281	288	-528	152	389	91	119	-85	210
28	196	126	196	202	285	Z-	386	152	372	342	122	128
29	196	164	177	130	220	220	217	330	107	174	116	134
30	66	171	123	167	113	55	87	117	116	122	134	134
31					126	87	117	107				
(a)	149	144	146	189	142	127	157	172	124	152	135	163
(b)	117	107	120	171	123	99	116	70	103	147	117	155
Mean	(a) 157		(b) 129		(a) 149		(b) 102		(a) 143		(b) 131	

The potential gradient is reckoned as positive if the potential increases upwards. For indeterminate potential gradient the following notation is used: Z+, indeterminate, positive value; Z-, indeterminate, negative value; Z±, indeterminate, in magnitude and sign.

(a) Mean of all positive readings.

(b) Mean from all complete days using both positive and negative readings.

POTENTIAL GRADIENT (reduced to level surface)
 Mean values for periods of sixty minutes between exact hours, G.M.T.

1 LERWICK

1942

	JULY, factor 1.29				AUGUST, factor 1.35				SEPTEMBER, factor 1.37			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	116	136	87	107	269	303	165	-3	253	367	246	240
2	61	3	70	191	119	181	135	147	-31	105	120	225
3	-6	131	400	542	98	110	92	147	517	188	49	114
4	310	<-145	165	220	107	73	104	132	157	182	234	256
5	560	719	400	397	113	116	80	116	151	126	123	176
6	592	670	87	441	92	83	248	162	59	206	<-111	216
7	174	180	241	331	89	226	248	358	55	163	172	216
8	165	197	194	116	410	1001	410	236	157	200	219	136
9	186	215	<183	133	263	514	364	967	126	145	151	216
10	122	174	148	206	337	471	196	162	126	154	-216	126
11	209	139	125	133	330	404	367	750	-	179	120	126
12	78	90	110	142	578	557	122	6	95	126	89	182
13	75	275	133	165	110	147	-	199	120	114	132	160
14	96	93	177	241	61	77	132	398	43	95	271	290
15	145	93	145	206	327	358	141	288	157	160	105	-77
16	128	374	104	125	101	119	144	<-138	114	169	151	108
17	122	122	49	87	<-633	147	<-753	162	70	162	96	88
18	122	104	128	171	83	184	92	386	213	438	121	7
19	226	110	206	104	282	407	539	401	114	118	99	195
20	160	223	116	87	517	196	-	548	74	129	55	114
21	99	122	122	104	278	193	428	462	-7	-	<129	140
22	90	136	113	168	150	612	217	156	309	276	118	<66
23	116	96	104	116	64	162	110	226	110	29	169	247
24	78	78	<-203	258	116	177	141	107	-29	162	-22	217
25	113	93	-6	75	159	125	119	55	114	107	144	202
26	58	61	90	191	110	223	713	554	96	114	125	180
27	101	154	(162)	157	465	165	223	230	99	162	247	372
28	93	177	165	206	113	-168	104	171	221	191	309	<-681
29	191	225	151	244	104	190	110	165	-	55	129	221
30	206	197	122	99	110	125	125	162	254	184	247	364
31	61	67	235	180	141	64	187	144				
(a)	162	183	156	192	203	257	216	276	152	166	154	186
(b)	153	185	149	190	199	257	219	262	131	162	130	181
Mean	(a) 173		(b) 169		(a) 238		(b) 234		(a) 165		(b) 151	

	OCTOBER, factor 1.30				NOVEMBER, factor 1.26				DECEMBER, factor 1.28			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	199	209	312	209	-10	10	127	127	477	688	<293	>600
2	103	135	241	369	62	62	83	72	635	346	>551	<-18
3	>355	82	149	21	34	83	72	28	102	335	318	35
4	-89	128	124	14	38	158	144	110	64	346	166	-81
5	78	124	163	124	114	193	169	>929	7	-81	113	152
6	114	92	43	-4	<-378	103	103	-69	116	173	-	25
7	153	71	199	174	38	134	138	206	131	(113)	226	-88
8	-177	>415	>593	<-21	>464	148	127	131	-582	127	212	311
9	60	75	-53	117	34	100	96	124	134	244	374	300
10	89	188	107	110	127	-513	114	100	<-212	134	240	78
11	78	245	128	174	58	158	83	96	339	148	222	406
12	85	302	<-1029	167	96	<-1170	310	179	102	95	92	187
13	103	192	163	185	79	79	52	-151	169	247	208	272
14	209	-7	-174	64	31	89	120	86	208	159	222	738
15	121	Z±	>621	220	58	131	110	<-120	374	180	138	109
16	4	103	124	128	151	86	114	127	191	201	134	-124
17	78	107	160	138	93	62	117	93	127	145	191	162
18	35	121	142	217	69	127	138	103	<-1712	116	438	434
19	60	85	135	295	48	83	100	224	286	251	134	-113
20	82	224	50	177	172	182	-89	248	109	106	74	307
21	117	167	167	234	<-138	179	103	107	-300	-60	251	367
22	217	362	142	259	69	7	141	175	282	78	304	145
23	<-284	85	82	99	85	55	138	103	109	127	286	385
24	71	167	146	142	55	86	120	131	332	261	134	145
25	<-89	<107	177	501	79	86	127	124	71	102	159	113
26	>444	<-533	50	-121	89	-41	158	169	102	205	78	180
27	202	Z±	53	107	127	175	151	134	Z±	138	311	212
28	11	202	202	202	55	76	141	158	162	240	240	191
29	82	103	131	107	100	206	-	-	46	134	-	67
30	107	227	177	234	138	193	275	482	25	99	78	-371
31	46	295	131	114					53	Z±	169	109
(a)	122	171	175	175	95	113	131	176	183	198	219	241
(b)	87	157	129	164	75	67	116	133	111	159	189	162
Mean	(a) 161		(b) 134		(a) 129		(b) 98		(a) 210		(b) 155	

The factor used for converting the potential at the collector to potential gradient in volts per metre in the open is given for each month.

Annual means	(a)	139	165	164	190
	(b)	116	145	145	162
		(a) 165		(b) 142	

POTENTIAL GRADIENT (reduced to level surface): DIURNAL INEQUALITIES
 The departures from the mean of the day are adjusted for non-cyclic change†

2 LERWICK

1942

	Hour G.M.T.																								Non-cyclic change†	No. of days used	Mean v./m.
	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 6	6 to 7	7 to 8	8 to 9	9 to 10	10 to 11	11 to 12	12 to 13	13 to 14	14 to 15	15 to 16	16 to 17	17 to 18	18 to 19	19 to 20	20 to 21	21 to 22	22 to 23	23 to 24			
	volts per metre																										
	0a days only*																										
Jan.	-14	+20	-18	-28	-38	-40	-25	-29	-12	-14	-10	+14	+29	+14	-1	-13	-14	+13	+36	+40	+27	+25	+30	+10	-73	3	146
Feb.	-23	-28	-38	-10	-19	-35	-26	-1	-1	+11	+7	-2	-3	+17	+7	+34	+43	+45	+32	+5	+15	+11	-17	-21	+20	6	151
Mar.	-48	-57	-51	-49	-38	-41	-27	+4	+21	+11	+7	+7	+18	+19	+56	+39	+30	-7	+27	+37	+54	+30	-3	-39	+33	10	167
Apr.	-6	-10	-12	-16	-20	-9	+12	0	-19	-26	-23	-34	-25	-8	+3	+12	+21	+24	+34	+26	+29	+21	+20	+3	-6	15	172
May	-18	-28	-33	-35	-25	-7	-17	-1	+1	+19	+4	-6	-17	+5	+40	+56	+21	+19	+13	+6	+7	-5	-4	+5	-7	4	130
June	-25	-33	-19	+7	+18	0	+15	-15	+34	+18	-6	-8	-3	+3	+11	+25	-32	-1	-13	+8	+7	+21	0	-13	-20	5	169
July	-30	-25	-4	+6	+2	+21	+58	+31	+13	-39	-32	-14	-37	-40	-22	-10	+21	-6	+43	+60	-1	-11	+15	-1	+24	9	202
Aug.	+33	+8	-37	-30	-15	+7	+28	+80	+43	+19	-27	-34	-18	-26	-33	-28	-41	-32	+14	+11	+29	+9	+22	+19	+17	11	225
Sept.	-11	+9	-32	-38	-41	-36	-14	+20	-19	-38	-21	-24	-17	-5	+1	+6	+38	+52	+75	+56	+50	+24	+1	-4	-4	5	159
Oct. ‡	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	-	0	-
Nov.	-13	-27	-28	-26	-15	-3	-9	-1	-11	0	+2	-4	+13	+13	+25	+24	+28	+11	+15	+11	+13	+3	-9	-13	-3	4	101
Dec.	-50	+10	-2	-25	-8	-10	-50	-83	-73	-66	-61	-54	-76	-75	-37	+15	+38	+36	+64	+108	+233	+132	+41	-8	-131	3	243
Year	-19	-15	-25	-22	-18	-14	-7	-3	+1	-8	-16	-14	-13	-9	+4	+14	+11	+13	+29	+35	+43	+26	+11	-5	-14	75	170
Winter	-25	-6	-21	-22	-20	-22	-27	-29	-24	-17	-15	-11	-9	-8	-1	+15	+24	+26	+37	+41	+72	+43	+11	-8	-47	16	160
Equinox	-22	-19	-32	-34	-33	-29	-17	-3	+7	-11	-18	-16	-10	-2	+18	+17	+19	+18	+38	+46	+46	+34	+14	-12	+8	30	166
Summer	-10	-19	-23	-13	-5	+5	+21	+24	+23	+4	-15	-15	-19	-15	-1	+11	-8	-5	+14	+21	+11	+3	+8	+3	+3	29	181

‡ No 0a days in October

1a and 2a days only*

Jan.	-14	-4	+2	-19	-21	-11	+1	-1	+9	+2	+28	+15	+11	-9	+10	+12	+12	-1	+9	+11	+19	-3	-30	-27	-47	2	99
Feb.	-7	-35	-43	-28	-30	-31	-78	-24	-10	+12	+46	+34	+29	+10	+21	+42	+33	+53	+69	+18	+10	-33	-10	-47	+79	3	123
Mar.	+18	+13	-4	+17	+13	-3	-1	+2	+11	-5	-1	+3	+5	+14	-4	-12	-17	-4	-45	+20	-6	-3	+7	-11	-11	6	107
Apr.	+11	-21	-49	-53	-42	-27	-19	+15	+20	+11	-20	-28	-12	+7	+19	+23	+25	+51	+21	+18	-19	+30	-1	+39	-116	4	91
May	-6	-13	-13	-18	-14	-6	+20	+26	+17	+4	+2	+12	+8	+15	-5	+9	+21	+13	+4	-5	-22	-23	-13	-11	+53	7	128
June	-6	-9	+7	+1	-12	+1	-5	-7	+6	0	-6	-15	-15	-7	+4	+6	-1	-9	+9	+12	+19	+13	+9	+3	-4	10	129
July	-7	-21	-5	-10	-4	+21	+36	+11	+28	+34	+24	+19	-1	-18	-21	-14	-9	-21	-15	-8	-3	0	-2	-12	+18	12	133
Aug.	+21	-22	-33	-29	-45	-43	-18	-14	-30	-29	-42	-43	0	+21	+8	+31	+56	+30	+9	+6	+6	+49	+60	+49	+90	8	191
Sept.	+14	+2	-22	-23	-3	+5	+5	+2	-12	-25	-15	-31	-21	-11	+4	-16	-37	-1	+52	+73	+70	+34	-9	-35	+31	7	153
Oct.	-22	-61	-48	-25	-22	-16	-7	-9	+4	-11	-9	-21	-18	-9	+14	+25	+16	+36	+61	+37	+41	+21	+12	+11	+61	6	136
Nov.	-14	-11	+5	+31	+33	+11	-6	-38	-78	-44	-4	-7	-18	+25	+31	+23	+33	+29	+28	+10	+1	-13	-13	-14	+57	7	70
Dec.	-137	-5	-11	+19	+31	+17	+2	+21	-43	-34	-25	-24	+19	-8	+81	+48	+14	-3	+39	+63	+15	-9	-21	-51	+80	4	192
Year	-12	-16	-18	-11	-10	-7	-6	-1	-7	-7	-2	-7	-1	+3	+13	+15	+12	+13	+23	+16	+13	+5	-2	-7	+24	76	129
Winter	-43	-14	-12	+1	+3	-3	-20	-11	-31	-16	+11	+5	+10	+5	+36	+31	+23	+19	+36	+25	+11	-15	-19	-35	+42	16	121
Equinox	+5	-17	-31	-21	-13	-10	-5	+3	+6	-7	-11	-19	-11	0	+8	+5	-3	+17	+33	+21	+28	+20	0	+5	-9	23	122
Summer	+1	-16	-11	-14	-19	-7	+8	+4	+5	+2	-5	-7	-2	+3	-3	+8	+17	+3	+2	+1	0	+10	+13	+7	+39	37	145

Winter: January, February, November, December
 Equinox: March, April, September, October
 Summer: May to August

* For explanation of 0a, 1a, 2a days see p. 16, *Observatories' Year Book, 1938*

† See p. 10, *Observatories' Year Book, 1938*

3 LERWICK

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE	
	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.
1	1b	1.7	1b	1.8	(1b)	-	2c	5.9	1a	0.2	1b	2.3
2	2b	4.3	(0a)	...	1a	2.4	1b	0.1	1a	0.5	1b	1.5
3	1b	1.7	(1a)	-	0a	...	0a	...	1a	0.5	1b	0.9
4	1b	0.1	1a	0.1	0a	...	2b	9.8	2b	6.9	1b	2.2
5	1b	0.7	2b	3.3	0a	...	2c	10.3	2b	12.2	1a	0.2
6	1b	0.7	0a	...	0a	...	2a	4.8	2b	4.1	0a	...
7	1b	0.3	0a	...	1a	0.3	1b	2.3	1b	0.2	1b	2.1
8	1c	1.8	1b	1.0	1b	0.4	1b	2.6	1b	1.5	2b	4.7
9	1b	0.5	1b	0.8	1a	0.7	1a	0.1	2b	5.1	1b	1.3
10	1b	0.5	1c	1.9	1b	0.2	2c	10.4	1b	1.2	2b	3.1
11	0a	...	1b	2.9	1b	0.5	0a	...	1b	0.4	2b	6.1
12	1b	1.0	1c	2.1	1b	0.2	0a	...	1a	0.2	2b	3.9
13	2c	12.0	1b	0.6	1b	1.7	0a	...	0a	...	1a	0.1
14	2c	3.2	1a	0.9	1a	0.3	0a	...	1a	0.5	(0a)	...
15	0a	...	1a	0.9	1b	0.9	0a	...	1b	2.5	1a	0.2
16	1a	0.2	0a	...	0a	...	0a	...	1b	0.7	1a	0.1
17	1c	2.9	0a	...	2b	5.4	(0a)	...	1b	0.7	1a	0.3
18	1b	1.3	1b	0.9	2b	6.1	0a	...	2c	4.6	1a	0.8
19	1a	0.5	2b	3.1	1b	0.7	1a	0.1	0a	...	1a	0.1
20	2c	4.8	2c	6.2	1a	2.2	(1a)	-	1b	0.7	(1a)	-
21	1b	0.7	2b	3.1	0a	...	1a	0.3	0a	...	(1a)	-
22	(1b)	-	0a	...	0a	...	1b	1.1	0a	...	2b	3.1
23	2b	8.3	1b	0.4	0a	...	0a	...	1a	0.8	0a	...
24	2b	5.3	(0a)	...	1b	0.4	2b	3.6	2b	10.1	1a	0.1
25	2c	9.2	0a	...	(1c)	-	0a	...	2c	4.8	0a	...
26	(1b)	-	2b	3.1	1b	0.3	0a	...	1a	0.1	0a	...
27	2c	5.5	1b	2.5	1a	0.1	0a	...	2c	3.7	1b	2.7
28	2c	3.9	(1c)	-	0a	...	0a	...	2b	3.5	1a	0.1
29	0a	...			0a	...	0a	...	1b	0.8	0a	...
30	2c	4.0			1b	2.3	0a	...	1b	1.7	1a	0.3
31	2c	3.9			2c	7.5			1b	1.6		
Total	39	79.0	25	35.6	24	32.6	20	51.4	36	69.8	29	36.2
No. of days used	31	29	28	26	31	29	30	29	31	31	30	28
Mean	1.26	2.7	0.89	1.4	0.77	1.1	0.67	1.8	1.16	2.3	0.97	1.3

	JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.	Character	Duration of negative potential gradient hr.
1	1a	0.2	1a	0.7	0a	...	1b	0.3	1a	1.7	1c	2.7
2	1a	0.5	0a	...	1a	1.5	1c	1.3	1a	0.5	1c	2.6
3	1b	1.3	1a	0.2	1b	1.5	2c	5.3	1a	0.3	2c	6.2
4	1b	0.4	1a	0.1	1a	0.3	2b	3.4	1b	1.9	2b	5.2
5	0a	...	0a	...	1b	0.8	1c	2.6	1c	1.4	2b	6.0
6	1b	0.2	1a	0.2	1b	1.2	1b	2.8	2c	6.6	(2b)	-
7	0a	...	0a	...	1b	0.5	2b	5.6	1b	1.9	2b	3.8
8	1a	0.7	0a	...	1b	1.7	2c	3.7	1b	0.5	2b	4.5
9	2c	3.6	0a	...	1a	0.1	2b	5.8	1a	0.2	1a	0.6
10	1b	2.9	1b	1.7	(1b)	-	1c	1.1	2a	7.7	2b	4.1
11	1a	0.1	1b	0.5	(1a)	-	1b	0.5	(1a)	-	0a	...
12	0a	...	1b	1.4	0a	...	2c	3.5	2c	3.3	1b	1.1
13	1a	0.4	(0a)	...	0a	...	1c	0.7	2b	5.7	1b	2.7
14	0a	...	1a	0.1	2c	3.4	2b	7.4	1a	1.2	0a	...
15	1b	2.2	1b	2.4	2c	3.9	1c	2.8	1c	1.3	1b	0.5
16	1a	0.6	1b	0.7	1b	2.3	1b	1.2	1b	0.5	1b	0.8
17	1a	0.2	2b	3.4	(1a)	-	1a	0.3	0a	...	1b	1.1
18	0a	...	1a	0.7	2b	4.4	1a	0.7	0a	...	2c	7.3
19	0a	...	1b	1.4	1a	0.7	1a	0.2	1b	1.4	1b	1.9
20	0a	...	(1b)	-	0a	...	1b	1.9	1c	1.3	1b	0.3
21	1a	0.1	1b	1.7	(2b)	-	1a	0.3	1b	1.1	2b	3.3
22	0a	...	1b	0.3	1b	1.3	1b	2.5	1b	1.8	1a	0.8
23	1a	0.1	0a	...	1b	2.0	1b	0.6	1a	0.4	1a	0.5
24	2b	3.9	0a	...	1b	2.0	1b	0.8	0a	...	0a	...
25	1b	2.7	1a	0.1	1a	1.1	1c	2.2	0a	...	1a	0.5
26	1a	0.5	1a	0.3	1a	0.2	2c	5.1	1b	1.6	2b	4.9
27	1b	0.7	0a	...	0a	...	2c	6.1	1b	0.3	1c	0.6
28	1a	0.1	2b	3.8	2b	3.1	1a	0.3	1b	0.5	1c	1.9
29	0a	...	0a	...	(1a)	-	1a	0.5	(1b)	-	(2c)	-
30	1a	0.1	0a	...	1a	0.3	1c	0.7	1c	0.5	2c	3.7
31	1b	1.7	0a	...			1c	1.5			1c	2.0
Total	24	23.2	21	19.7	30	32.3	40	71.7	30	43.6	40	69.6
No. of days used	31	31	31	30	30	25	31	31	30	28	31	29
Mean	0.77	0.7	0.68	0.7	1.00	1.3	1.29	2.3	1.00	1.6	1.29	2.4

Annual values: Character 0 1 2
No. of days used 80 212 73

Mean character figure 0.98 (365 days)

Duration: Total 564.7 hr.
No. of days 346
Mean 1.63 hr.

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

4 LERWICK (H) 14,000γ (0.14 C.G.S. unit) + JANUARY 1942

	Hour G.M.T.												Mean												
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
1 q	387	387	388	389	391	396	398	397	397	396	395	390	389	395	398	398	390	403	401	399	396	391	393	391	394
2	392	396	396	398	402	409	416	409	406	398	401	396	394	396	397	403	398	393	392	394	368	374	378	382	395
3 d	387	392	384	381	388	387	387	382	375	374	375	367	379	387	394	379	392	390	387	382	385	383	383	366	383
4 d	377	377	371	371	414	397	400	401	393	391	389	385	383	385	383	388	382	385	405	397	350	349	371	384	
5 d	379	357	360	351	384	391	388	379	371	354	355	380	387	388	390	382	380	383	397	379	378	381	383	405	378
6	379	379	377	378	383	389	385	386	383	380	376	380	381	386	388	384	384	383	395	381	384	391	413	383	385
7	388	375	376	377	391	383	395	394	391	388	379	363	368	385	392	392	393	388	386	396	397	387	388	387	386
8	390	388	391	392	392	394	392	391	389	387	385	383	385	390	391	384	386	390	393	393	392	392	392	399	390
9	397	394	391	396	401	401	400	394	393	391	388	384	386	392	395	396	392	390	391	394	394	394	393	397	393
10	400	387	387	394	396	396	395	397	397	395	393	390	391	391	386	392	380	378	387	390	389	389	399	386	391
11	385	379	390	394	396	400	395	394	385	384	383	384	374	385	393	392	388	383	379	386	389	391	391	391	388
12	391	386	391	389	395	397	396	397	391	379	378	384	390	394	394	391	387	383	388	387	392	385	392	388	389
13	388	389	390	389	391	397	399	395	389	388	385	380	376	381	384	393	391	389	388	387	392	395	395	393	389
14	393	393	394	398	398	402	403	405	400	394	388	388	391	396	396	397	399	402	403	400	403	395	408	399	398
15	391	387	398	390	391	391	398	403	398	388	391	392	393	396	394	385	385	393	394	394	389	388	388	380	391
16	377	389	388	390	392	396	400	400	398	392	382	373	375	382	383	384	384	380	381	379	374	378	382	377	385
17 d	363	375	378	389	394	407	394	366	342	348	337	361	381	390	382	379	382	388	394	395	395	394	394	393	380
18 d	388	374	334	384	377	384	394	393	377	379	376	380	383	383	378	387	392	397	398	397	387	395	368	355	382
19	337	341	362	386	376	366	386	390	385	378	374	373	384	387	387	388	393	392	392	390	386	384	385	397	380
20	376	382	385	388	391	392	391	389	386	382	378	377	384	385	387	388	389	386	387	388	388	385	389	390	386
21 q	391	390	391	391	392	393	394	391	391	390	392	392	391	395	393	392	394	400	391	390	385	386	387	391	391
22	391	391	389	387	395	402	403	403	398	391	388	383	384	374	374	374	378	378	374	374	377	377	373	380	385
23	383	375	381	391	392	393	401	401	398	391	384	382	383	387	381	381	385	390	394	395	393	391	388	390	389
24 q	388	386	387	391	392	394	395	396	395	394	388	386	383	387	392	395	397	399	400	401	402	398	395	385	393
25	386	389	392	393	396	398	399	399	398	394	389	385	386	397	402	403	403	399	400	390	387	393	391	391	394
26 q	390	389	385	386	391	395	398	394	393	382	379	380	388	394	397	396	398	396	396	396	393	388	391	391	391
27	391	392	392	392	395	398	398	396	392	380	386	389	389	395	398	396	398	391	392	395	387	391	384	381	392
28	382	386	383	392	400	400	388	398	399	392	375	381	383	376	382	386	389	396	398	397	390	382	389	388	389
29	387	388	387	389	391	392	393	393	392	386	382	379	380	386	396	402	402	395	394	389	379	380	377	383	388
30	381	380	386	389	391	400	402	400	397	391	385	386	388	393	397	403	411	405	403	403	403	397	395	395	395
31 q	396	392	391	394	395	398	400	402	402	398	390	386	388	394	396	400	400	400	400	400	402	400	397	397	397
Mean	385	383	383	388	393	395	396	395	390	386	382	382	384	389	390	390	391	391	392	392	389	387	388	387	389

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -10γ.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

11° +

5 LERWICK (D) JANUARY 1942

	Hour G.M.T.												Mean												
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
1 q	61.1	61.1	60.7	60.0	60.8	61.3	60.9	60.3	60.5	60.3	61.7	62.6	63.3	62.8	62.5	61.7	61.5	61.8	61.9	61.5	60.1	60.4	60.6	61.1	61.3
2	61.4	61.5	61.4	61.7	63.3	61.5	61.3	61.5	62.1	63.1	63.3	62.8	63.9	68.7	69.7	71.2	77.6	77.2	66.6	57.7	50.8	53.7	53.7	56.6	63.0
3 d	60.1	65.1	63.4	61.5	60.8	61.4	63.7	64.6	55.0	64.7	65.8	64.2	62.9	64.6	66.1	67.8	64.7	64.9	63.0	61.4	60.2	58.6	58.0	55.4	62.8
4 d	57.7	59.2	59.8	56.7	52.4	57.4	61.0	62.7	59.7	61.1	62.5	63.0	66.3	65.9	61.4	62.0	68.3	62.8	61.3	59.2	56.1	49.0	45.8	51.8	59.3
5 d	58.2	57.6	58.6	61.4	62.5	62.4	63.0	62.9	65.0	67.3	65.2	62.5	64.0	64.7	63.3	62.4	61.3	63.1	58.6	52.5	57.9	60.1	57.0	61.6	61.4
6	60.0	59.2	60.4	61.2	61.5	61.8	60.1	61.0	61.6	61.7	61.5	60.5	62.8	63.4	63.5	61.5	64.9	61.3	43.3	57.8	60.0	53.1	53.8	56.1	59.7
7	56.5	56.9	55.0	60.1	57.8	58.9	59.3	60.0	60.8	61.2	61.5	61.7	61.9	62.5	61.7	59.9	59.8	61.1	60.4	56.2	57.7	60.0	59.8	59.8	59.6
8	61.0	61.1	60.4	60.1	60.5	60.6	60.5	60.3	60.0	60.8	61.5	62.4	63.2	62.6	62.7	61.2	62.0	61.5	61.4	61.1	60.4	59.7	59.7	60.4	61.0
9	58.3	59.4	59.9	61.5	59.2	58.9	59.6	60.0	59.9	60.5	61.2	61.8	62.5	62.5	61.9	61.6	62.5	62.1	62.4	61.9	61.5	59.7	59.5	54.4	60.5
10	50.8	55.2	57.5	58.3	59.8	61.0	60.3	61.5	61.2	61.6	62.4	63.7	65.1	64.3	63.0	62.7	59.9	58.9	62.2	60.9	59.4	54.6	52.5	60.3	59.9
11	61.9	64.5	60.1	58.4	59.6	60.1	60.6	61.5	62.3	63.0	64.0	64.6	64.2	64.6	62.1	51.7	61.8	62.4	61.5	57.1	54.4	55.7	58.6	60.5	61.0
12	61.1	61.2	59.1	59.9	59.0	59.4	59.7	59.7	60.4	61.0	62.5	63.3	63.8	64.2	62.9	63.4	62.5	61.5	60.8	60.8	47.8	55.6	60.2	60.4	60.4
13	61.9	61.7	60.8	60.8	60.7	60.2	60.2	60.5	60.8	60.1	50.2	62.4	64.4	64.9	63.5	61.9	61.5	60.6	58.9	60.1	59.1	60.3	60.2	61.0	61.1
14	61.4	61.7	61.1	60.7	61.1	61.0	60.6	60.3	59.9	60.3	60.7	62.4	63.7	53.4	62.5	62.1	62.3	62.9	62.7	62.5	62.0	60.1	55.2	54.4	61.0
15	58.9	58.8	58.8	58.6	59.1	59.0	59.1	59.1	59.9	61.2	62.4	65.0	67.4	67.9	70.5	72.8	65.7	61.9	61.8	61.6	60.6	58.6	58.8	62.1	62.1
16	58.9	57.6	55.3	56.4	57.7	58.6	58.7	59.9	61.1	62.0	63.3	65.5	58.5	69.4	69.4	71.7	72.6	71.5	62.1	56.2	50.7	57.6	60.3	58.7	61.8
17 d	59.1	53.9	56.2	58.8	61.4	60.0	64.8	66.9	71.0	66.6	71.9	69.5	67.2	67.2	64.7	62.6	61.6	61.6	60.6	60.5	60.4	59.9	60.3	60.4	62.8
18 d	60.4	56.3	55.4	48.0	55.7	58.1	60.3	62.4	63.1	64.2	61.0	62.1	63.7	63.2	62.1	60.6	61.5	62.0	62.7	62.8	60.6	55.5	39.1	51.8	58.9
19	59.7	62.4	62.3	57.0	61.6	70.5	66.0	61.9	62.0	63.6	61.9	62.2	63.2	63.1	61.3	60.5	61.1	61.3	60.9	60.4	59.2	59.3	57.5	56.2	61.5
20	60.5	63.5	59.3	60.0	59.8	60.1	60.0	60.1	60.1	61.1	62.2	63.6	6												

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

6 LERWICK (V)		46,000γ (0.46 C.G.S. unit) +											JANUARY 1942											
	Hour G.M.T.											12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11													
1 q	909	909	908	907	905	903	901	901	900	902	903	906	905	906	908	908	906	903	904	905	907	903	903	905
2	901	900	901	900	897	893	891	892	891	893	892	897	901	903	909	920	948	979	968	990	985	951	948	933
3 d	928	920	921	920	910	898	865	860	863	872	880	893	897	907	917	947	940	931	940	954	963	963	939	915
4 d	908	904	903	871	836	860	880	885	895	878	899	905	906	909	937	956	942	943	946	1004	986	930	926	907
5 d	898	898	857	863	864	892	901	903	908	910	913	915	915	916	919	931	942	960	946	922	920	908	907	871
6	887	899	905	898	892	886	894	897	901	905	908	903	903	907	910	917	922	935	933	917	914	913	874	862
7	860	885	894	896	894	903	902	903	903	901	903	903	908	906	910	914	915	913	913	912	905	905	903	903
8	898	896	898	902	903	904	905	905	904	901	900	903	902	902	907	909	908	908	907	907	907	905	903	898
9	895	893	897	894	891	894	898	900	901	903	903	903	902	901	902	903	907	909	908	908	909	911	909	898
10	877	882	894	895	896	895	898	899	900	904	905	905	902	902	908	909	922	934	921	914	914	911	897	900
11	897	876	882	893	897	896	898	899	905	901	902	904	907	906	907	909	911	915	920	922	913	908	908	904
12	899	900	893	897	894	896	898	899	904	910	911	909	908	907	907	909	909	914	914	918	925	910	905	905
13	903	899	903	904	902	899	899	899	902	906	909	912	913	908	907	905	905	908	909	912	909	908	906	904
14	903	902	901	899	898	895	895	895	898	900	903	902	900	901	902	901	899	898	898	900	901	908	893	887
15	897	906	908	906	902	899	892	889	892	893	894	899	900	904	914	930	934	921	913	908	912	915	915	909
16	907	907	907	905	901	899	897	894	893	897	901	906	908	915	924	941	956	987	990	983	973	934	920	915
17 d	908	863	891	893	899	893	888	892	896	900	916	920	919	917	916	925	924	913	908	905	906	903	903	905
18 d	908	891	873	859	894	900	899	897	903	898	903	903	909	913	916	916	913	910	910	909	919	871	863	867
19	834	818	836	878	868	818	846	872	888	894	901	908	907	911	913	916	917	915	912	913	912	910	905	882
20	887	870	892	903	906	907	908	908	907	905	905	906	906	906	907	909	912	915	913	910	909	909	893	895
21 q	899	902	903	905	905	906	906	906	905	901	899	901	903	902	905	907	907	907	915	915	917	920	914	905
22	902	902	901	900	886	883	888	894	898	900	899	902	903	913	922	941	943	947	958	959	947	937	916	893
23	878	884	887	888	894	898	897	898	899	901	904	907	908	907	915	916	916	915	912	911	910	910	910	906
24 q	902	901	900	900	901	902	903	903	901	900	903	907	906	900	898	900	900	901	903	904	905	907	903	900
25	900	901	902	903	902	901	901	902	901	901	900	902	901	900	898	899	900	903	908	919	928	920	916	905
26 q	910	903	901	905	903	902	901	904	906	910	909	908	904	903	903	902	902	903	904	905	909	916	913	910
27	907	905	903	902	899	899	899	899	901	904	902	904	902	899	901	905	907	913	916	915	921	918	919	915
28	906	899	884	867	873	882	888	882	891	897	904	901	901	908	915	916	919	911	907	907	912	917	909	908
29	905	904	905	904	902	900	899	899	900	903	903	903	902	902	902	905	905	907	909	927	952	938	924	914
30	914	909	906	905	903	895	894	894	896	898	900	899	900	901	903	905	906	910	912	910	910	921	922	915
31 q	910	909	908	905	902	900	898	896	895	894	895	896	898	899	903	904	903	901	900	900	898	898	898	898
Mean	898	895	896	896	894	893	894	896	898	900	902	904	905	906	910	915	917	920	920	922	922	916	909	901

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -10γ.

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

7 LERWICK		TERRESTRIAL MAGNETIC ELEMENTS											JANUARY 1942			
	Horizontal force				Declination			Vertical force				3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 +	
	Maximum 14,000γ +	Minimum 14,000γ +	Range	Maximum 11° +	Minimum 11° +	Range	Maximum 46,000γ +	Minimum 46,000γ +	Range							
1 q	h. m. γ	γ h. m.	γ	h. m.	h. m.	h. m.	h. m.	γ	h. m.	γ	h. m.	γ	0, 0, 1, 1, 0, 0, 1, 1	4	0	76.5
2	17 18 406	386 11 55	20	12 34	64.0	57.8	20 51	6.2	1 15	910	901	8 10	9	18	1	77.0
3 d	6 12 420	352 19 57	68	15 57	81.3	40.1	20 7	41.2	19 41	1027	890	6 26	137	20	1	77.1
4 d	5 56 409	357 23 12	52	15 8	72.2	51.7	23 48	20.5	21 10	972	857	7 11	115	24	1	77.4
5 d	4 11 433	289 22 8	144	16 35	75.1	40.2	21 52	34.9	19 34	1030	829	4 35	201	24	1	76.5
6	18 35 444	329 19 2	115	19 0	77.2	41.7	19 10	35.5	18 12	1018	842	3 8	176	19	1	75.4
7	22 18 455	362 18 12	93	16 51	69.2	32.8	18 33	36.4	18 14	957	854	24 0	103	17	1	75.0
8	20 41 408	344 12 5	64	12 54	64.3	53.0	2 55	11.3	16 12	918	851	0 7	67	5	0	74.7
9	23 12 408	380 11 39	28	12 24	63.5	58.8	1 19	4.7	15 32	909	893	2 1	16	8	0	74.8
10	23 49 413	383 11 34	30	16 55	63.4	46.9	24 0	16.5	21 40	913	885	24 0	28	17	1	74.6
11	22 12 422	366 17 20	56	12 30	67.1	45.8	22 8	21.3	17 21	941	871	0 51	70	16	0	74.3
12	20 19 404	366 12 37	38	1 20	67.2	50.0	20 14	17.2	19 39	926	864	1 49	62	16	1	74.6
13	20 42 414	371 9 54	43	13 30	64.7	32.3	20 35	32.4	20 32	935	887	2 26	48	6	0	75.0
14	7 0 400	374 13 1	26	13 6	66.0	56.6	18 45	9.4	19 33	914	897	1 19	17	6	0	75.5
15	22 50 421	386 10 57	35	12 39	64.1	48.0	22 59	15.1	21 41	913	883	23 31	30	13	0	75.8
16	7 19 411	368 24 0	43	15 12	74.8	56.4	21 21	18.4	16 7	940	885	6 54	55	17	1	75.7
17 d	6 55 403	362 12 29	41	17 23	77.0	45.9	20 19	31.1	18 19	1001	893	8 28	108	16	1	75.2
18 d	5 14 412	326 10 19	86	10 39	74.4	48.2	1 30	26.2	16 5	930	844	1 28	86	22	1	75.1
19	21 20 477	302 2 36	175	21 39	57.2	26.0	22 0	41.2	21 18	957	788	21 40	169	18	1	75.1
20	23 12 418	314 0 54	104	5 11	78.1	53.8	23 54	24.3	16 36	894	797	0 58	97	18	1	75.0
21 q	4 57 396	366 0 14	30	1 0	66.3	54.8	0 0	11.5	17 4	916	862	1 9	54	7	0	74.7
22	17 32 404	378 21 13	26	10 59	64.3	53.2	21 34	11.1	21 15	924	898	10 9	26	15	0	74.5
23	5 51 409	367 15 15	42	14 54	69.6	50.9	21 31	18.7	19 25	963	879	4 53	84	12	0	74.4
24 q	6 56 405	374 1 21	31	15 35	67.7	51.8	0 4	15.9	14 42	919	875	0 14	44	7	0	75.0
25	22 0 409	382 12 25	27	13 12	63.5	49.4	22 25	14.1	21 55	912	895	14 5	17	10	0	74.6
26 q	16 49 407	375 19 50	32	14 1	66.2	56.1	20 5	10.1	19 52	932	898	14 47	34	5	0	73.6
27	16 42 400	375 11 31	25	14 15	65.6	56.1	4 28	9.5	21 37	919						

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with columns for LERWICK (H), Hour G.M.T. (0-1 to 11-12), 14,000γ (0-14 C.G.S. unit) +, and MARCH 1942. Rows represent hourly intervals from 1 d to 31, with a final Mean row.

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -8γ.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with columns for LERWICK (D), Hour G.M.T. (0-1 to 11-12), 11° +, and MARCH 1942. Rows represent hourly intervals from 1 d to 31, with a final Mean row.

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with columns for Hour G.M.T. (0-1 to 23-24) and Mean, and rows for 16 LERWICK (H) for each hour of the day. Values are in units of 14,000γ (0.14 C.G.S. unit) +.

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -7γ.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with columns for Hour G.M.T. (0-1 to 23-24) and Mean, and rows for 17 LERWICK (D) for each hour of the day. Values are in degrees (11°).

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with columns: 24 LERWICK (H), Hour G.M.T. (0-1 to 11-12), 14,000γ (0.14 C.G.S. unit) +, JUNE 1942, Mean. Rows 1-30 with various time markers (q, d) and numerical data.

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -3γ.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with columns: 25 LERWICK (D), Hour G.M.T. (0-1 to 11-12), 11° +, JUNE 1942, Mean. Rows 1-30 with various time markers (q, d) and numerical data.

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table 32: LERWICK (H). Data for August 1942 showing magnetic force components in 14,000γ (0.14 C.G.S. unit) +. Columns include Hour G.M.T. (0-1 to 23-24) and Mean. Rows are numbered 1 to 31 with some labeled 'q' or 'd'. Values range from approximately 350 to 450.

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, nil.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table 33: LERWICK (D). Data for August 1942 showing magnetic declination in 11° +. Columns include Hour G.M.T. (0-1 to 23-24) and Mean. Rows are numbered 1 to 31 with some labeled 'q' or 'd'. Values range from approximately 50 to 70 degrees.

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

40 LERWICK (H)		14,000γ (0-14 C.G.S. unit) +												OCTOBER 1942												
	Hour G.M.T.	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1 q	392	391	391	391	391	393	392	388	380	371	367	367	374	379	387	388	394	397	397	398	399	401	395	400	388	
2 d	397	386	386	400	407	417	415	411	398	356	368	383	383	366	405	649	467	470	473	421	370	368	356	350	408	
3 d	271	233	227	247	216	354	350	337	353	362	356	360	373	363	391	464	455	422	405	382	357	354	380	360	349	
4	364	336	352	380	361	359	371	360	358	364	358	371	375	397	412	434	468	407	385	384	379	359	321	359	376	
5	329	337	352	338	386	379	376	371	358	358	351	347	363	376	399	377	369	390	387	388	383	381	384	366	369	
6	365	384	386	385	384	383	387	385	374	370	364	363	365	370	376	381	383	387	394	394	385	377	383	382	379	
7	382	340	314	379	393	396	378	390	389	371	366	363	367	368	371	390	392	386	385	388	385	381	389	383	377	
8	380	381	379	372	387	393	396	394	383	366	358	355	358	362	378	383	392	394	382	372	380	388	388	388	380	
9 q	376	358	387	390	388	381	393	394	387	373	369	373	377	385	385	396	395	401	400	400	401	401	397	396	388	
10	397	396	396	397	401	403	400	405	397	383	372	377	380	388	395	405	402	402	404	401	401	388	386	389	394	
11	388	386	387	388	389	390	390	387	381	367	365	364	368	380	394	394	394	401	407	417	425	390	395	399	389	
12 d	380	378	316	354	385	392	392	389	380	364	315	351	384	385	389	383	391	407	388	382	385	388	406	400	379	
13	380	318	314	348	377	377	377	377	367	354	355	368	374	375	389	379	414	422	374	376	385	402	395	365	373	
14	371	353	362	366	376	377	381	380	371	366	363	362	355	361	403	408	381	382	386	409	372	306	330	354	370	
15	366	366	364	366	312	344	386	381	370	365	371	371	368	378	374	384	393	388	394	389	372	379	365	374	372	
16	362	262	368	377	382	383	384	385	373	366	358	367	370	380	380	388	373	385	421	382	389	396	385	388	375	
17	359	371	378	385	373	373	389	388	374	366	367	373	377	387	389	386	388	393	391	389	388	400	384	383	381	
18	382	379	369	371	374	384	384	375	371	368	371	367	379	383	390	399	384	389	378	377	374	387	380	379	379	
19	273	241	371	366	357	374	354	374	369	368	347	364	370	389	417	453	380	408	386	375	383	380	384	385	369	
20	371	363	380	372	373	380	388	382	377	368	368	370	367	388	370	399	395	377	384	386	378	381	380	382	378	
21	382	382	383	383	382	385	388	389	378	373	370	369	373	366	383	393	372	378	382	384	384	379	380	379	380	
22 q	380	380	376	376	382	388	387	384	375	369	368	368	366	374	381	384	388	391	391	385	387	385	388	387	381	
23 q	389	386	382	386	389	394	390	380	371	359	365	368	379	378	385	387	392	390	391	392	392	392	392	394	384	
24 q	392	389	388	390	391	390	390	385	377	370	369	374	378	381	386	387	394	397	396	399	397	395	388	392	387	
25	393	390	379	386	403	405	399	383	399	391	381	374	373	380	380	385	390	392	391	388	388	388	385	386	388	
26	385	381	379	381	382	388	393	392	388	376	370	368	371	376	380	385	388	392	393	394	408	419	380	383	385	
27	382	378	380	388	395	391	392	395	388	373	370	371	374	380	389	385	384	391	393	395	392	401	394	391	386	
28 d	392	392	393	393	396	397	399	397	393	379	363	375	385	396	450	713	734	856	730	414	155	-43	127	-179	392	
29 d	327	351	326	313	339	318	284	190	302	345	350	406	437	363	366	389	447	478	396	392	293	144	307	307	340	
30 d	258	283	255	331	372	347	360	381	359	340	332	351	369	395	408	462	402	394	386	373	383	382	366	385	361	
31	332	342	348	351	376	372	377	374	375	365	354	340	356	375	407	394	381	377	406	376	378	348	371	381	369	
Mean	364	355	360	369	375	381	382	378	375	367	361	367	374	378	391	416	409	414	406	390	376	361	370	361	378	

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -3γ.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

41 LERWICK (D)		11° +												OCTOBER 1942												
	Hour G.M.T.	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
1 q	53.7	53.7	53.3	53.2	53.7	53.5	52.6	51.8	51.8	52.5	54.4	56.6	58.3	58.5	59.1	58.5	56.9	56.6	56.1	55.7	54.2	52.1	53.2	50.2	54.6	
2 d	47.9	49.6	50.7	50.3	51.7	51.8	52.1	52.6	53.1	54.6	59.0	63.4	69.2	74.7	71.0	62.0	62.2	47.4	54.0	47.5	55.1	46.5	49.5	53.4	55.4	
3 d	65.4	57.0	55.9	42.9	55.3	55.7	63.6	63.4	62.5	58.5	57.5	57.5	57.8	60.0	58.9	46.4	51.8	46.4	41.4	47.6	46.5	49.5	55.6	57.8	54.8	
4	48.4	52.9	54.1	49.6	50.1	56.2	60.1	55.0	52.3	57.1	56.6	57.3	57.4	53.5	57.1	55.2	47.3	47.7	53.2	47.4	49.0	52.6	52.7	52.9	52.9	
5	49.2	53.3	50.8	56.8	53.6	54.2	50.5	54.8	54.3	54.5	57.1	59.3	61.1	59.5	49.8	57.8	53.8	50.9	54.9	54.6	46.2	48.6	53.0	53.4	53.9	
6	54.6	53.4	52.9	52.6	53.2	53.3	53.5	53.7	53.6	53.7	55.6	56.9	57.5	57.1	56.3	55.5	54.6	54.6	54.1	54.6	52.3	51.8	51.2	49.4	54.0	
7	51.0	47.2	53.7	50.4	49.3	50.1	54.7	55.9	55.1	55.0	55.5	57.6	60.2	63.0	60.8	51.5	56.7	56.3	55.8	50.8	49.8	49.8	45.2	43.9	53.3	
8	52.9	53.7	54.2	56.4	54.2	53.1	52.6	52.1	53.1	54.2	57.2	60.1	61.7	60.7	59.3	58.7	57.2	65.9	48.4	49.0	51.5	50.3	52.2	52.0	54.7	
9 q	52.2	55.8	51.1	52.1	51.9	52.5	53.7	53.2	53.1	54.0	56.5	59.4	60.4	62.5	62.0	61.5	60.1	58.6	57.1	54.3	54.0	53.2	52.9	53.6	55.7	
10	53.5	53.7	53.4	53.1	53.1	53.1	52.5	51.9	51.4	51.6	53.1	56.4	58.4	59.7	59.9	59.2	58.1	56.8	56.4	55.2	55.5	49.7	49.2	49.7	54.4	
11	52.7	52.4	53.2	53.2	53.3	53.0	52.9	52.1	51.1	51.4	53.3	57.9	60.4	61.8	62.4	63.0	60.2	60.3	57.2	59.9	51.4	42.6	50.4	54.7	55.0	
12 d	54.7	54.0	56.2	52.5	55.0	53.1	50.8	50.8	50.1	53.5	52.7	57.5	60.2	60.5	63.9	63.3	59.7	47.0	49.4	55.6	55.3	52.5	50.6	48.8	54.5	
13	43.9	48.8	52.1	50.6	51.7	52.8	53.7	51.8	52.1	51.0	51.9	56.6	59.5	60.9	63.6	56.8	57.0	22.6	53.9	57.6	52.8	48.8	53.7	49.7	52.2	
14	48.6	53.1	58.8	53.7	54.3	54.2	55.5	54.0	52.8	53.6	54.8	57.6	59.5	56.8	59.3	42.2	57.6	58.7	47.7	35.6	34.0	36.9	43.5	54.9	51.6	
15	56.9	54.5	58.5	52.3	57.8	57.7	59.6	51.6	52.2	49.9	53.8	57.5	59.7	61.6	61.4	58.7	55.6	50.3	27.6	39.7	49.0	51.8	59.5	46.3	53.5	
16	42.8	52.3	49.0	48.0	51.2	51.3	52.5	54.5	53.3	54.1	56.6	57.7	60.5	54.1	58.0	55.4	53.5	55.1	44.2	50.0	52.4	50.1	51.3	53.7	52.6	
17	57.5	55.0	53.1	51.7	53.0	56.3	53.4	54.4	52.1	53.5	55.6	58.4	60.4	60.3	58.9	58.2	53.9	53.0	55.7	52.9	41.1	47.2	52.7	52.8	54.2	
18	55.8	55.3	55.7	54.0	52.7	51.4	51.7	52.6	54.5	53.4	55.5	57.3	58.1	58.8	59.4	58.1	49.8	40.4	40.3	50.4	55.7	49.0	50.5	55.2	53.1	
19	56.6	63.5	46.3	47.7	52.6	52.2	54.9	55.7	56.2	55.4	58.9	60.8	61.4	57.9	63.1	49.9	54.8	39.3	45.0	54.3	50.7	49.1				

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

42 LERWICK (V)

46,000γ (0.46 C.G.S. unit) +

OCTOBER 1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
1 q	906	907	909	909	910	910	913	916	917	915	912	909	907	906	906	909	912	913	913	914	915	911	911	887	910
2 d	880	886	895	893	896	894	895	896	900	910	898	899	911	957	998	1025	1051	1040	1047	980	782	847	869	852	921
3 d	788	728	720	724	656	799	850	870	872	893	912	931	942	954	962	1010	1024	989	932	901	910	878	825	800	870
4	805	823	846	878	886	870	868	886	895	903	911	917	938	966	965	995	1026	966	961	962	944	909	826	795	906
5	835	838	855	827	868	883	899	902	909	922	934	940	940	949	986	969	951	940	923	918	926	921	904	888	909
6	861	883	902	908	911	910	911	916	919	922	923	923	920	919	919	919	917	914	914	917	928	892	890	895	910
7	871	813	795	851	878	885	901	896	897	903	908	914	918	934	949	973	950	940	945	946	944	928	894	877	905
8	895	904	908	904	901	905	907	909	912	922	925	925	922	922	925	925	926	933	961	966	939	926	916	906	920
9 q	899	869	876	899	908	912	903	901	901	903	905	908	908	910	915	918	920	918	918	918	917	913	911	911	906
10	910	913	915	913	911	909	908	905	905	906	908	906	904	904	908	909	911	910	911	911	911	925	918	914	910
11	912	915	915	915	915	914	915	914	909	903	901	901	901	902	911	918	924	919	916	911	983	954	931	923	918
12 d	905	872	834	821	861	894	909	915	914	911	927	931	965	940	929	946	958	953	927	927	921	925	877	822	908
13	845	830	803	848	890	911	920	922	917	918	916	913	914	926	939	959	973	994	958	934	920	861	818	828	902
14	860	880	889	887	904	909	912	913	920	920	920	925	944	947	958	1000	946	928	946	909	854	805	860	867	908
15	883	884	901	893	876	844	868	891	908	918	917	914	917	923	935	948	954	956	947	928	925	883	788	826	901
16	863	810	834	885	906	909	916	915	918	921	922	923	933	951	933	941	957	948	928	931	884	903	912	895	910
17	880	882	893	902	895	882	901	904	912	917	917	915	913	917	922	927	933	927	922	924	928	899	899	909	909
18	908	910	888	890	896	902	911	914	920	922	920	926	931	933	935	954	975	976	985	966	912	892	907	883	923
19	776	757	799	855	872	884	901	912	919	920	923	928	953	981	985	1030	998	965	936	936	931	933	923	916	914
20	913	881	903	906	893	901	909	913	917	922	923	928	941	947	984	994	1020	973	931	917	916	916	918	919	929
21	918	919	920	920	918	915	913	914	919	918	919	921	924	934	936	943	970	949	932	926	922	927	923	920	926
22 q	918	911	916	918	917	917	918	920	923	923	921	923	928	928	928	927	923	920	920	923	925	924	920	920	921
23 q	915	918	923	922	920	916	917	917	919	919	912	916	917	918	920	925	926	927	927	923	921	919	918	912	919
24 q	916	917	917	916	917	916	916	916	914	914	912	911	911	913	917	917	916	913	913	912	915	915	919	916	915
25	914	916	910	895	876	872	870	877	869	879	891	897	904	910	915	921	919	919	924	925	920	918	913	913	903
26	910	911	890	890	897	893	897	905	908	912	911	910	912	913	918	918	918	917	917	916	907	883	902	896	906
27	858	840	861	887	899	908	911	911	912	912	912	912	908	910	915	923	928	923	918	917	919	911	908	908	905
28 d	910	909	910	912	912	912	911	911	910	911	912	905	909	931	993	1052	1120	925	880	1003	933	760	704	769	913
29 d	698	821	852	822	864	867	904	924	867	907	965	1041	1019	973	967	961	1033	1084	984	882	827	751	739	749	896
30	763	820	815	808	858	867	891	906	924	950	959	949	971	989	1008	1066	1028	1011	950	927	907	812	802	835	909
31	843	819	848	855	892	901	902	923	934	940	944	976	981	986	1000	975	981	976	937	928	926	898	867	906	922
Mean	870	867	872	879	887	894	902	908	909	915	919	924	929	935	945	958	964	951	936	929	913	892	878	876	910

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -3γ.

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

43 LERWICK

OCTOBER 1942

	TERRESTRIAL MAGNETIC ELEMENTS										3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 +
	Horizontal force			Declination			Vertical force							
	Maximum 14,000γ +	Minimum 14,000γ +	Range	Maximum 11° +	Minimum 11° +	Range	Maximum 46,000γ +	Minimum 46,000γ +	Range					
1 q	h. m. γ	γ h. m.	γ	h. m. γ	h. m. γ	h. m. γ	h. m. γ	γ h. m.	γ	h. m. γ	0,0,1,1,1,1,1,2	7	0	83.0
2 d	21 24 409	364 10 36	45	14 35 59.3	46.7 24 0	12.6	8 30 917	882 23 47	35	3,2,2,4,5,8,7,4	35	2	83.0	
3 d	15 30 1117	210 20 49	907	20 47 121.2	14.6 19 49	106.6	15 25 1118	625 20 43	493	6,6,3,3,4,5,4,4	35	2	82.5	
4	15 34 502	2 4 11	500	0 55 85.4	29.8 18 29	55.6	15 29 1073	579 4 15	494	3,3,3,3,3,6,3,5	29	1	82.3	
5	16 32 650	301 22 33	349	6 6 63.6	29.3 16 38	34.3	16 30 1099	765 23 0	334	3,4,3,2,3,3,3,3	24	1	82.5	
6	14 50 416	301 3 13	115	3 16 66.1	38.4 20 33	27.7	14 19 1001	802 3 29	199	3,2,1,2,1,0,2,3	14	0	82.0	
7	19 4 396	358 21 58	38	12 40 58.0	48.6 22 11	9.4	20 37 933	857 0 37	76	5,3,2,2,2,3,2,3	22	1	82.0	
8	15 33 401	255 2 6	146	13 32 64.6	36.6 1 44	28.0	15 27 980	775 2 33	205	2,2,0,1,2,1,4,2	14	1	82.0	
9 q	16 53 398	354 11 38	44	13 2 62.3	36.9 18 55	25.4	18 48 981	887 0 0	94	3,2,2,1,2,2,1,0	13	0	82.0	
10	17 46 405	344 1 13	61	13 38 63.6	50.0 0 11	13.6	18 35 922	853 0 53	69	0,1,2,2,2,2,1,3	13	1	81.5	
11	15 37 413	369 10 13	44	14 15 62.2	44.8 22 55	17.4	21 58 932	900 8 4	32	1,1,1,1,2,2,4,3	15	1	81.0	
12 d	20 25 476	360 11 8	116	15 37 64.2	40.1 20 58	24.1	20 44 1022	899 11 4	123	4,4,3,4,4,4,3,4	30	1	80.5	
13	17 54 451	278 2 50	173	12 28 67.8	34.0 17 35	33.8	12 24 1008	787 2 50	221	5,4,2,3,3,5,4,4	30	1	80.5	
14	17 38 442	266 1 39	176	12 49 67.1	9.8 17 30	57.3	17 10 1039	788 2 50	251	4,2,2,2,4,5,5,4	28	1	80.5	
15	14 57 448	279 21 35	169	14 41 68.5	26.7 19 18	41.8	15 12 1024	778 21 26	246	2,4,3,3,3,3,4,5	27	1	81.0	
16	22 4 433	277 4 54	156	22 30 69.2	20.3 18 51	48.9	15 58 965	767 22 51	198	5,3,2,2,3,3,5,2	25	1	81.0	
17	18 20 460	201 1 42	259	12 8 62.8	21.4 18 15	41.4	18 10 966	763 1 41	203	3,3,2,2,1,3,4,3	21	1	80.8	
18	21 0 414	343 0 15	71	0 26 62.5	36.6 20 53	25.9	20 27 936	861 0 54	75	2,2,3,2,2,5,4,4	24	1	79.8	
19	19 58 425	333 21 3	92	15 4 64.5	27.9 17 4	36.6	17 0 996	839 24 0	157	6,3,3,4,4,5,4,2	31	1	80.5	
20	15 10 578	151 1 19	427	1 37 71.2	16.9 17 10	54.3	15 10 1074	730 0 44	344	3,2,2,3,4,4,3,0	21	1	79.8	
21	16 30 413	341 1 8	72	11 58 62.3	32.8 15 14	29.5	16 39 1035	875 1 42	160	0,1,1,1,2,3,1,2	11	0	80.0	
22 q	15 30 402	351 13 54	51	15 51 61.2	43.2 16 30	18.0	16 13 982	912 6 0	70	2,1,1,1,1,1,1,2	10	0	80.1	
23 q	18 44 395	360 12 47	35	12 37 60.3	49.5 21 49	10.8	12 50 931	907 1 24	24	1,0,1,2,2,2,1,1	10	0	80.6	
24 q	23 25 401	357 9 22	44	12 57 64.4	50.7 23 17	13.7	18 2 932	909 23 43	23	1,1,0,1,1,1,2,2	9	0	80.4	
25 q	21 30 408	368 9 57	40	12 24 58.9	50.5 8 54	8.4	22 28 921	907 21 34	14	2,3,3,2,3,1,1,2	17	1	80.0	
26	13 1 413	358 12 50	55	13 2 64.8	47.1 23 16	17.7	18 50 928	866 8 25	62	2,2,2,1,1,1,3,3	15	1	79.5	
27	21 11 454	364 12 9	90	11 53 58.6	37.9 21 4	20.7	14 48 919	871 21 14	48	3,2,1,1,1,2,1,2	13	0	79.2	
28 d	21 18 418	366 0 50	52	0 54 62.0	47.7 21 10	14.3	16 8 932							

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

44 LERWICK (H)		14,000γ (0.14 C.G.S. unit) +																				NOVEMBER 1942			
	Hour G.M.T.												12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12													
1	365	374	376	382	377	387	383	375	359	368	364	359	373	371	371	385	374	384	381	384	383	383	385	386	376
2	380	386	363	374	375	391	389	386	381	361	349	350	353	365	374	387	384	384	385	380	379	378	378	376	375
3	374	367	371	379	391	390	383	381	380	371	366	364	367	369	376	380	381	376	372	373	389	377	380	375	376
4	379	379	380	382	383	393	398	367	364	366	365	343	353	361	370	380	387	388	389	388	391	385	379	394	378
5	383	384	384	388	394	394	394	392	385	375	369	370	371	372	374	380	387	391	403	402	402	395	388	365	385
6	367	365	371	383	387	391	391	389	384	373	372	374	377	380	385	387	383	388	392	394	393	387	386	388	383
7	389	377	380	390	394	388	399	402	395	379	375	376	373	376	386	388	391	395	396	396	389	390	393	391	388
8	390	393	390	391	396	396	395	396	387	365	373	376	381	373	394	399	397	396	394	396	402	379	385	383	389
9 q	379	372	377	380	382	385	383	382	377	374	373	374	378	387	389	389	385	391	390	388	392	388	391	385	383
10	391	391	387	387	387	390	393	395	393	394	394	393	395	397	370	391	390	388	391	391	388	399	382	388	390
11	374	379	389	383	391	389	388	388	387	387	384	387	376	392	391	394	391	394	386	395	383	386	383	368	386
12	383	389	380	365	385	393	385	388	388	382	372	372	375	382	380	391	390	393	390	393	387	382	391	388	384
13	385	376	375	384	391	397	399	399	392	388	381	377	387	394	383	377	383	388	382	385	374	384	388	375	385
14	381	378	372	374	382	384	388	394	378	378	371	374	375	385	387	388	396	394	395	387	388	365	381	380	382
15	352	369	370	380	391	393	392	393	390	383	378	378	382	388	385	379	383	386	393	404	385	387	391	395	384
16 q	383	380	382	386	390	390	393	393	388	380	376	378	381	386	390	392	394	396	393	387	388	390	392	393	388
17 q	391	388	388	390	394	395	393	392	388	384	381	380	371	379	378	379	378	380	381	378	378	384	374	363	383
18	372	360	378	386	390	392	393	389	368	369	383	385	386	391	393	384	395	395	395	382	375	386	386	388	384
19 q	389	387	388	391	395	394	394	397	396	393	386	379	389	393	395	397	396	394	396	393	394	394	396	393	392
20	392	388	388	397	389	405	411	410	406	407	395	381	387	388	384	388	389	394	387	372	378	382	377	372	390
21	375	380	379	382	385	379	371	386	388	384	382	372	382	385	388	385	392	388	388	384	383	384	385	384	383
22 q	383	383	382	384	386	386	385	387	381	378	382	381	382	382	384	388	393	392	392	386	393	398	388	391	386
23 d	392	391	393	399	401	401	402	400	401	395	390	388	375	375	379	378	371	379	385	385	382	357	195	234	373
24 d	-5	88	335	226	337	338	330	288	282	327	388	385	389	385	379	374	380	365	354	357	292	376	376	363	321
25 d	377	338	355	353	351	374	380	374	359	356	344	357	364	358	378	375	387	380	380	391	380	328	368	379	366
26 d	368	363	325	287	368	380	379	378	366	352	356	360	378	379	375	385	395	397	376	393	397	364	384	377	370
27	368	370	367	374	382	380	382	380	368	343	358	360	367	377	374	380	382	383	386	371	364	385	376	386	373
28 d	368	368	366	373	376	391	399	381	376	371	357	351	370	391	402	399	402	382	385	377	368	366	384	341	377
29	302	331	357	366	378	380	381	378	379	365	359	375	365	369	372	371	378	369	371	373	380	376	369	389	368
30	374	374	378	381	384	395	391	385	374	373	373	373	377	374	371	381	378	377	373	365	370	377	381	377	377
Mean	363	366	374	373	384	388	388	385	379	374	373	372	376	380	382	385	387	387	386	385	382	380	377	376	379

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -4γ.

MAGNETIC DECLINATION (WEST)
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

45 LERWICK (D)		11°																				NOVEMBER 1942			
	Hour G.M.T.												12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12													
1	56.8	53.8	55.8	54.1	53.3	54.8	55.9	55.7	55.1	56.4	56.5	54.6	56.4	57.6	55.8	55.7	50.5	51.7	52.6	53.3	52.3	47.0	49.9	50.3	54.0
2	54.8	49.7	54.6	52.5	51.5	54.0	52.8	52.4	52.7	54.2	56.2	59.5	61.5	63.4	64.4	49.4	51.3	58.6	48.6	53.8	52.8	49.8	51.3	50.9	54.2
3	51.5	50.9	52.4	52.8	52.2	52.3	52.8	53.8	53.8	55.1	56.5	57.9	58.7	59.8	56.8	57.8	55.7	51.9	52.7	51.1	44.5	46.8	47.6	48.0	53.1
4	51.8	54.4	53.3	52.7	53.8	52.9	54.4	54.3	57.2	56.8	57.6	59.7	61.2	59.1	57.4	55.7	54.0	54.9	54.6	51.8	48.8	52.5	49.3	49.8	54.5
5	51.8	51.7	51.3	49.7	50.5	51.5	51.7	51.6	51.6	52.8	54.4	57.2	58.0	57.8	56.9	55.3	54.7	54.5	55.6	55.4	54.4	52.7	48.4	45.2	53.1
6	48.4	51.3	53.2	50.6	51.7	51.6	51.6	51.6	52.1	53.7	54.9	57.3	58.5	57.7	57.3	56.7	55.8	55.3	54.3	54.3	53.8	51.1	46.8	52.7	53.4
7	53.3	56.7	56.3	52.9	51.3	52.9	55.7	53.8	53.4	54.2	55.0	58.2	59.0	58.9	62.9	58.4	57.6	55.7	55.4	55.9	52.9	51.8	51.9	50.3	55.2
8	50.8	50.1	50.3	52.1	50.5	51.1	52.3	52.2	52.7	53.4	57.2	58.1	61.3	59.9	56.9	58.5	58.3	58.0	56.4	55.6	38.8	47.6	52.9	51.5	53.6
9 q	52.7	50.0	51.3	52.0	52.3	51.9	52.1	52.2	52.3	52.7	54.6	55.6	55.8	55.8	56.4	56.1	55.5	53.2	56.5	54.6	53.0	50.8	51.1	52.6	53.4
10	52.6	52.2	51.5	52.2	52.6	53.2	53.2	52.5	51.8	52.0	53.6	55.9	57.4	58.6	60.4	58.2	60.5	58.8	55.6	55.0	52.9	53.8	50.2	49.3	54.3
11	42.7	48.6	50.5	48.3	49.9	52.5	51.7	51.8	51.0	52.3	52.7	55.6	58.3	53.4	55.7	56.3	55.8	56.2	53.9	37.7	49.1	49.8	49.3	50.8	51.4
12	51.3	50.4	51.4	53.8	54.5	54.6	54.1	54.2	53.2	52.9	53.6	54.6	56.0	56.0	52.2	52.5	55.2	54.6	49.3	48.7	49.8	49.5	50.7	53.9	52.8
13	49.7	47.5	48.8	51.3	52.0	52.1	52.2	52.8	51.2	53.1	53.8	55.2	56.3	60.5	63.4	58.6	57.4	57.2	53.8	51.6	47.8	48.5	50.8	50.4	53.2
14	52.0	51.6	51.2	51.2	51.9	51.7	53.8	54.2	51.5	51.6	56.2	55.2	55.4	56.7	56.7	56.3	55.7	54.2	40.5	53.1	53.3	51.4	47.1	52.6	52.7
15	57.0	54.9	51.8	54.7	53.0	52.7	52.1	52.2	52.6	53.1	54.7	56.0	56.3	56.7	56.1	54.3	53.9	54.5	51.7	49.9	47.8	49.4	48.7	50.4	53.1
16 q	52.8	52.1	51.9	52.2	51.8	52.4	52.3	52.4	52.5	52.8	54.0	55.2	55.9	55.9	54.8	54.0	53.8	53.8	53.6	51.6	49.5	50.4	52.3	54.0	53.0
17 q	53.2	53.7	53.8	52.9	53.7	52.3	52.5	54.3	54.9	56.7	57.2	57.7	58.0	58.0	58.7	58.5	58.8	55.7	54.1	52.9	50.4	51.5	51.3	47.7	54.5
18	43.5	47.0	49.5	49.9	50.5	51.1	52.3	54.4	56.3	57.1	56.6	57.2	56.3	56.3	56.4	55.0	55.1	54.9	54.8	51.6	44.6	52.4	51.8	52.1	52.8
19 q	53.0	53.4	53.3	53.5	53.2	53.0	53.4	54.3	53.9	53.5	55.5	56.8	56.5	56.3	56.3	55.8	56.1	52.7	55.1	52.2	49.5	53.0	52.8	52.1	54.0
20	52.8	51.2	54.7	54.5	55.3	55.1	52.8	52.9	53.8	54.7	55.7	56.3	60.8	60.7	61.0	60.8	59.3	59.6	40.5	49.0	51.6	51.0			

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

46 LERWICK (V)		46,000γ (0.46 C.G.S. unit) +											NOVEMBER 1942												
	Hour G.M.T.		2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2																							
1	897	896	902	908	913	909	911	915	929	925	931	938	939	947	943	945	944	937	932	930	932	934	927	918	925
2	903	881	896	895	897	901	909	915	919	928	938	938	937	946	961	1004	980	981	1001	942	895	914	913	883	928
3	890	907	913	916	914	915	919	921	924	928	929	935	943	954	968	966	967	982	966	959	926	922	916	911	933
4	916	920	921	921	920	918	913	924	922	923	926	937	928	929	928	927	928	926	927	929	927	926	928	903	924
5	900	895	906	914	914	915	915	917	920	922	924	923	924	927	929	925	919	919	916	918	919	925	941	913	918
6	923	922	896	892	913	917	918	918	918	922	921	920	922	926	928	931	934	926	923	921	920	926	928	921	920
7	918	915	903	910	912	912	902	901	907	914	917	919	929	940	943	949	938	931	928	931	942	941	936	934	924
8	929	918	917	918	913	910	910	908	908	918	918	919	924	940	939	930	928	924	925	926	975	940	926	922	924
9 q	884	895	910	919	922	921	920	919	919	920	920	919	921	924	927	927	930	929	924	925	924	928	924	922	920
10	912	916	922	922	922	920	916	912	911	910	909	910	913	925	953	943	934	945	944	934	934	889	888	895	920
11	895	880	887	898	904	912	913	914	915	915	915	914	925	926	924	928	926	924	938	939	926	922	912	878	914
12	884	889	900	907	906	912	918	922	921	921	920	919	918	916	927	928	925	924	932	925	924	921	906	865	914
13	864	878	897	907	911	912	912	913	916	914	913	911	910	914	941	966	950	949	964	953	944	923	921	894	920
14	880	891	902	912	917	923	912	916	921	930	928	925	926	926	926	929	928	939	950	941	915	891	908	879	917
15	855	836	874	890	903	914	918	919	920	921	921	919	918	918	923	929	934	934	930	908	910	915	908	894	909
16 q	849	879	901	907	910	911	911	912	915	917	917	914	913	915	916	916	916	916	918	920	921	915	910	908	909
17 q	904	910	911	912	908	911	912	910	911	911	912	914	923	921	928	938	945	944	949	946	935	922	898	922	922
18	878	885	892	905	911	912	911	912	917	916	913	917	920	922	928	934	923	920	918	931	949	927	925	923	916
19 q	922	921	917	914	912	911	910	907	907	908	912	918	918	919	919	919	922	917	918	920	916	918	921	916	916
20	918	918	915	901	906	896	896	897	898	897	903	910	913	921	928	929	938	969	1017	980	945	935	942	930	925
21	923	920	922	922	916	912	910	902	904	907	910	916	915	919	920	923	921	922	921	925	929	923	918	914	917
22 q	916	919	920	919	918	916	914	912	912	911	911	914	917	919	919	922	919	921	921	920	916	905	913	914	916
23 d	916	918	916	914	913	912	910	907	905	907	908	912	921	932	945	997	1006	976	945	940	936	857	667	637	904
24 d	648	651	764	692	659	747	845	895	922	963	994	949	966	991	951	944	941	950	967	931	820	899	915	908	871
25 d	879	873	820	852	850	869	895	912	921	924	937	956	951	957	964	1003	972	955	961	941	942	867	835	898	914
26 d	903	888	852	759	820	877	900	907	918	925	938	935	945	977	978	966	976	957	944	939	902	913	873	856	910
27	877	894	903	900	903	909	913	912	916	934	931	931	928	933	940	937	930	930	931	946	951	932	913	899	921
28 d	906	913	916	919	919	910	912	911	922	924	932	942	959	965	997	978	1014	999	975	985	955	933	900	881	940
29	830	840	859	887	907	920	921	922	921	926	936	937	942	945	941	953	960	965	967	941	930	928	928	915	922
30	911	912	915	915	911	903	906	911	919	921	919	916	921	930	936	935	940	946	952	954	941	928	919	909	924
Mean	888	889	896	895	898	904	909	912	916	920	923	924	928	934	939	947	943	942	943	937	927	918	906	895	918

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -4γ.

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

47 LERWICK		TERRESTRIAL MAGNETIC ELEMENTS											NOVEMBER 1942						
	Horizontal force			Declination			Vertical force			3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 +						
	Maximum 14,000γ +	Minimum 14,000γ +	Range	Maximum 11° +	Minimum 11° +	Range	Maximum 46,000γ +	Minimum 46,000γ +	Range										
1	h. m.	γ	γ	h. m.	γ	h. m.	γ	h. m.	γ	h. m.	γ	2, 2, 3, 2, 2, 3, 1, 3	18	1	78-1				
2	17 20	398	341	11 11	57	13 31	59-6	43-2	21 26	16-4	13 43	952	891	1 19	61	3, 2, 2, 2, 2, 4, 4, 2	21	1	78-1
3	19 43	421	337	11 10	84	14 36	65-6	35-1	15 52	30-5	15 31	1035	873	1 33	162	2, 1, 0, 1, 2, 3, 3, 2	14	1	78-3
4	20 19	412	358	13 2	54	13 27	62-8	38-1	20 19	24-7	17 24	1001	885	1 20	116	1, 2, 3, 3, 2, 1, 3, 3	18	1	78-7
5	23 13	416	328	11 39	88	12 5	62-5	42-1	20 30	20-4	11 40	944	898	23 46	46	2, 1, 2, 1, 1, 1, 2, 3	13	0	79-0
6	18 11	413	339	23 22	74	13 39	58-6	42-8	23 47	15-8	22 28	949	890	1 13	59	3, 2, 1, 1, 1, 1, 0, 3	12	0	79-0
7	19 35	396	360	14 4	36	12 17	58-7	43-8	22 25	14-9	16 24	937	879	3 13	58	2, 1, 2, 2, 2, 2, 2, 1	14	0	79-2
8	7 8	407	360	13 3	47	14 45	65-6	49-4	23 21	16-2	15 23	955	895	7 7	60	2, 2, 2, 2, 3, 2, 4, 4	21	1	79-2
9 q	20 26	428	358	13 26	70	12 23	63-9	25-8	20 46	38-1	20 38	1014	906	7 18	108	3, 1, 0, 1, 1, 2, 2, 2	12	0	79-2
10	22 5	400	357	1 12	43	0 20	58-2	46-8	22 0	11-4	17 10	932	868	0 47	64	1, 1, 2, 1, 3, 2, 3, 3	16	1	80-0
11	21 29	419	360	14 22	59	14 19	65-1	44-5	24 0	20-6	14 48	965	865	21 50	100	3, 2, 2, 2, 3, 1, 5, 3	21	1	80-0
12	19 20	414	354	23 14	60	12 1	61-7	24-0	19 15	37-7	19 5	961	865	23 39	96	2, 2, 2, 1, 2, 2, 3, 3	17	1	79-2
13	22 54	408	359	3 36	49	23 9	59-6	41-6	18 47	18-0	18 39	937	860	23 27	77	2, 2, 1, 2, 3, 3, 3	19	1	79-1
14	13 16	410	354	20 56	56	14 26	65-8	42-0	20 33	23-8	15 30	970	861	0 40	109	2, 2, 2, 3, 2, 3, 5, 3	22	1	79-2
15	18 25	421	351	21 18	70	20 35	62-1	27-2	18 22	34-9	18 9	970	861	23 41	109	4, 2, 0, 0, 1, 1, 3, 3	14	1	80-0
16 q	19 10	423	326	0 40	97	0 44	66-3	44-8	19 9	21-5	16 19	938	812	1 5	126	3, 1, 1, 0, 0, 0, 2, 2	9	0	80-0
17 q	20 30	406	367	0 55	39	0 50	56-8	45-8	20 28	11-0	20 4	929	842	0 32	87	1, 2, 1, 1, 1, 1, 2, 3	12	0	79-0
18	4 32	404	349	23 5	55	13 55	59-7	42-1	24 0	17-6	19 48	953	879	24 0	74	3, 1, 2, 2, 2, 2, 3, 2	17	1	78-6
19 q	14 34	404	351	1 48	53	9 13	58-3	37-9	20 19	20-4	20 10	958	870	0 19	88	0, 1, 1, 1, 1, 2, 3, 1	10	0	79-0
20	15 12	403	374	11 30	29	11 58	58-0	44-5	19 58	13-5	17 29	927	903	8 26	24	2, 2, 1, 3, 2, 2, 4, 3	19	1	80-4
21	18 4	418	355	23 40	63	15 15	63-2	28-3	18 34	34-9	18 27	1040	891	5 38	149	2, 1, 2, 2, 1, 1, 3, 3	15	0	78-1
22 q	20 12	397	363	6 24	34	14 55	58-1	40-6	21 27	17-5	19 56	934	901	7 18	33	1, 0, 1, 1, 1, 2, 2, 2	10	0	76-9
23 d	21 0	412	376	9 39	36	13 11	56-7	46-3	17 55	10-4	18 4	926	898	21 24	28	0, 1, 0, 1, 2, 4, 3, 6	17	1	76-8
24 d	8 9	405	12	22 44	393	16 31	64-2	-2-9	22 53	67-1	15 56	1035	522	23 11	513	7, 6, 4, 5, 3, 3, 6, 3	37	2	77-2
25 d	9 50	443	-252	1 0	695	4 22	83-7	3-0	0 45	80-7	10 17	1040	554	0 42	486	4, 4, 3, 3, 3, 4, 4, 6	31	1	78-2
26 d																			

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

48 LERWICK (H)		14,000γ (0.14 C.G.S. unit) +											DECEMBER 1942													
Hour G.M.T.		0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
γ		γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1		379	383	383	385	387	388	391	389	383	377	375	376	378	379	383	388	393	393	388	377	380	389	405	373	384
2		394	374	380	383	386	386	385	385	386	383	380	377	378	384	388	389	392	392	391	392	391	391	390	385	386
3		387	381	381	383	386	388	390	389	387	384	381	380	380	386	391	392	395	384	387	389	390	391	406	385	387
4		377	381	385	387	386	389	382	391	392	389	383	381	386	386	373	373	388	394	393	392	390	388	389	390	386
5		381	382	382	381	384	387	387	386	386	383	382	381	384	388	392	390	387	395	392	392	389	390	389	389	387
6		388	388	389	392	393	394	393	391	388	383	380	379	382	387	388	395	397	395	392	382	379	381	393	394	388
7		388	389	391	394	397	401	399	397	396	390	380	385	382	374	379	380	369	374	379	378	372	346	358	360	382
8		374	375	381	386	390	392	398	397	382	380	378	378	383	383	395	385	393	407	397	444	416	348	367	372	388
9 d		380	379	364	366	383	390	396	393	392	383	384	384	395	396	372	383	406	450	452	590	443	396	207	88	382
10 d		302	363	356	354	347	381	388	379	363	368	372	376	373	374	386	389	384	384	383	380	393	390	378	379	373
11		376	380	380	373	370	394	392	386	385	366	367	371	372	359	380	392	390	389	388	386	387	385	389	409	382
12		385	364	377	380	386	391	394	391	374	369	364	366	363	368	383	384	396	392	392	388	385	381	374	384	380
13		372	384	380	380	383	384	387	386	385	381	377	382	380	384	386	386	380	385	389	384	383	382	386	387	383
14		386	381	379	380	386	391	397	400	396	383	375	378	380	380	385	388	387	385	377	380	383	382	380	379	384
15		377	383	380	381	387	391	394	392	390	382	381	383	385	390	397	398	399	395	393	395	396	391	386	393	389
16		385	379	380	383	386	388	390	393	393	386	383	381	387	389	395	395	384	388	383	383	386	389	391	384	387
17 q		384	383	385	386	388	390	397	395	393	395	395	389	387	389	392	395	390	386	388	386	385	385	387	386	389
18 q		385	384	384	387	390	392	392	394	394	389	386	388	389	392	396	395	396	396	397	392	393	392	391	389	391
19 q		389	389	389	392	392	399	399	395	396	395	392	389	389	393	397	399	399	400	398	397	396	394	395	390	394
20		395	388	386	401	400	404	403	401	397	390	386	387	389	394	395	396	396	390	385	387	394	393	391	415	394
21 d		378	388	380	386	395	400	398	403	395	377	343	371	355	356	377	386	355	367	368	376	383	388	393	375	379
22		368	344	352	368	364	386	388	382	376	377	373	360	379	387	388	386	390	389	386	378	383	387	387	385	378
23 d		384	385	380	380	380	395	395	368	355	349	328	349	392	378	401	409	369	410	377	375	366	375	369	369	377
24		367	366	369	371	372	378	379	374	371	357	380	372	368	376	354	366	371	376	381	375	385	395	393	366	373
25		369	362	344	370	383	384	384	386	378	363	365	365	374	370	371	372	367	366	371	380	376	380	371	364	371
26 d		355	352	377	371	380	400	409	388	380	373	373	369	364	370	369	373	379	383	375	373	376	368	333	375	374
27		379	380	382	381	387	386	396	392	386	381	376	377	379	382	374	382	386	388	389	385	384	384	382	380	383
28		380	380	382	377	391	395	390	388	385	381	385	383	380	376	380	384	386	386	384	385	384	385	386	387	384
29		385	386	384	386	388	390	392	392	389	385	387	383	381	376	383	387	382	380	386	386	385	380	380	385	385
30 q		383	383	384	386	387	387	388	388	386	383	380	378	382	386	386	387	389	390	391	389	386	380	382	383	385
31 q		385	393	384	384	388	392	393	394	392	385	380	376	382	388	391	393	392	392	392	393	394	394	392	390	389
Mean		378	378	378	381	385	391	393	390	386	380	376	377	380	381	385	388	387	390	389	393	388	384	378	374	384

391 at 0-1h. January 1, 1943.

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -5γ.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

49 LERWICK (D)		11° +											DECEMBER 1942													
Hour G.M.T.		0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
1		53.8	52.4	52.1	53.0	53.8	53.2	52.8	52.6	52.3	52.7	53.8	55.4	55.5	56.4	56.8	54.8	55.4	55.1	55.7	43.2	52.7	51.3	46.2	48.0	52.9
2		47.8	51.1	51.3	49.9	51.1	51.8	52.0	52.1	52.4	52.5	53.4	54.6	54.9	55.4	54.5	54.0	54.0	53.8	53.1	52.7	52.4	52.0	51.9	51.0	52.5
3		45.8	49.0	51.2	51.7	51.8	52.0	52.1	51.9	52.1	52.0	53.4	55.3	55.5	55.4	55.0	53.7	54.4	54.9	54.7	53.7	52.6	52.4	53.2	54.4	52.8
4		43.6	46.4	50.0	48.1	50.1	49.9	50.9	52.9	52.3	53.0	54.0	55.8	57.6	58.7	61.4	61.2	57.0	54.9	53.8	52.8	52.8	50.9	49.9	48.8	52.8
5		51.5	55.2	54.3	50.1	49.3	50.2	51.3	51.1	51.6	52.3	54.8	55.9	56.4	55.7	55.0	54.5	53.0	53.2	53.2	51.9	51.5	51.9	52.4	52.7	52.9
6		53.0	53.4	53.5	53.5	53.4	52.9	52.4	51.9	51.9	52.1	53.6	55.1	56.1	55.3	54.1	54.0	54.3	54.7	55.2	54.1	51.4	49.1	46.7	43.7	52.7
7		50.1	52.9	54.0	54.3	54.2	53.3	51.8	52.0	52.0	52.4	55.2	58.4	60.8	63.4	60.5	58.0	60.0	57.8	53.7	48.4	47.0	38.8	43.2	42.7	53.1
8		46.1	51.0	53.9	53.8	53.1	53.0	52.5	52.9	52.5	52.4	54.7	56.7	58.6	59.5	64.4	67.8	68.6	63.1	48.2	49.6	26.9	34.1	45.0	46.6	52.7
9 d		47.9	52.6	54.8	53.8	50.9	53.2	51.9	51.7	52.2	52.3	55.5	54.8	57.1	58.6	60.2	53.0	61.0	54.1	54.8	60.0	45.0	40.0	39.5	33.1	52.0
10 d		30.9	41.1	44.0	51.0	51.3	49.9	50.3	52.4	56.5	51.0	52.6	53.7	56.9	55.2	54.8	55.5	55.2	54.0	53.1	52.9	48.0	46.1	45.9	49.7	50.5
11		51.2	52.6	51.9	51.7	53.2	48.2	51.3	51.6	52.3	52.7	53.8	54.1	54.7	55.6	52.3	54.3	54.6	54.3	53.7	48.8	51.3	48.9	48.7	48.3	52.1
12		47.3	47.0	52.8	52.2	52.9	52.5	51.9	53.3	54.9	52.5	52.7	51.3	51.9	55.0	53.6	52.7	53.3	54.1	53.3	52.2	51.5	49.5	45.9	43.3	51.6
13		53.0	51.7	52.0	52.5	52.1	52.4	52.3	52.3	51.9	51.7	52.5	54.1	54.7	54.9	55.2	55.6	56.1	55.8	54.0	53.5	51.2	49.9	50.2	48.9	52.9
14		52.1	54.1	51.6	51.4	51.3	51.6	52.7	52.5	53.8	53.2	54.3	56.7	56.6	58.4	58.6	57.8	58.3	50.4	54.8	50.8	52.1	51.9	48.3	48.6	53.4
15		53.9	52.7	52.3	53.5	52.8	52.8	52.7	52.9	52.5	52.2	52.7	54.4	55.2	55.9	55.4	54.8	54.9	55.4	51.8	49.2	47.9	50.7	50.7	45.1	52.6
16		45.0	48.5	50.5	51.3	51.1	53.5	53.8	54.2	53.5	53.4	54.1	53.2	54.2	55.8	54.9	55.5	53.2	53.0	53.9	52.3	52.3	46.3	49.1	50.2	52.2
17 q		51.6	52.5	52.7	52.6	52.5	52.9	52.4	52.3	52.3	52.5	53.4	53.8	55.1	56.3	55.2	54.6	54.8	54.0	54.0	52.9	51.8	50.3	49.8	51.3	53.0
18 q		52.3	52.4	53.5	53.7	51.8	52.3	51.9	51.8	51.8	52.6	53.8	55.0	55.4	55.3	54.5	54.0	53.6	53.2	53.0	52.8	52.4				

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

50 LERWICK (V)		46,000γ (0.46 C.G.S. unit) +																				DECEMBER 1942			
	Hour G.M.T.		2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2																							
1	894	902	911	913	915	916	917	918	920	919	918	918	922	923	922	919	922	929	952	932	924	900	907	918	
2	886	910	915	916	915	915	916	917	918	918	917	917	920	918	920	920	919	919	920	920	920	921	922	924	917
3	916	920	919	918	917	916	916	916	916	916	915	916	918	918	918	919	918	923	922	924	925	925	915	861	916
4	881	905	912	914	914	913	915	907	910	912	913	915	918	922	934	955	947	932	931	931	928	926	921	912	919
5	917	908	881	886	901	908	912	913	914	917	919	919	918	920	922	924	926	921	920	920	921	920	920	914	
6	920	920	919	917	916	914	913	913	914	914	915	917	918	921	923	921	918	917	919	929	932	924	897	888	917
7	907	912	914	914	912	909	909	909	909	913	917	917	920	922	930	946	980	997	995	994	977	946	885	838	928
8	885	909	918	923	923	920	916	915	918	918	918	918	923	928	931	964	1017	1074	1047	1028	1015	920	902	907	943
9 d	913	909	921	903	904	917	918	920	918	918	917	917	917	924	959	957	937	1013	1056	1080	1067	1015	828	863	943
10 d	671	813	818	806	838	896	902	916	916	919	923	921	921	924	926	929	933	937	942	945	930	902	892	910	893
11	918	921	922	916	897	891	907	915	915	920	924	922	931	941	933	926	927	929	931	936	930	926	918	850	919
12	849	877	898	911	914	915	915	915	918	922	927	934	948	938	930	930	925	924	924	924	925	925	924	907	917
13	897	894	907	913	915	917	917	918	918	917	915	913	912	913	915	918	925	926	932	934	934	929	924	914	917
14	904	899	901	907	909	910	912	914	914	915	916	914	913	914	919	923	934	947	962	955	939	930	926	919	921
15	910	906	911	911	913	915	914	915	918	920	918	916	915	914	914	913	914	919	923	924	922	922	923	913	916
16	906	913	914	913	911	905	902	904	907	910	910	914	919	918	916	916	924	926	930	933	932	931	919	917	916
17 q	918	917	915	914	913	910	909	909	911	911	911	914	914	915	916	915	916	918	918	919	922	922	920	918	915
18 q	916	914	914	910	911	911	911	910	910	910	913	911	912	912	913	913	911	911	910	912	913	914	915	915	912
19 q	915	913	911	910	909	906	907	908	908	909	911	914	914	914	914	911	910	910	910	910	911	913	911	910	911
20	903	905	899	890	899	899	900	902	904	905	908	908	911	911	914	915	915	923	939	928	925	921	922	891	910
21 d	901	912	911	903	897	870	867	882	894	907	920	915	960	992	964	959	1008	990	979	938	925	909	892	872	924
22	887	868	832	826	864	884	900	904	906	909	918	930	933	934	936	937	931	927	931	936	928	917	915	915	907
23 d	916	917	917	914	915	905	902	912	918	934	949	951	1027	1003	1027	1015	980	1041	1019	978	940	908	910	904	950
24	880	885	904	911	912	914	913	915	912	926	919	927	925	933	963	971	956	948	932	926	920	901	875	887	919
25	901	897	840	868	899	910	915	916	917	920	923	921	920	931	940	937	946	954	949	933	932	916	901	899	916
26 d	878	861	876	891	840	860	879	904	911	915	920	924	932	942	968	960	955	958	979	952	931	885	873	836	910
27	879	903	911	912	905	902	900	905	909	910	915	916	916	920	925	923	921	923	923	925	926	927	925	920	914
28	911	910	911	910	906	910	914	916	918	916	915	912	916	921	922	922	924	926	927	927	926	923	920	916	917
29	916	915	915	911	912	914	914	916	917	916	915	918	920	920	919	920	925	931	924	925	926	930	926	919	919
30 q	917	915	915	915	916	918	918	918	919	920	920	918	912	914	915	915	915	916	917	919	921	925	924	917	917
31 q	911	899	905	907	908	909	911	911	914	915	917	916	913	912	914	914	916	915	916	917	918	918	918	917	913
Mean	894	902	902	902	904	906	908	911	913	916	918	919	924	927	931	933	935	942	944	941	936	923	908	900	918

915 at 0-1h. January 1, 1942.

Corrections to be applied to all values: H, -6γ; D, -4.2'; V, -5γ.

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

51 LERWICK		TERRESTRIAL MAGNETIC ELEMENTS											3-hr. range indices K		Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 +		
	Horizontal force			Declination			Vertical force			3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 +						
	Maximum 14,000γ +	Minimum 14,000γ +	Range	Maximum 11° +	Minimum 11° +	Range	Maximum 46,000γ +	Minimum 46,000γ +	Range										
1	h. m.	γ	γ	h. m.	γ	h. m.	h. m.	h. m.	h. m.	h. m.	γ	h. m.	γ				°A.		
2	22 32	417	366	0 8	51	14 2	57.5	38.9	19 17	18.6	19 25	959	883	0 47	76	2,0,0,1,1,1,4,3	12	1	75.0
3	0 5	409	369	1 14	40	13 14	55.6	46.4	0 34	9.2	23 58	927	877	0 12	50	3,1,1,1,0,0,0,1	7	0	74.3
4	22 50	442	372	23 49	70	23 5	61.9	39.7	24 0	22.2	20 7	928	854	24 0	74	3,0,0,0,0,2,1,4	10	0	74.0
5	23 17	403	359	14 43	44	15 11	66.0	38.3	0 5	27.7	16 0	971	851	0 5	120	3,2,2,1,2,3,1,2	16	0	74.0
6	17 53	397	375	2 45	22	1 45	58.8	48.4	4 41	10.4	16 15	927	878	2 34	49	2,2,0,1,1,1,1,0	8	0	74.4
7	22 32	404	374	20 52	30	12 32	56.7	39.0	23 2	17.7	20 21	934	876	22 51	58	0,0,0,1,1,0,2,3	7	0	75.2
8	5 52	404	321	23 9	83	13 20	64.8	30.2	21 7	34.6	17 20	1004	814	23 5	190	2,1,0,2,2,3,4,5	19	1	75.0
9	19 38	524	334	21 7	190	16 40	71.1	18.2	20 47	52.9	17 54	1086	857	0 0	229	3,1,2,1,3,5,5,4	24	1	75.7
10 d	19 10	760	-16	23 43	776	19 13	79.6	-16.0	23 56	95.6	19 4	1127	711	24 0	476	3,3,1,2,3,5,6,7	30	2	76.9
11	21 25	429	226	0 44	203	8 3	60.1	-1.0	0 0	61.1	20 15	950	537	0 15	413	6,4,3,2,2,2,3,3	25	1	77.9
12	22 56	438	342	13 55	96	13 41	57.8	41.0	23 50	16.8	13 31	946	839	23 43	107	1,3,2,2,3,1,3,4	19	1	78.1
13	23 16	405	350	12 28	55	13 46	57.5	38.2	23 47	19.3	12 34	955	845	0 1	110	3,1,2,3,2,2,1,3	17	1	78.7
14	23 4	405	355	0 14	50	16 1	58.1	43.2	0 0	14.9	19 59	937	882	0 45	55	3,0,0,1,0,2,2,2	10	0	78.9
15	6 59	403	369	17 58	34	16 16	61.0	43.3	23 10	17.7	18 52	968	897	1 43	71	2,1,1,1,2,3,2,3	15	1	79.0
16	16 28	405	366	0 38	39	0 36	57.8	43.0	23 29	14.8	19 1	933	902	1 12	31	2,1,0,1,1,1,3,3	12	0	79.0
17 q	22 27	403	369	16 56	34	16 10	56.9	35.4	21 52	21.5	17 3	940	898	6 1	42	2,2,1,2,1,3,1,3	15	0	79.0
18 q	15 39	398	379	22 17	19	13 21	56.9	48.5	21 55	8.4	22 19	924	908	7 0	16	0,0,0,1,1,1,0,2	5	0	79.1
19 q	18 17	400	380	0 0	20	3 3	56.1	51.0	0 9	5.1	0 8	919	907	3 27	12	1,1,1,1,0,0,0,0	4	0	79.3
20	22 40	403	384	2 16	19	13 4	54.1	49.9	23 16	4.2	22 31	917	906	5 32	11	0,0,1,2,0,0,0,1	4	0	79.5
21 d	23 28	463	371	2 23	92	2 38	63.7	37.7	23 26	26.0	18 6	949	867	23 34	82	3,2,2,1,0,3,3,3	17	1	79.4
22	22 27	418	328	12 25	90	5 32	73.1	30.2	21 34	42.9	16 54	1031	848	5 53	183	3,4,3,3,4,4,3,4	28	1	79.1
23 d	14 56	397	321	1 51	76	2 57	62.8	40.5	1 39	22.3	19 17	945	811	3 12	134	4,4,2,3,2,1,2,0	18	1	79.3
24	15 2	587	302	10 35	285	14 36	66.3	28.4	17 48	37.9	15 0	1113	890	21 28	223	1,3,3,4,5,6,4,4	30	1	79.2
25	22 3	431	337	14 18	94	15 25	61.0	36.2	18 4	24									

DIURNAL INEQUALITIES OF THE TERRESTRIAL MAGNETIC ELEMENTS
ALL DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

52 LERWICK

1942

	Hour G.M.T.	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24		
HORIZONTAL FORCE																											
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	
Jan.	-3.8	-5.4	-5.3	-1.1	+3.9	+6.1	+7.4	+5.9	+1.7	-3.2	-6.6	-6.9	-4.3	0.0	+1.6	+1.7	+2.4	+2.3	+3.5	+3.0	+0.8	-1.5	-0.6	-1.6	-1.6	-1.6	-1.6
Feb.	-7.9	-16.2	-10.7	-4.3	-0.7	+3.0	+4.0	+2.9	-3.5	-7.4	-9.7	-10.4	-9.3	-2.2	+5.8	+9.3	+26.8	+16.8	+19.8	+14.1	-2.2	-5.8	-8.3	-3.9	-3.9	-3.9	-3.9
Mar.	-26.6	-34.0	-31.8	-25.5	-8.2	+3.1	+5.9	-4.3	-19.1	-12.8	-13.3	-14.8	-5.0	+4.8	+14.1	+21.2	+28.5	+33.6	+36.0	+22.2	+12.1	+10.7	+7.8	-4.6	-4.6	-4.6	-4.6
Apr.	-33.5	-42.4	-39.9	-12.4	+1.3	+7.3	+3.3	-4.0	-9.9	-20.8	-25.5	-24.9	-17.9	-2.0	+13.4	+28.0	+40.6	+43.9	+37.1	+26.7	+12.3	+15.0	+6.0	-1.7	-1.7	-1.7	-1.7
May	-1.0	-6.5	-1.8	+0.8	+1.8	-1.1	-7.6	-12.4	-17.4	-23.8	-26.4	-25.3	-21.4	-11.0	-0.9	+10.6	+22.4	+30.3	+31.7	+27.2	+18.5	+9.2	+2.1	+2.0	+2.0	+2.0	+2.0
June	-1.1	-6.5	-5.3	-1.8	-4.7	-6.0	-8.9	-15.8	-23.5	-29.6	-30.1	-25.0	-16.7	-5.6	+1.6	+14.1	+29.5	+33.8	+34.2	+27.9	+18.9	+11.4	+6.0	+3.2	+3.2	+3.2	+3.2
July	-12.3	-10.9	-2.7	-3.5	-3.8	-7.7	-13.8	-14.8	-22.9	-28.5	-29.5	-25.2	-15.6	-5.6	+9.9	+20.9	+24.5	+30.6	+34.4	+34.6	+26.1	+14.9	+4.4	-3.5	-3.5	-3.5	-3.5
Aug.	-5.0	-4.9	-7.3	-8.7	-6.0	-4.1	-6.0	-12.2	-17.3	-24.7	-27.0	-24.6	-12.5	-5.1	+7.2	+19.4	+17.4	+26.5	+29.4	+26.2	+19.2	+11.6	+8.3	+0.2	+0.2	+0.2	+0.2
Sept.	-8.7	-7.2	-9.1	-8.1	-8.0	-1.1	+0.5	-3.7	-10.5	-19.6	-24.2	-18.5	-10.1	-1.9	+8.2	+15.0	+23.6	+24.2	+22.6	+16.5	+15.0	+11.0	+0.9	-6.8	-6.8	-6.8	-6.8
Oct.	-14.0	-23.0	-18.1	-8.9	-3.5	+2.5	+3.7	-0.8	-3.7	-11.7	-17.1	-11.2	-4.6	-0.1	+12.2	+38.0	+30.8	+35.9	+27.4	+12.1	-2.7	-17.1	-8.7	-17.4	-17.4	-17.4	-17.4
Nov.	-15.8	-13.7	-5.0	-6.1	+4.5	+8.7	+8.9	+5.5	-0.5	-5.3	-6.0	-6.9	-3.2	+0.8	+2.7	+5.7	+7.9	+7.6	+6.8	+5.7	+2.4	+1.1	-2.1	-3.7	-3.7	-3.7	-3.7
Dec.	-5.7	-5.3	-5.3	-2.6	+0.9	+7.0	+8.8	+6.1	+1.8	-4.1	-7.2	-6.4	-3.8	-2.4	+1.0	+3.9	+3.0	+6.7	+4.8	+9.5	+4.5	+0.2	-5.6	-9.8	-9.8	-9.8	-9.8
Year	-11.3	-14.7	-11.9	-6.9	-1.9	+1.5	+0.5	-4.0	-10.4	-16.0	-18.5	-16.7	-10.4	-2.5	+6.4	+15.7	+21.5	+24.3	+24.0	+18.8	+10.4	+5.1	+0.9	-4.0	-4.0	-4.0	-4.0
Winter	-8.3	-10.1	-6.6	-3.5	+2.1	+6.2	+7.3	+5.1	-0.1	-5.0	-7.4	-7.7	-5.1	-0.9	+2.8	+5.1	+10.0	+8.3	+8.7	+8.1	+1.4	-1.5	-4.1	-4.7	-4.7	-4.7	-4.7
Equinox	-20.7	-26.7	-24.7	-13.7	-4.6	+2.9	+3.3	-3.2	-10.8	-16.2	-20.0	-17.3	-9.4	+0.2	+12.0	+25.5	+30.9	+34.4	+30.8	+19.4	+9.2	+4.9	+1.5	-7.6	-7.6	-7.6	-7.6
Summer	-4.9	-7.2	-4.3	-3.3	-3.2	-4.7	-9.1	-13.8	-20.3	-26.7	-28.3	-25.0	-16.5	-6.8	+4.5	+16.3	+23.5	+30.3	+32.4	+29.0	+20.7	+11.8	+5.2	+0.5	+0.5	+0.5	+0.5

DECLINATION

Jan.	-1.98	-1.45	-1.79	-1.82	-1.57	-0.88	-0.48	-0.11	+0.17	+0.79	+1.64	+2.42	+3.54	+3.92	+3.26	+2.73	+2.65	+2.13	+0.30	-0.81	-2.50	-3.16	-3.98	-3.02	-3.02	-3.02	-3.02
Feb.	-2.17	-0.56	-1.87	-2.76	-3.67	-2.89	-1.73	-1.06	-0.49	+0.71	+1.90	+3.11	+4.30	+4.58	+4.32	+2.57	+1.87	+1.04	+0.57	+1.38	-1.40	-1.85	-3.49	-2.41	-2.41	-2.41	-2.41
Mar.	-1.73	-2.55	-3.91	-2.59	-3.01	-2.16	-1.68	-0.19	-0.45	-2.44	+0.87	+2.80	+5.17	+6.26	+5.84	+3.98	+3.12	+0.06	+0.12	-0.15	-1.80	-1.72	-2.12	-1.72	-1.72	-1.72	-1.72
Apr.	-3.69	-5.14	-3.29	-4.40	-3.71	-3.54	-3.58	-2.90	-2.80	-1.06	+0.64	+3.58	+7.17	+8.69	+7.67	+5.73	+3.92	+3.00	+0.29	-0.40	-0.55	-1.63	-1.79	-2.21	-2.21	-2.21	-2.21
May	-2.38	-2.53	-2.75	-4.05	-4.70	-5.12	-4.66	-4.45	-3.70	-2.08	+0.45	+3.53	+5.86	+6.67	+6.38	+5.55	+4.84	+3.86	+2.48	+1.30	-0.15	-0.72	-1.50	-2.13	-2.13	-2.13	-2.13
June	-0.90	-2.32	-4.38	-5.50	-5.56	-6.10	-6.53	-6.04	-4.88	-2.60	+0.27	+3.27	+5.50	+6.38	+6.76	+6.25	+4.79	+4.04	+3.70	+2.45	+1.35	+0.88	+0.21	-1.04	-1.04	-1.04	-1.04
July	-2.26	-4.22	-4.43	-3.50	-4.31	-4.18	-4.54	-3.51	-3.20	-2.29	-0.06	+2.80	+5.35	+6.54	+6.05	+5.31	+4.35	+3.16	+2.74	+2.06	+0.73	-0.24	-0.59	-1.76	-1.76	-1.76	-1.76
Aug.	-1.43	-1.65	-2.94	-2.94	-3.34	-4.39	-4.53	-4.27	-3.52	-1.73	+1.31	+4.57	+6.79	+7.62	+6.62	+5.20	+3.10	+1.89	+1.01	-0.52	-1.45	-1.35	-2.27	-1.78	-1.78	-1.78	-1.78
Sept.	-3.27	-1.68	-1.81	-1.98	-2.32	-2.36	-2.44	-2.34	-2.14	-0.89	+0.97	+3.79	+6.34	+6.71	+6.95	+5.54	+3.16	+0.15	-1.84	-1.47	-1.89	-2.38	-2.51	-2.29	-2.29	-2.29	-2.29
Oct.	-2.15	-0.11	-0.17	-1.42	-0.72	-0.09	+0.31	+0.53	-0.11	-0.22	+1.75	+4.05	+6.07	+6.03	+5.17	+2.30	+0.94	-2.45	-1.95	-2.76	-3.86	-4.87	-3.08	-3.19	-3.19	-3.19	-3.19
Nov.	-3.05	-1.58	-1.07	-0.36	+0.25	+0.28	+0.41	+0.89	+0.91	+1.06	+2.27	+3.49	+4.66	+4.15	+3.99	+2.14	+1.29	+0.27	-1.74	-2.42	-4.07	-3.03	-4.53	-4.21	-4.21	-4.21	-4.21
Dec.	-3.18	-1.55	-0.03	-0.17	-0.14	-0.01	0.00	+0.37	+0.74	+0.53	+1.62	+2.47	+3.26	+3.92	+3.56	+2.47	+2.73	+0.59	-0.55	-0.90	-2.88	-4.10	-4.35	-4.40	-4.40	-4.40	-4.40
Year	-2.35	-2.11	-2.37	-2.62	-2.73	-2.62	-2.45	-1.92	-1.62	-0.85	+1.14	+3.32	+5.33	+5.96	+5.55	+4.15	+3.06	+1.48	+0.43	-0.19	-1.54	-2.01	-2.50	-2.51	-2.51	-2.51	
Winter	-2.59	-1.29	-1.19	-1.28	-1.28	-0.87	-0.45	+0.02	+0.33	+0.77	+1.86	+2.87	+3.94	+4.14	+3.78	+2.48	+2.13	+1.01	-0.35	-0.69	-2.71	-3.03	-4.09	-3.51	-3.51	-3.51	
Equinox	-2.71	-2.37	-2.29	-2.60	-2.44	-2.04	-1.85	-1.23	-1.37	-1.15	+1.06	+3.55	+6.19	+6.92	+6.41	+4.39	+2.79	+0.19	-0.85	-1.19	-2.03	-2.65	-2.37	-2.35	-2.35	-2.35	
Summer	-1.74	-2.68	-3.63	-4.00	-4.48	-4.95	-5.07	-4.57	-3.83	-2.17	+0.49	+3.54	+5.87	+6.80	+6.45	+5.58	+4.27	+3.24	+2.48	+1.32	+0.12	-0.36	-1.04	-1.68	-1.68	-1.68	

VERTICAL FORCE

Jan.	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
Jan.	-7.4	-10.7	-9.9	-9.7	-11.2	-11.9	-10.9	-9.7	-7.2	-5.3	-3.2	-1.1	-0.7	+0.4	+4.3	+9.9	+12.0	+14.9	+14.5	+16.7	+17.0	+10.1	+3.1	-4.0	-4.0	-4.0	-4.0
Feb.	-16.3	-19.1	-18.1	-13.9	-11.8	-9.3	-9.1	-8.2	-6.5	-5.8	-4.6	-1.9	-0.2	+1.3	+6.7	+18.6	+25.3	+26.2	+23.9	+22.1	+11.8	+5.3	-4.1	-12.3	-12.3	-12.3	-12.3
Mar.	-33.9	-53.9	-47.8	-49.9	-35.1	-21.9	-13.3	-4.2	+0.2	+10.7	+11.0	+11.5	+13.1	+19.5	+27.0	+32.7	+38.2	+47.6	+41.3	+28.5	+12.2	+3.8	-14.9	-22.4	-22.4	-22.4	-22.4
Apr.	-37.2	-41.0	-45.0	-30.6	-19.5	-14.4	-8.4	-6.3	-2.7	+1.0	+5.0	+8.4	+7.2	+14.5	+24.2	+35.2	+36.7	+39.0	+35.1	+25.2	+13.3	+2.1	-14.0	-27.8	-27.8	-27.8	-27.8
May	-11.4	-12.7	-13.2	-7.5	-5.0	-4.1	-3.0	-4.1	-5.6	-5.0	-5.4	-6.6	-5.5	-2.0	+3.8	+11.1	+16.5	+19.8	+20.3	+16.6	+12.9	+4.7	-4.8	-9.8	-9.8	-9.8	-9.8
June	-10.6	-23.5	-22.2	-15.9	-10.0	-8.1	-5.0	-2.1	-2.0	-3.5	-4.2	-6.3	-4.8	-1.2	+4.3	+9.9	+19.3	+22.4	+23.1	+21.5	+13.9	+8.8	+1.5	-5.3	-5.3	-5.3	-5.3
July	-34.5	-37.4	-20.0	-11.0	-10.7	-9.5	-5.7	-4.4	-1.9	-1.0	+0.4	+0.9	+3.1	+7.3	+14.2	+17.0	+21.5	+23.0	+21.9	+22.0	+15.3	+9.5	-0.5	-19.5	-19.5	-19.5	-19.5
Aug.	-31.4	-28.7	-23.4	-16.3	-12.8	-7.9	-1.2	+3.2	+3.8	+2.7	+0.9	-1.7	+0.5	+5.7	+11.9	+19.5	+27.3	+26.9	+27.7	+21.1	+14.8	-4.8	-13.9	-23.9	-23.9	-23.9	-23.9
Sept.	-38.0	-32.0	-25.4	-20.8	-18.1	-																					

INTERNATIONAL QUIET DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

53 LERWICK

1942

	Hour G.M.T.																							
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
	HORIZONTAL FORCE																							
Jan.	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	
Feb.	-2.8	-4.3	-4.8	-2.9	-1.0	+2.1	+3.8	+2.9	+2.4	-1.1	-4.4	-6.3	-5.4	-0.1	+2.0	+3.1	+2.6	+6.5	+4.4	+4.1	+2.4	-0.5	-0.6	-2.1
Mar.	-3.0	-4.3	-4.4	-2.7	+0.3	+2.2	+3.3	+1.9	-2.4	-4.7	-8.2	-7.1	-5.2	-0.9	-0.8	+0.5	-0.1	+2.2	+4.7	+7.1	+7.0	+5.3	+6.2	+3.1
Apr.	+4.5	+5.1	+3.7	+1.7	+4.5	+6.6	+7.9	+3.5	-5.1	-15.1	-22.7	-26.3	-22.9	-19.1	-7.9	+2.3	+2.7	+7.4	+12.1	+13.9	+12.7	+12.3	+9.5	+8.7
May	+6.8	+4.0	+0.8	+1.8	+3.6	+1.7	+2.2	-1.6	-10.2	-24.0	-33.0	-37.6	-31.2	-15.8	-3.8	+2.4	+9.2	+17.5	+22.4	+21.0	+19.0	+16.6	+14.6	+13.6
June	+3.3	+1.4	+2.7	+4.3	+5.1	+3.2	-1.9	-6.9	-15.5	-24.6	-29.7	-28.9	-23.7	-14.4	-5.3	+0.7	+14.3	+22.2	+23.7	+18.5	+16.9	+13.2	+11.1	+10.3
July	+5.6	+4.5	+3.7	+2.6	+0.7	-1.7	-6.4	-13.3	-21.9	-28.8	-27.7	-21.5	-13.8	-7.5	-2.1	+7.4	+12.9	+14.3	+18.8	+19.3	+17.1	+14.6	+12.9	+10.3
Aug.	+3.0	+3.0	+0.8	+4.7	+3.8	+1.2	-2.8	-8.6	-15.3	-26.2	-30.4	-28.8	-24.8	-16.4	-8.3	+3.4	+13.8	+19.4	+24.4	+25.6	+22.5	+15.4	+11.4	+9.2
Sept.	+3.0	-0.7	+0.1	+3.4	+4.1	+1.7	-2.6	-5.9	-11.9	-19.0	-23.7	-23.1	-18.4	-11.1	-4.5	+1.4	+7.5	+15.7	+18.2	+17.1	+15.1	+12.4	+12.7	+8.5
Oct.	+7.0	+4.7	+4.2	+3.1	+4.7	+7.2	+8.9	+5.3	-1.6	-15.3	-26.8	-29.1	-26.4	-16.5	-7.2	+1.1	+8.5	+8.2	+8.5	+9.1	+9.8	+10.5	+10.4	+11.7
Nov.	+0.1	-4.9	-0.9	+0.9	+2.5	+3.5	+4.7	+0.5	-7.7	-17.3	-18.1	-15.7	-10.9	-6.3	-0.9	+2.7	+6.9	+9.5	+9.3	+9.1	+9.5	+9.1	+6.3	+8.1
Dec.	-1.4	-4.3	-3.0	-0.2	+3.0	+3.7	+3.2	+3.8	-0.4	-4.5	-6.8	-8.0	-6.2	-0.9	+0.8	+2.6	+2.8	+4.3	+4.0	0.0	+2.6	+4.5	+1.8	-1.4
Year	-4.5	-3.3	-4.5	-2.7	-0.7	+2.2	+4.1	+3.5	+2.5	-0.3	-3.1	-5.7	-3.9	-0.1	+2.7	+4.1	+3.5	+3.0	+3.5	+1.7	+1.1	-0.7	-0.3	-2.1
Winter	+1.8	+0.1	-0.1	+1.2	+2.5	+2.8	+2.0	-1.2	-7.3	-15.1	-19.5	-19.8	-16.1	-9.1	-2.9	+2.6	+7.1	+10.9	+12.8	+12.2	+11.3	+9.4	+8.0	+6.5
Equinox	-2.9	-4.1	-4.2	-2.1	+0.4	+2.5	+3.6	+3.0	+0.5	-2.7	-5.6	-6.8	-5.2	-0.5	+1.2	+2.6	+2.2	+4.0	+4.1	+3.2	+3.3	+2.1	+1.8	-0.6
Summer	+4.6	+2.2	+1.9	+1.9	+3.8	+4.7	+5.9	+1.9	-6.1	-17.9	-25.1	-27.2	-22.9	-14.4	-4.9	+2.1	+6.8	+10.7	+13.1	+13.3	+12.7	+12.1	+10.2	+10.5
Year	+3.7	+2.1	+1.8	+3.7	+3.4	-1.1	-3.4	-8.7	-16.1	-24.7	-27.9	-25.6	-20.2	-12.3	-5.1	+3.2	+12.1	+17.9	+21.3	+20.1	+17.9	+13.9	+12.0	+9.6

DECLINATION																								
Jan.	-1.49	-0.96	-0.79	-1.11	-1.13	-0.72	-0.79	-1.01	-1.03	-0.32	+0.93	+1.89	+2.41	+2.30	+2.01	+1.39	+1.25	+1.24	+1.11	+0.69	-0.11	-1.60	-2.67	-1.49
Feb.	-0.69	-0.85	+0.13	-0.63	-1.07	-1.46	-1.85	-1.59	-1.09	+0.15	+1.49	+2.99	+2.79	+2.51	+1.11	+0.17	+0.11	+0.48	+0.55	+0.25	-0.17	-0.37	-1.05	-1.91
Mar.	+0.41	-0.40	-1.72	-0.79	-1.92	-2.12	-2.45	-3.02	-3.22	-2.75	-0.16	+3.06	+5.53	+5.72	+4.46	+2.75	+1.10	+0.50	+0.33	-0.86	-1.66	-1.01	-0.78	-1.00
Apr.	-0.33	-0.24	-0.60	-1.93	-3.04	-4.28	-5.01	-5.08	-4.74	-3.57	-1.22	+1.88	+4.81	+6.02	+5.42	+3.67	+2.66	+1.86	+1.47	+1.18	+1.06	+0.85	+0.06	-0.90
May	-0.74	-1.32	-1.51	-2.48	-3.72	-4.96	-5.24	-5.50	-4.85	-2.92	+0.26	+3.46	+5.76	+6.00	+4.89	+3.50	+2.56	+1.72	+1.54	+1.26	+1.05	+0.76	+0.44	+0.04
June	-1.04	-1.83	-2.94	-3.57	-3.49	-6.16	-5.83	-5.55	-4.78	-3.01	-0.38	+2.73	+4.62	+5.27	+5.20	+4.51	+3.73	+3.06	+2.69	+2.25	+1.74	+1.53	+1.08	+0.17
July	-0.98	-1.79	-2.09	-3.36	-4.35	-5.59	-5.84	-5.49	-4.93	-3.08	-0.51	+2.21	+4.76	+6.15	+6.31	+4.86	+3.93	+3.25	+2.72	+2.15	+1.13	+0.66	+0.05	-0.17
Aug.	-1.93	-1.34	-1.67	-2.37	-2.83	-3.48	-4.01	-4.01	-3.55	-1.52	+0.41	+2.89	+4.63	+5.38	+4.89	+3.57	+2.55	+1.46	+1.19	+1.01	+0.25	+0.30	-0.45	-1.37
Sept.	-3.14	-1.87	-1.08	-1.62	-2.00	-2.27	-3.16	-4.22	-4.30	-2.85	-0.56	+3.16	+6.12	+7.33	+7.08	+5.94	+4.22	+1.81	+0.60	-0.04	-0.52	-2.35	-2.88	-3.40
Oct.	-1.28	-1.10	-2.15	-1.96	-1.98	-1.98	-2.02	-2.40	-2.47	-1.18	+1.60	+3.78	+5.36	+4.88	+3.75	+2.60	+1.94	+1.82	+0.92	+0.06	-0.87	-2.32	-2.36	-2.64
Nov.	-0.65	-0.99	-0.87	-0.81	-0.85	-1.13	-1.05	-0.43	-0.31	+0.17	+1.39	+2.39	+2.67	+2.81	+2.61	+2.01	+2.07	-0.09	+0.23	-0.79	-2.75	-2.13	-1.67	-1.83
Dec.	-0.73	-0.42	-0.27	+0.06	-0.36	-0.39	-0.74	-0.74	-0.65	-0.46	+0.31	+1.22	+1.97	+2.26	+1.59	+0.94	+0.86	+0.51	+0.30	-0.18	-0.73	-1.46	-1.71	-1.18
Year	-1.05	-1.09	-1.30	-1.71	-2.23	-2.88	-3.17	-3.25	-2.99	-1.78	+0.30	+2.64	+4.29	+4.72	+4.11	+2.99	+2.25	+1.47	+1.14	+0.58	-0.13	-0.59	-0.99	-1.31
Winter	-0.89	-0.81	-0.45	-0.62	-0.85	-0.93	-1.11	-0.94	-0.77	-0.11	+1.03	+2.12	+2.46	+2.47	+1.83	+1.13	+1.07	+0.53	+0.55	-0.01	-0.94	-1.39	-1.77	-1.60
Equinox	-1.09	-0.90	-1.39	-1.57	-2.23	-2.66	-3.16	-3.68	-3.68	-2.59	-0.09	+2.97	+5.45	+5.99	+5.18	+3.74	+2.48	+1.50	+0.83	+0.09	-0.50	-1.21	-1.49	-1.99
Summer	-1.17	-1.57	-2.05	-2.95	-3.60	-5.05	-5.23	-5.14	-4.53	-2.63	-0.05	+2.82	+4.94	+5.70	+5.32	+4.11	+3.19	+2.37	+2.03	+1.67	+1.04	+0.81	+0.28	-0.33

VERTICAL FORCE																								
Jan.	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	
Feb.	+2.2	+0.9	+0.1	+0.6	-0.7	-1.3	-2.0	-1.9	-2.5	-2.4	-2.1	-0.3	-0.6	-1.9	0.5	+0.4	-0.3	-0.9	+1.2	+1.7	+2.9	+5.8	+2.3	-0.7
Mar.	+0.4	+0.6	+1.1	+0.2	-0.4	-1.2	-1.8	-2.0	-2.1	-2.0	-1.4	-0.8	-0.4	-0.6	+1.3	+3.0	+2.6	+1.4	+1.2	+0.6	+0.9	+1.0	-0.8	-0.8
Apr.	-2.2	-4.8	-2.4	-5.0	-10.8	-8.2	-5.0	-1.0	+0.2	+2.2	+1.0	-1.6	-0.8	+1.2	+3.2	+5.6	+6.4	+5.0	+3.4	+4.8	+5.0	+2.8	+1.8	-0.8
May	-2.9	-1.2	+0.2	+0.9	+2.0	+3.6	+2.5	+2.2	+0.8	+0.5	-1.0	-3.8	-9.1	-10.6	-7.6	-2.7	+0.4	+2.2	+4.1	+5.6	+5.0	+4.5	+3.6	+0.8
June	-3.3	+0.1	+1.6	+2.9	+4.1	+3.3	+1.9	-0.1	-3.6	-6.1	-7.9	-10.5	-8.9	-7.3	-3.8	+2.1	+5.7	+7.5	+9.9	+8.5	+5.6	+2.5	-0.5	-3.7
July	+2.1	+2.3	+3.6	+4.1	+3.3	+1.3	-0.5	-0.7	-2.8	-5.9	-6.7	-7.3	-6.5	-4.7	-3.4	-2.7	-0.3	+2.5	+3.7	+4.9	+4.2	+3.9	+2.9	+2.7
Aug.	-0.4	-1.7	-1.0	+0.2	+2.4	+2.3	+2.6	+3.4	+2.8	-0.7	-4.6	-9.8	-10.4	-8.9	-7.8	-5.0	+1.4	+5.7	+7.2	+7.0	+8.2	+4.9	+2.8	-0.6
Sept.	-7.1	-5.1	-1.8	+1.1	+2.3	+3.5	+4.5	+4.5	+2.0	-0.5	-2.7	-6.9	-10.3	-8.7	-3.0	+2.9	+4.1	+4.7	+5.7	+6.1	+6.8	+2.3	-0.5	-3.9
Oct.	-10.9	-7.9	-4.9	-2.9	-1.5	+0.3	+0.3	+1.3	-0.1	-0.9	-2.9	-6.7	-7.1	-7.3	-2.5	+4.1	+11.3	+20.1	+14.3	+11.1	+8.1	+4.3	-6.1	-13.5
Nov.	-3.6	-10.0	-6.2	-1.6	0.0	-0.2	-1.0	-0.4	+0.4	+0.4	-2.0	-1.0	-0.2	+0.6	+2.8	+4.8	+5.0	+3.8	+3.8	+3.4	+3.4	+1.6	+1.4	-5.2
Dec.	-21.6	-11.8	-4.8	-2.4	-2.6	-2.7	-3.2	-4.6	-3.8	-3.2	-2.2	-0.8	+1.8	+3.0	+5.2	+7.8	+9.2	+9.9	+8.2	+9.8	+8.8	+3.2	+0.8	-4.0
Year	+1.6	-2.1	-1.8	-2.5	-2.4	-2.9	-2.6	-2.5	-1.4	-0.7	+0.6	+0.9	-0.8	-0.3	+0.6	+0.5	0.0	+0.3	+0.4	+1.7	+3.2	+4.7	+3.8	+1.7
Winter	-3.8	-3.4	-1.4	-0.4	-0.4	-0.2	-0.4	-0.1	-0.8	-1.6	-2.7	-4.1	-4.4	-3.8	-1.3	+1.7	+3.8	+5.2	+5.3	+5.4	+5.2	+3.5	+1.0	-2.3
Equinox	-4.3	-3.1	-1.3	-1.0	-1.5	-2.0	-2.4	-2.7	-2.5	-2.1	-1.3	-0.3	0.0	+0.1	+1.7	+2.9	+2.9	+2.7	+2.7	+3.5	+3.9	+3.7	+1.5	-0.9
Summer	-4.9	-6.0	-3.3	-2.1	-2.6	-1.1	-0.8	+0.5	+0.3	+0.5	-1.2	-3.3	-4.3	-4.0	-1.0	+2.9	+5.8	+7.8	+6.4	+6.2	+5.4	+3.3	+0.2	-4.7
Year	-2.2	-1.1	+0.6	+2.1	+3.0	+2.6	+2.1	+1.8	-0.4	-3.3	-5.5	-8.6	-9.0	-7.4	-4.5	-0.7	+2.7	+5.1	+6.6	+6.6	+6.2	+3.4	+1.2	-1.4

DIURNAL INEQUALITIES OF THE TERRESTRIAL MAGNETIC ELEMENTS

INTERNATIONAL DISTURBED DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

54 LERWICK

1942

	Hour G. M. T.																							
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
HORIZONTAL FORCE																								
Jan.	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
Feb.	-2.6	-6.5	-16.1	-6.2	+9.9	+11.7	+11.2	+2.7	-9.9	-12.2	-15.1	-6.9	+1.2	+5.1	+3.9	+0.6	+5.3	+6.5	+10.8	+10.1	+6.9	-0.8	-6.1	-3.5
Mar.	-17.2	-69.5	-37.6	-16.7	-8.4	-4.3	+3.4	-3.3	-17.8	-16.9	-18.8	-25.9	-29.4	-0.1	+24.8	+41.7	+136.6	+76.1	+84.0	+55.3	-30.8	-37.7	-52.4	-35.1
Apr.	-104.0	-109.4	-93.6	-61.8	-19.2	-11.7	-8.8	-36.8	-93.8	-14.0	+15.0	+14.0	+31.6	+59.6	+66.2	+69.0	+88.4	+107.1	+129.6	+36.2	-11.8	+12.6	-8.4	-56.0
May	-60.1	-91.1	-119.6	-68.5	-19.1	+4.9	-24.5	-37.7	-22.0	-27.3	-28.9	-10.3	-6.9	+41.1	+59.6	+92.9	+122.7	+95.9	+52.9	+20.5	-13.8	+22.1	+16.3	+0.9
June	-11.3	-35.9	+0.5	+5.7	+6.1	-7.0	-23.5	-15.7	-17.7	-26.1	-23.1	-20.7	-14.1	+0.7	+12.3	+30.7	+42.9	+47.6	+50.3	+40.1	+15.7	-11.5	-25.5	-20.5
July	-6.0	-19.9	-16.8	-10.3	-17.6	-15.7	-15.4	-23.7	-28.4	-34.1	-36.0	-30.7	-16.4	+4.3	+8.2	+29.7	+73.4	+65.9	+64.4	+43.9	+11.6	-4.5	-13.4	-12.5
Aug.	-22.3	-3.0	-1.9	-5.5	-7.5	-13.0	-41.3	-29.7	-45.5	-46.8	-36.7	-26.7	-12.7	+2.8	+53.7	+72.3	+51.3	+43.8	+45.1	+45.3	+24.7	+9.6	-15.1	-40.9
Sept.	-26.4	-18.1	-13.2	-36.9	-23.7	-12.2	-10.5	-18.3	-22.0	-33.9	-31.6	-26.3	-3.2	-1.7	+15.8	+64.1	+46.7	+58.2	+56.7	+33.9	+19.4	+4.9	-2.0	-19.7
Oct.	-31.2	-17.4	-24.0	-22.0	-17.0	-1.0	-5.4	-12.6	-25.2	-37.0	-35.2	-15.8	+4.0	+15.0	+19.0	+36.6	+48.2	+52.6	+40.8	+27.0	+25.2	+17.6	-16.4	-25.8
Nov.	-20.2	-25.7	-44.0	-32.2	-25.0	+1.9	-5.6	-28.8	-8.4	-12.5	-23.2	+1.4	+18.8	+0.9	+26.6	+146.0	+125.2	+152.9	+104.8	+24.6	-61.6	-131.5	-58.4	-126.0
Dec.	-61.4	-51.8	-6.6	-33.8	+5.2	+15.3	+16.6	+2.8	-4.6	-1.2	+5.6	+6.8	+13.8	+16.2	+21.2	+20.8	+25.6	+19.1	+14.6	+19.2	+2.4	-3.2	-20.0	-22.6
	-17.0	-3.3	-5.4	-5.3	+0.2	+16.5	+20.4	+9.5	+0.2	-6.7	-16.8	-6.9	-1.0	-1.9	+4.2	+11.3	+1.8	+22.1	+14.2	+42.1	+15.4	+6.7	-40.8	-59.5
Year	-31.6	-37.6	-31.5	-24.5	-9.7	-1.2	-6.9	-16.0	-24.6	-22.4	-20.4	-12.3	-1.2	+11.8	+26.3	+51.3	+64.0	+62.3	+55.7	+33.2	+0.3	-9.6	-20.2	-35.1
Winter	-24.5	-32.8	-16.4	-15.5	+1.7	+9.8	+12.9	+2.9	-8.0	-9.3	-11.3	-8.2	-3.9	+4.8	+13.5	+18.6	+42.3	+30.9	+30.9	+31.7	-1.5	-8.7	-29.8	-30.2
Equinox	-53.9	-60.9	-70.3	-46.1	-20.1	-1.5	-11.1	-29.0	-37.3	-22.7	-18.1	-2.7	+11.9	+29.1	+42.9	+86.1	+96.1	+102.1	+82.0	+27.1	-15.5	-19.8	-16.7	-51.7
Summer	-16.5	-19.2	-7.9	-11.7	-10.7	-12.0	-22.7	-21.9	-28.4	-35.2	-31.9	-26.1	-11.6	+1.5	+22.5	+49.2	+53.6	+53.9	+54.1	+40.8	+17.9	-0.4	-14.0	-23.4

DECLINATION																								
Jan.	-1.93	-2.61	-2.36	-3.75	-2.47	-1.17	+1.53	+2.87	+3.72	+3.75	+4.25	+3.23	+3.79	+4.09	+2.48	+2.05	+2.45	+1.85	+0.21	-1.75	-2.00	-4.41	-8.99	-4.83
Feb.	-4.97	-1.84	-7.55	-5.58	-7.22	-4.91	-2.86	-0.44	+1.05	+2.46	+2.81	+4.94	+7.23	+9.16	+9.91	+5.74	+4.50	+1.27	-2.78	+2.88	-3.31	-2.90	-7.57	-0.02
Mar.	+2.64	-9.27	-6.97	+0.86	+0.47	+1.51	+3.34	+9.05	+3.37	-12.64	-1.67	-3.69	-0.38	+1.85	+3.89	+1.38	+2.89	+0.03	+1.96	+2.37	-1.67	-0.34	-0.63	+1.65
Apr.	-9.25	-15.30	-13.94	-12.41	-6.36	-2.04	-0.23	+5.18	+1.56	+2.91	+3.12	+5.06	+10.37	+11.62	+11.14	+8.29	+6.24	+6.48	-0.15	-0.34	-0.04	-4.49	-4.90	-2.52
May	-6.41	-6.53	-6.92	-7.07	-7.55	-4.81	-1.73	-0.63	-1.68	-0.47	+2.29	+5.73	+8.39	+9.81	+8.80	+7.89	+7.45	+5.71	+3.15	+2.29	-1.22	-3.47	-7.09	-5.93
June	+0.65	-2.64	-5.44	-8.69	-7.20	-5.80	-7.47	-6.56	-6.42	-3.95	-0.44	+4.32	+6.99	+7.78	+9.54	+9.73	+7.60	+6.32	+5.27	+3.04	-0.22	-0.21	-1.46	-4.74
July	-7.06	-10.08	-8.59	-4.06	-5.14	-4.30	-4.26	-0.58	-1.77	-0.84	+1.40	+3.96	+7.32	+8.54	+6.91	+6.16	+6.24	+3.00	+3.22	+3.34	-0.23	-2.56	+0.22	-0.84
Aug.	-0.84	-0.89	-4.62	-1.38	-2.64	-5.97	-5.02	-3.22	-3.34	-2.51	+1.40	+4.88	+7.54	+9.17	+10.18	+7.38	+4.78	+4.65	+1.74	-3.34	-6.38	-3.29	-5.10	-3.18
Sept.	-5.97	-4.75	-2.71	-4.27	-4.09	-0.50	-1.01	+0.71	+1.05	+1.17	+1.21	+3.75	+7.31	+6.43	+8.77	+6.57	+2.57	-1.10	-3.57	-2.77	-3.39	-3.25	-2.61	+0.45
Oct.	-3.50	-0.95	-0.44	-3.69	+0.48	+0.63	+1.42	+5.17	+3.62	+1.43	+2.18	+4.25	+8.78	+11.11	+11.14	+4.79	+1.46	-5.09	+2.74	-8.19	-7.82	-11.67	-8.84	-9.01
Nov.	-6.92	+0.50	-2.08	+1.56	+5.58	+4.32	+3.52	+4.64	+4.72	+3.10	+3.66	+4.50	+6.30	+3.18	+3.68	+1.50	-0.92	-4.54	-4.48	-6.74	-4.58	-1.94	-9.84	-8.72
Dec.	-8.32	-3.20	-1.62	+0.80	+1.72	+2.41	+1.52	+1.82	+3.34	+2.72	+3.96	+3.88	+6.38	+6.30	+6.90	+1.50	+4.48	-2.15	-4.28	+0.62	-5.24	-7.62	-8.48	-7.44
Year	-4.32	-4.80	-5.27	-3.97	-2.87	-1.72	-0.94	+1.50	+0.77	-0.24	+2.01	+3.73	+6.67	+7.42	+7.78	+5.25	+4.15	+1.37	+0.25	-0.72	-3.01	-3.85	-5.44	-3.76
Winter	-5.53	-1.79	-3.40	+1.74	-0.60	+0.16	+0.93	+2.22	+3.21	+3.01	+3.67	+4.14	+5.93	+5.68	+5.74	+2.70	+2.63	-0.89	-2.83	-1.25	-3.78	-4.22	-8.72	-5.25
Equinox	-4.02	-7.57	-6.01	-4.88	-2.37	-0.10	+0.88	+5.03	+2.40	-1.78	+1.21	+2.34	+6.52	+7.75	+8.73	+5.26	+3.29	+0.08	+0.25	-2.23	-3.23	-4.94	-4.25	-2.36
Summer	-3.41	-5.03	-6.39	-5.30	-5.63	-5.22	-4.62	-2.75	-3.30	-1.94	+1.16	+4.72	+7.56	+8.83	+8.86	+7.79	+6.52	+4.92	+3.35	+1.33	-2.01	-2.38	-3.36	-3.67

VERTICLE FORCE																								
Jan.	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
Feb.	+2.4	-12.3	-18.6	-26.3	-26.9	-19.0	-20.9	-20.1	-14.6	-11.9	-5.4	-0.3	+1.6	+4.9	+13.4	+27.5	+24.7	+23.8	+22.5	+31.3	+31.2	+7.5	0.0	-14.5
Mar.	-31.3	-42.2	-50.4	-39.3	-33.8	-23.2	-23.7	-20.2	-14.0	-13.3	-12.0	-2.8	+1.1	+0.6	+19.8	+70.9	+102.0	+100.2	+72.9	+48.8	+8.0	-22.7	-49.6	-45.8
Apr.	-105.7	-144.3	-119.9	-119.1	-47.3	-33.5	-27.7	-10.7	+7.5	+57.1	+48.1	+46.7	+53.1	+65.5	+64.9	+73.1	+77.3	+93.7	+79.1	+41.7	-3.3	+4.7	-43.3	-57.7
May	-56.4	-69.7	-67.2	-81.5	-75.8	-67.1	-42.2	-38.3	-24.0	-7.3	+16.0	+41.9	+40.2	+53.9	+74.6	+100.9	+80.0	+73.1	+48.8	+33.5	+11.4	+7.5	-18.2	-34.1
June	-21.7	-36.8	-24.9	-17.0	-12.8	-12.3	-12.2	-16.6	-12.1	-3.2	-1.5	-0.2	+0.1	+9.6	+19.1	+29.2	+41.6	+54.1	+45.2	+25.0	+23.3	-14.2	-25.5	-36.2
July	-13.1	-38.0	-45.7	-32.0	-19.4	-23.3	-14.4	-8.4	-6.3	-4.6	-5.3	-11.2	-11.3	-2.4	+13.3	+26.6	+47.6	+51.3	+58.0	+53.0	+26.1	+8.0	-13.7	-34.8
Aug.	-51.4	-50.7	-29.2	-19.4	-24.6	-20.7	-23.0	-23.8	-15.9	-4.8	+6.2	+14.4	+14.4	+28.9	+52.0	+60.0	+56.8	+52.5	+37.8	+37.6	+17.4	+3.1	-11.2	-58.8
Sept.	-63.0	-65.4	-53.7	-52.2	-39.0	-26.8	-7.0	+2.6	+7.9	+13.4	+12.6	+9.2	+16.0	+24.8	+25.9	+43.2	+63.2	+59.6	+72.4	+46.8	+25.7	-14.2	-38.8	-63.2
Oct.	-79.4	-66.4	-39.7	-38.8	-34.4	-14.0	-14.4	-7.0	+4.7	+12.6	+20.2	+28.8	+28.8	+41.6	+43.1	+60.8	+67.0	+63.2	+50.2	+42.6	+30.3	-13.8	-85.2	-100.8
Nov.	-65.2	-58.1	-59.1	-67.0	-63.5	-28.1	-7.6	+1.9	-8.7	+5.0	+21.5	+40.1	+47.8	+49.7	+68.5	+97.4	+135.9	+96.9	+52.6	+37.3	-26.7	-69.2	-98.5	-102.9
Dec.	-57.6	-59.4	-54.3	-80.8	-75.8	-45.0	-15.6	-1.6	+9.7	+20.6	+33.8	+30.8	+40.4	+56.4	+59.1	+69.6	+73.8	+59.4	+50.4	+39.2	+3.1	-14.2	-70.0	-72.0
	-67.7	-41.1	-34.9	-40.3	-44.7	-33.8	-29.9	-16.7	-12.1	-4.9	+2.3	+2.1	+27.9	+33.5	+45.3	+40.5	+39.1	+64.4	+71.5	+55.1	+35.1	+0.3	-44.5	-46.5
Year	-50.8	-57.0	-49.8	-51.1	-41.5	-28.9	-19.9	-14.0	-7.1	+4.0	+10.5	+15.9	+21.7	+30.6	+41.6	+58.3	+67.4	+66.0	+55.1	+41.0	+15.1	-9.8	-41.5	-55.6
Winter	-38.5	-38.7	-39.5	-46.7	-45.3	-30.3	-22.5	-14.7	-7.7	-2.4	+4.7	+7.5	+17.7	+23.9	+34.4	+52.1	+59.9	+61.9	+54.3	+43.6	+19.3	-7.3	-41.0	-44.7
Equinox	-76.7	-84.6	-71.5	-76.6	-55.3	-35.7	-23.0	-13.5	-5.1	+16.9	+26.5	+39.4	+42.5	+52.7	+62.8	+83.1	+90.1	+81.7	+57.7	+38.8	+2.9	-17.7	-61.3	-73.9
Summer	-37.3	-47.7	-38.4	-30.1	-23.9	-20.8	-14.1	-13.9	-8.6	-2.6	+0.3	+1.0	+4.8	+15.2	+27.6	+39.7	+52.3	+54.4	+53.3	+40.6	+23.1	-4.3	-22.3	-48.3

The ranges are derived from the diurnal inequalities printed in Tables 52 to 54

Arithmetical averages of diurnal inequalities in Tables 52 to 54 taken regardless of sign

55 LERWICK										56 LERWICK									
1942										1942									
	All days			Quiet days			Disturbed days				All days			Quiet days			Disturbed days		
	H	D	V	H	D	V	H	D	V		H	D	V	H	D	V	H	D	V
Jan.	14.3	7.90	28.9	12.8	5.08	8.3	27.8	13.24	58.2	Jan.	3.4	1.96	8.6	3.0	1.27	1.5	7.2	3.02	15.9
Feb.	43.0	8.25	45.3	15.3	4.90	5.1	206.1	17.48	152.4	Feb.	8.5	2.20	11.8	3.7	1.06	1.2	35.2	4.33	35.4
Mar.	70.0	10.17	101.5	40.2	8.94	17.2	239.0	21.69	238.0	Mar.	16.7	2.35	24.8	9.9	1.99	3.5	52.4	3.11	59.4
Apr.	86.3	13.83	84.0	60.0	11.10	16.2	242.3	26.92	182.4	Apr.	19.6	3.39	20.6	13.1	2.58	3.2	44.1	6.00	48.5
May	58.1	11.79	33.5	53.4	11.50	20.4	86.2	17.36	90.9	May	13.1	3.41	8.8	12.6	2.77	4.6	21.1	5.13	20.6
June	64.3	13.29	46.6	48.1	11.43	12.2	109.4	18.42	103.7	June	15.1	3.82	10.4	12.1	3.21	3.5	25.1	5.10	23.7
July	64.1	11.08	60.4	56.0	12.15	18.6	119.1	18.62	118.8	July	16.7	3.26	13.0	13.5	3.18	4.2	29.1	4.19	30.6
Aug.	56.4	12.15	59.1	41.9	9.39	17.1	101.0	16.56	137.8	Aug.	13.8	3.18	13.8	10.1	2.38	4.2	25.0	4.31	35.3
Sept.	48.4	10.22	83.7	40.8	11.63	33.6	89.6	14.74	167.8	Sept.	11.5	2.80	19.3	10.2	3.02	6.3	23.8	3.33	41.2
Oct.	61.0	10.94	96.8	27.6	8.00	15.0	284.4	22.81	238.8	Oct.	13.5	2.26	24.3	6.9	2.23	2.6	50.3	4.93	54.5
Nov.	24.7	9.19	59.8	12.5	5.56	31.5	87.0	16.14	154.6	Nov.	5.7	2.17	15.9	3.1	1.36	5.6	17.1	4.23	45.5
Dec.	19.3	8.32	49.4	9.8	3.97	7.6	101.6	15.38	139.2	Dec.	4.9	1.85	12.8	2.7	0.83	1.7	13.7	4.03	34.8
Year	42.8	8.69	58.0	32.6	7.97	9.8	101.6	13.22	124.4	Year	10.8	2.53	14.5	7.6	2.04	2.6	25.4	3.41	35.6
Winter	20.1	8.73	41.8	10.9	4.24	8.2	75.1	14.65	108.6	Winter	5.4	1.94	12.0	2.9	1.10	2.1	16.7	3.33	31.6
Equinox	61.1	9.63	84.1	40.5	9.67	13.8	172.4	16.30	174.7	Equinox	14.6	2.62	22.1	9.9	2.35	3.3	39.8	3.65	49.6
Summer	60.7	11.77	48.9	49.2	10.93	15.6	89.3	15.25	102.7	Summer	14.5	3.35	11.0	12.0	2.86	3.7	24.5	4.58	26.0

NON-CYCLIC CHANGE

57 LERWICK										1942									
	All days			Quiet days			Disturbed days				All days			Quiet days			Disturbed days		
	H	D	V	H	D	V	H	D	V		H	D	V	H	D	V	H	D	V
Jan.	+0.3	-0.01	-0.3	+0.8	+0.58	-4.3	-3.3	-0.14	-22.5	Jan.	+0.3	-0.01	-0.3	+0.8	+0.58	-4.3	-3.3	-0.14	-22.5
Feb.	-1.2	+0.05	-0.6	+4.9	-0.16	-1.0	-17.9	+4.58	-17.0	Feb.	-1.2	+0.05	-0.6	+4.9	-0.16	-1.0	-17.9	+4.58	-17.0
Mar.	+1.2	-0.11	+0.7	+2.4	-1.37	-5.0	-29.4	-0.76	-15.3	Mar.	+1.2	-0.11	+0.7	+2.4	-1.37	-5.0	-29.4	-0.76	-15.3
Apr.	+0.1	-0.03	+0.1	+5.1	-0.56	+2.6	+38.7	+6.69	+12.3	Apr.	+0.1	-0.03	+0.1	+5.1	-0.56	+2.6	+38.7	+6.69	+12.3
May	-0.1	+0.05	-0.4	+4.8	+0.64	-2.0	-11.4	-1.65	-8.5	May	-0.1	+0.05	-0.4	+4.8	+0.64	-2.0	-11.4	-1.65	-8.5
June	-0.1	-0.01	-0.9	+14.5	+0.27	-0.5	-13.3	-4.20	-29.7	June	-0.1	-0.01	-0.9	+14.5	+0.27	-0.5	-13.3	-4.20	-29.7
July	0.0	+0.10	+0.6	+3.7	+0.03	-2.1	-30.9	+4.69	-35.1	July	0.0	+0.10	+0.6	+3.7	+0.03	-2.1	-30.9	+4.69	-35.1
Aug.	-0.2	-0.11	+0.3	+4.2	+0.26	+3.8	-5.5	-2.51	-22.0	Aug.	-0.2	-0.11	+0.3	+4.2	+0.26	+3.8	-5.5	-2.51	-22.0
Sept.	0.0	+0.02	+0.4	+3.0	+1.06	+0.3	-7.5	-0.33	-15.7	Sept.	0.0	+0.02	+0.4	+3.0	+1.06	+0.3	-7.5	-0.33	-15.7
Oct.	-0.7	+0.01	-0.1	+6.2	-1.12	-3.4	-29.0	-2.73	-62.9	Oct.	-0.7	+0.01	-0.1	+6.2	-1.12	-3.4	-29.0	-2.73	-62.9
Nov.	+0.2	-0.05	0.0	-0.5	-0.88	+5.5	-14.9	-2.50	-19.1	Nov.	+0.2	-0.05	0.0	-0.5	-0.88	+5.5	-14.9	-2.50	-19.1
Dec.	+0.4	-0.02	+0.5	+3.0	+0.43	-2.6	-4.5	+1.76	-13.4	Dec.	+0.4	-0.02	+0.5	+3.0	+0.43	-2.6	-4.5	+1.76	-13.4
Year	0.0	-0.01	0.0	+4.3	-0.07	-0.7	-10.7	+0.24	-20.7	Year	0.0	-0.01	0.0	+4.3	-0.07	-0.7	-10.7	+0.24	-20.7
Winter	-0.1	-0.01	-0.1	+2.1	-0.01	-0.6	-10.1	+0.93	-18.0	Winter	-0.1	-0.01	-0.1	+2.1	-0.01	-0.6	-10.1	+0.93	-18.0
Equinox	+0.1	-0.03	+0.3	+4.2	-0.50	-1.4	-6.8	+0.72	-20.4	Equinox	+0.1	-0.03	+0.3	+4.2	-0.50	-1.4	-6.8	+0.72	-20.4
Summer	-0.1	+0.01	-0.1	+6.8	+0.30	-0.2	-15.3	-0.92	-23.8	Summer	-0.1	+0.01	-0.1	+6.8	+0.30	-0.2	-15.3	-0.92	-23.8

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

MEAN MONTHLY AND ANNUAL VALUES OF TERRESTRIAL MAGNETIC ELEMENTS

For all, a, quiet, q, and disturbed, d, days for H, D and V and for all days for N, W, I and T

58 LERWICK										1942									
	Horizontal force			Declination (west)			Vertical force			North component all days	West component all days	Inclination (north) all days	Total force all days						
	a	q	d	a	q	d	a	q	d										
Jan.	383	387	375	56.7	56.6	56.8	895	894	898	14072	2977	72 56.9	49051						
Feb.	385	386	385	55.8	56.2	55.5	894	892	902	14074	2974	72 56.8	49051						
Mar.	374	383	361	55.0	55.1	53.8	894	896	896	14064	2968	72 57.5	49047						
Apr.	375	381	361	54.0	53.7	54.3	895	898	888	14066	2964	72 57.5	49048						
May	391	393	387	53.4	53.3	53.0	894	897	885	14082	2965	72 56.4	49052						
June	396	398	401	53.4	53.6	53.4	892	894	890	14087	2966	72 56.0	49052						
July	387	392	390	52.7	53.0	52.9	894	898	893	14079	2961	72 56.7	49051						
Aug.	384	384	383	51.7	51.4	51.6	898	901	893	14077	2957	72 56.9	49054						
Sept.	377	379	370	50.9	50.9	51.1	899	907	890	14071	2952	72 57.4	49053						
Oct.	372	380	368	49.5	50.5	49.5	907	911	898	14067	2945	72 57.9	49059						
Nov.	373	380	355	48.7	49.4	46.5	914	913	904	14068	2942	72 58.1	49066						
Dec.	378	384	371	48.4	48.7	47.7	913	909	918	14074	2942	72 57.4	49067						
Year	381	386	376	52.5	52.7	52.2	899	901	895	14073	2959	72 57.1	49054						

59 LERWICK

Night commencing		Night commencing		Night commencing	
	JANUARY		MARCH (contd.)		SEPTEMBER (contd.)
1 cb	.. Variable cloud. Full moon	9	△ Moderate aurora when cloud cleared at 22h.	19 cb	.. Mainly overcast. Moonlight
2 cb	.. Overcast apart from small gap before 19h.	10	△ Glow through breaks in cloud most of evening	20 cb	.. Overcast apart from small gap at 20h. Moonlight
4 b	△ Bright active coloured display from 21h., largely obscured by cloud	11 ca	.. Cloudy	22 cb	.. Cloudy. Bright moonlight
5	△ Variable cloud. Bright moon after 20h. Moderate quiet aurora from 19h.	21 c	.. Mainly overcast	23 b	.. Fine. Bright moonlight
6 ca-a-b	.. Cloud clearing later. Bright moon after 21h.	22 c	.. Mainly overcast	24 b	.. Fine. Bright moonlight
7 a	△ Fine. Diffuse aurora most of evening	24 cb	.. Cloudy, becoming fine. Moonlight	25 b	.. Fine. Bright moonlight
8 ca	.. Cloud varying rapidly all evening	25 cb	.. Very cloudy. Moonlight	26 b-cb	.. Cloud increasing. Moonlight and cirrus cloud
9 a	△ Faint glow most of evening	26 cb	.. Mainly overcast. Moonlight and cirrus cloud	27 cb	.. Overcast apart from few breaks. Moonlight
10	△ Faint glow until obscured by cloud at 21h.30m.	27 cb	.. Very cloudy. Bright moon	29 c-cb	.. Very cloudy. Moonlight later
11 a	.. Fine		APRIL		OCTOBER
12 c	.. Mainly overcast	1 cb	.. Overcast until 22h., then slight break. Moonlight	1 a-b	.. Fine. Moon after 21h.
14 a	△ Fine. Moderate quiet aurora from 20h.30m.	2 cb	.. Very cloudy. Moonlight	2	△ Variable cloud. Moderate display from 19h.45m. until 21h. and again at 04h.
18 c	.. Overcast apart from a break before 19h.	3	△ Very cloudy. Bright diffuse surface behind cloud after 22h.	4 a	△ Fine. Aurora from 19h.45m. Some activity at times
21 c	.. Mainly overcast	4	△ Moderate aurora, some activity. Obscured by cloud after 22h.	5 c	.. Very cloudy until 20h., then overcast
23 c	.. Mainly overcast	8 c	.. Mainly overcast	8	△ Variable cloud. Diffuse surface all evening
25 c	.. Mainly overcast	10	△ Cloudy. Glow from 21h.30m.	9 c	.. Overcast until 20h., then variable cloud
26 cb	.. Very cloudy. Moonlight	11 c	.. Cloudy, becoming overcast 21h.	10 a	△ Mainly fine. Diffuse surface from 20h.55m.
29 cb	.. Mainly overcast. Bright moon	12 a	△ Faint glow most of evening	11 a	△ Fine. Aurora from 19h.40m. Rayed arch at 19h.56m.
31 cb	.. Cloudy. Bright moon	13 c	.. Overcast apart from slight gap at 22h.	12	△ Cloudy. Diffuse surface at 20h.40m., obscured by cloud after 21h.20m.
	FEBRUARY	14 c	.. Very cloudy	13	△ Fine until 21h., then overcast with cirrus cloud. Quiet homogeneous arch at 20h.40m., masked by cloud at 21h.
4	△ Extensive glow at 21h.40m.; largely obscured by cloud at 22h.	15 b	△ Moderate glow all evening, masked by cirrus cloud and haze	15	△ Variable cloud. Diffuse surface from 20h.5m.
7 c	.. Mainly overcast	16 b	△ Moderate arch from 21h., blurred by haze	16 b	△ Variable cloud. Quiet aurora from 20h. Moonlight
8 a	△ Diffuse surface from 18h.45m. Mainly fine	17 b	△ Diffuse aurora from 21h. Fine apart from haze	17 cb	.. Very cloudy. Moonlight
9 c	.. Overcast until 21h., then clearing slightly	18 b	△ Glow all evening, masked by haze	20 b	△ Cloudy. Moderate glow 19h.45m. until 20h.20m. Moonlight
10 a	△ Fairly extensive glow from 18h.45m. Fine	20 b	△ Moderate glow at 21h.30m. Moonlight	21 cb	.. Cloudy. Bright moonlight
12	△ Variable cloud. Diffuse surface all evening	22 cb	.. Mainly overcast. Moonlight	22 cb	.. Cloudy. Bright moonlight
13	△ Very cloudy. Diffuse surface from 21h.30m.	23 b	△ Mainly overcast. Bright diffuse surface behind cloud at 22h.30m. Moonlight	23 cb	.. Mainly overcast. Bright moon
15	△ Overcast until 21h., then fine. Glow at 21h.20m., becoming inactive rayed arch at 22h.30m.	24 b	.. Fine. Moonlight	24 cb	.. Cloudy. Bright moon
16 a	△ Moderate aurora from 20h.30m., rays at times. Fine	25 b	.. Fine. Moonlight	25 cb	.. Cloudy. Bright moon
17 c	.. Cloudy, becoming overcast 21h.	26 cb	.. Very cloudy. Moonlight	26 cb	.. Very cloudy. Moonlight
18 c	.. Mainly overcast	27 b	.. Fine. Bright moonlight	27 cb	.. Very cloudy. Moonlight
19 b	.. Cloudy. Bank of cloud along N horizon all evening	28 b	.. Fine. Bright moonlight	28 b	△ Aurora all evening. Brilliant coloured display 20h.20m. to 20h.45m. Moonlight after 20h.30m.
21 c	.. Mainly overcast	29 b	.. Fine. Bright moonlight	29	△ Mainly overcast. Moderate diffuse aurora seen through breaks in cloud all evening
22 b	.. Fine. Bright moonlight	30 cb	.. Mainly overcast. Bright moon	30 a	△ Aurora most of evening. Considerable activity from 17h.55m. until 18h.20m. Fine
23 cb	.. Mainly overcast. Bright moonlight		SEPTEMBER	31	△ Variable cloud. Moderate aurora from 20h.50m. Largely concealed by cloud
24 cb-b	.. Overcast, clearing after 20h. Bright moonlight and cirrus cloud	1	△ Cloudy. Diffuse surface at 22h.15m.		NOVEMBER
25 cb	.. Mainly overcast. Bright moon	2	△ Very cloudy. Moderate aurora from 21h.15m., mainly obscured by cloud	1 a	.. Mainly fine
28 cb	.. Overcast until 20h., then cloudy Bright moon	3 ca-a	.. Very cloudy, clearing later	2	△ Quiet aurora until obscured by cloud at 20h.30m.
	MARCH	4 a	.. Mainly fine	4 cb	.. Variable cloud. Very misty
1 b	△ Fine. Bright active aurora 19h.45m. until 21h.15m. Bright moonlight	5 a	△ Fine. Faint glow from 21h.15m.	5	△ Overcast until 20h., then very cloudy. Diffuse surface from 20h. until 21h.30m.
3 cb-b	.. Very cloudy, clearing after 19h. Bright moon	6 a	△ Fine. Faint glow at 21h.15m., becoming moderate homogeneous arch at 21h.45m.	7 a	△ Quiet homogeneous arch all evening
4 cb	.. Variable cloud. Bright moon	7	△ Overcast until 22h., then clearing. Glow first seen at 22h.15m.; very bright by 23h.5m.	8 c	.. Overcast apart from some clear periods before 19h.
5	△ Cloudy. Moderate active aurora from 19h.30m.	9 c	.. Very cloudy		
6	△ Cloudy. Glow most of evening, arch at times	11 a	△ Fine. Bright active display 22h.5m. until 22h.20m. Red colouration at times		
8 c	.. Overcast, apart from slight gap at 20h.	12 a	△ Fine. Some rays at 20h.30m., becoming diffuse at 21h.		
		13	△ Extensive diffuse surface all evening, largely obscured by cloud		
		14	△ Overcast until 22h. Diffuse surface at 2h.30m.		

Night commencing		Night commencing		Night commencing	
	NOVEMBER (contd.)		NOVEMBER (contd.)		DECEMBER (contd.)
10 a	△ Fine. Aurora all evening. Some coloured activity at 20h.47m.	29 b	△ Variable cloud. Diffuse surface from 17h.30m. Moonlight later	12 b-a	△ Mainly fine. Moon in early evening. Diffuse surface from 20h.45m.
11 cb	∴ Cloudy, becoming mainly overcast at 21h.	30 ∴	∴ Overcast until 22h. Diffuse surface seen when cloud cleared at 24h.15m.	13 b	△ Overcast until 21h., then clearing slightly. Diffuse surface through gaps in cloud, probably present all evening. Moonlight
12	△ Variable cloud. Diffuse surface from 20h.15m.			14 b	△ Mainly fine. Bright moonlight. Diffuse surface most of evening. Arch and rays at times
15 cb	∴ Variable cloud. Moonlight			20 cb	∴ Full moon, Very cloudy
16 cb-b	∴ Cloudy, becoming fine at 20h. Moon light			21 cb	∴ Cloudy, overcast after 21h. Bright moon
18 cb	∴ Cloudy. Moonlight			22 cb-b	∴ Cloudy until 19h., then fine. Bright moon
19 cb	∴ Variable cloud. Bright moon	1 cb	∴ Overcast until 21h., then clearing. Cirrus cloud	23 cb	∴ Very cloudy. Bright moon
20 cb	∴ Variable cloud. Bright moon	5	△ Cloudy, becoming overcast 21h. Homogeneous arch from 20h. until 20h.45m.	24 cb	∴ Variable cloud. Bright moon
22 cb	∴ Variable cloud. Bright moon	8	△ Cloud, overcast after 21h. Moderate aurora with occasional activity all evening	25 cb	∴ Variable cloud. Bright moon
23 b	△ Mainly overcast. Aurora behind cloud. Bright moon	9	△ Cloudy, becoming overcast 21h. Aurora from 17h. Some bright coloured activity at 19h.	26 cb	∴ Overcast, apart from small break after 21h. Moonlight
24 b	△ Mainly overcast. Aurora behind cloud. Bright moon			27 cb	∴ Very cloudy. Moon later
26 cb	∴ Cloudy until 19h., then overcast. Bright moon	11	△ Variable cloud. Faint glow all evening	28 ca-cb	∴ Variable cloud. Moon later
27 b	△ Very cloudy. Diffuse surface at 19h. behind clouds. Homogeneous arch at 20h.45m. Moonlight			29 ca	∴ Cloud varying rapidly
28 b	△ Variable cloud. Aurora from 17h.45m. Some activity, obscured by cloud. Moon rising later			31	△ Cloudy. Diffuse surface through breaks in cloud from 21h.30m.

In the interests of brevity there have been omitted from Table 59 all dates on which the sky throughout the evening remained completely overcast and on which, therefore, no opportunity arose of determining whether or not aurora occurred. The nights on which aurora was actually seen are indicated by the symbol △. The nights on which aurora was not seen, despite at least an occasional interval of more or less clear sky, are indicated by the symbol ∴; in the latter case also, remarks on the weather are added to assist the reader in judging how far the fact of no observation of aurora may be taken as indicating that there was not actual aurora.

The letters a, b, c, have the following significance:-

- a = Conditions favourable for seeing aurora
- b = Unfavourable for faint aurora (moonlight, mist, Cs, etc.)
but not such as to mask bright aurora
- c = Cloudy, but aurora not seen in clear intervals
- ca, cb = Have been used for "Cloudy, with conditions a or b in the intervals"
Changing conditions have been indicated by a hyphen, e.g., a-c

60 OTHER SCOTTISH STATIONS

Night com-mencing		Night com-mencing		Night com-mencing	
	JANUARY		APRIL (contd.)		SEPTEMBER (contd.)
4	Sumburgh	17	Cape Wrath; Invergordon; Montrose; Nairn; Noup Head 1h.-4h.30m.(18th); Rona, midt.-3h.(18th); Rudh Re 23h.-3h.(18th); St. Abbs Head 3h.(18th); Stour Head 1h.-3h.30m.(18th); Sumburgh; Tiumpan Head 3h.30m.-5h.45m.(18th); Wick	12	Benbecula; Noup Head 22h.-24h.; Sumburgh
5	Arbroath; K.; Wick			13	Cape Wrath; Sumburgh
9	Wick			15	Sumburgh
11	Wick			18	K.; Nairn
14	Wick				
18	Nairn	18	Invergordon; Montrose; Perth; St. Abbs Head		OCTOBER
	FEBRUARY	19	Montrose	2	B.; Benbecula; Duntuilim; K.; Nairn; Neist Point 19h.40m.-20h.30m.; Sumburgh
3	Duntuilim	23	Wick	3	Sumburgh
6	Kettins; K.; McArthur's Head, 23h.45m.; Montrose; Lochmaddy	24	Rona 00h.30m.-1h.30m.(25th); Tiumpan Head 3h.45m.-4h.30m.(25th); Wick	4	Duntuilim; Nairn
7	Montrose	27	Wick	5	B.; Nairn; Perth; Tiumpan Head 20h.30m.-21h.
15	B.; K.; Leuchars; Montrose	28	McArthur's Head 1h.30m.(29th); Noup Head 1h.-2h.30m.(29th); Wick	7	Benbecula
16	B.; Leuchars; Wick	29	Abbotsinch; Wick	8	B.
22	G.C.			10	Benbecula
23	Edinburgh; E.; K.; McArthur's Head 1h.15m.(24th); Noup Head 20h.30m.-23h. St. Abbs Head; Ushenish 19h.50m.-21h.6m.; Wick		MAY	11	B.; E.; Sumburgh
25	A.	6	Abbotsinch	12	Nairn; Sumburgh
		11	Leuchars	15	Benbecula; G.C.
		15	Invergordon	16	K.
	MARCH			20	Benbecula
1	B.; Fort Augustus; Nairn			28	B.; Benbecula; Fort Augustus; Fort William; K.; Linlithgow; Lochailort; Nairn; Stranraer; Sumburgh
5	B.; Rona, 19h.30m.-22h.		JUNE	29	Benbecula; Greenock; Nairn; Perth; Sumburgh
6	B.		Nil	30	A.; Benbecula; Sumburgh
7	Montrose; Nairn			31	Benbecula; Nairn; Perth
8	Abbotsinch; Devaar 19h.45m.-24h. E. Stornoway				
9	Abbotsinch; Buddonness; E.; Kettins; McArthur's Head 1h.30m.-3h.(10th); Nairn; Rona 21h.-23h.; St. Abbs Head; Stornoway				NOVEMBER
10	McArthur's Head, 23h.30m.			2	Benbecula; Nairn
22	Kettins; Rona 1h.-3h.(23rd)	14	Duntuilim	3	Leuchars
28	B.	16	Abbotsinch; Perth	7	Sumburgh
				8	E.
	APRIL			10	Abbotsinch; Benbecula; Duntuilim; Nairn; Sumburgh
8	Wick	2	B.; Sumburgh	11	Abbotsinch; Leuchars; McArthur's Head, bright display 1h.(12th); Tiree, faint
10	Wick	6	Sumburgh	14	Leuchars
11	Montrose; St. Abbs Head; Wick	7	Invergordon	24	Montrose
14	Invergordon; Noup Head 2h.-4h.(15th); Rona, midt.-3h.30m.(15th); Rudh Re 2h.-4h.(15th); Stranraer	10	Buddonness		DECEMBER
16	Duntuilim; McArthur's Head 23h.-2h.30m.(17th)	11	B.; Duntuilim; G.C.; Invergordon; McArthur's Head 21h.; Nairn; Noup Head 21h.30m.-23h.; Perth; Rhudh Re 22h.30m.-23h.30m.; Sumburgh	3	Nairn
				7	A.; Buddonness; Nairn
				9	A.; Benbecula; Carluke; Edinburgh; Fortrose; Nairn; Sumburgh
				11	Noup Head 22h.-1h.30m.(12th)
				12	Sumburgh

For brevity, stations which figure frequently in the above table are represented by their initials, namely A - Aberdeen, B - Baltasound, D - Deerness, E - Eskdalemuir, G.C. - Gordon Castle, K - Kirkwall.

- ABERDEEN -

ABERDEEN OBSERVATORY

Latitude 57°10' N.
 Longitude 2°06' W.
 G.M.T. of Local Mean Noon 12h. 8m.

Heights of instruments	above M.S.L.	above ground
	m.	m.
Barometer	26·0	..
Thermometer bulbs, north-wall screen	..	12·5
Rain-gauge site	24·1	..
Beckley rain-gauge rim	0·6
Sunshine recorder	20·7
Pressure-tube anemograph	37	13
Robinson cup anemograph	36	23

INTRODUCTION

A description of the site and instruments is given in the *Observatories' Year Book* for 1938, and no noteworthy changes have occurred.

REVIEW OF THE METEOROLOGICAL RESULTS

The outstanding features of the year were the excessive precipitation of January and the period of drought in April and May.

The mean temperature for the year was 281·0°A. only 0·1° less than the normal. The extremes recorded in the north-wall screen were 298·2°A. on June 6 and 268·1°A. on February 25. The lowest reading of the grass minimum thermometer was 264·7°A. on March 8.

The total rainfall for the year was 684 mm.; 64 mm. less than the normal. Rainfall in January was 115 mm.

The sunshine total 1285 hr. was a little less than normal.

The highest wind speed recorded in a gust was 30 m./sec. on December 29.

The results of the harmonic analysis of the diurnal inequalities of pressure are set out in the accompanying table. Average values of the various coefficients for the period 1871-1926 computed by Dr. A. Crichton Mitchell* are given for comparison. Dr. Mitchell gave the phase angles in local apparent time and in volumes of the *Observatories' Year Book* earlier than 1935 they were so quoted; the angles have now been converted to local mean time.

* MITCHELL, A. CRICHTON: Diurnal variation of pressure and temperature at Aberdeen 1871-1926. *Quart. J.R. met. Soc., London*, 55, 1929, p. 197.

ABERDEEN OBSERVATORY

HARMONIC COMPONENTS OF THE DIURNAL INEQUALITY OF ATMOSPHERIC PRESSURE ABERDEEN, LONGITUDE 2°06' W.

Values of c_n, a_n in the series $\sum c_n \sin(15nt + a_n)$, t being local time reckoned
in hours from midnight

	c_1		a_1		c_2		a_2		c_3		a_3		c_4		a_4	
	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926
	mb.	mb.	°	°	mb.	mb.	°	°	mb.	mb.	°	°	mb.	mb.	°	°
January	0.52	0.09	342	169	0.22	0.23	138	146	0.11	0.13	355	348	0.06	0.05	205	211
February	0.18	0.16	228	173	0.25	0.27	147	143	0.10	0.10	350	346	0.01	0.03	284	284
March	0.08	0.16	131	156	0.32	0.29	135	147	0.04	0.05	340	330	0.05	0.03	25	27
April	0.22	0.15	304	155	0.26	0.28	140	151	0.02	0.02	177	188	0.04	0.04	345	359
May	0.27	0.10	159	136	0.20	0.24	150	145	0.08	0.06	175	166	0.02	0.02	307	333
June	0.17	0.06	89	104	0.18	0.22	153	141	0.05	0.07	151	155	0.02	0.01	316	331
July	0.04	0.09	223	135	0.24	0.21	144	142	0.06	0.07	120	155	0.02	0.01	66	339
August	0.10	0.11	41	161	0.25	0.23	148	144	0.03	0.04	125	165	0.05	0.03	321	333
September	0.39	0.12	186	147	0.37	0.29	153	151	0.04	0.03	44	346	0.07	0.05	8	345
October	0.32	0.15	167	187	0.23	0.27	147	156	0.06	0.07	356	0	0.05	0.03	33	34
November	0.28	0.13	301	201	0.25	0.23	137	159	0.11	0.10	17	4	0.01	0.01	60	186
December	0.57	0.16	265	169	0.25	0.21	179	147	0.08	0.12	347	357	0.05	0.05	163	205
Arithmetic mean	0.26				0.25				0.07				0.04			
Year	0.08	0.12	247	162	0.25	0.25	147	148	0.03	0.03	17	359	0.01	0.01	356	338
Winter	0.30	0.13	293	178	0.23	0.23	151	149	0.10	0.11	357	353	0.02	0.03	184	194
Equinox	0.16	0.14	188	162	0.29	0.28	144	151	0.02	0.03	6	345	0.05	0.04	11	6
Summer	0.09	0.09	123	139	0.22	0.22	148	143	0.05	0.06	149	159	0.02	0.02	328	334

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

PRESSURE AT STATION LEVEL

Maximum, minimum and daily mean values in millibars for each day 0h. to 24h., G.M.T.
The initial 9 or 10 of the values is omitted, i.e. 1005.61 is printed 05.61

61 ABERDEEN: h_b (height of barometer cistern above M.S.L.) = 26.0 m.

1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	<i>millibars</i>																	
1	23.6	15.5	18.9	11.2	07.3	09.2	18.9	08.2	15.2	93.3	88.2	90.4	26.1	19.6	22.2	18.6	10.7	14.4
2	21.8	12.2	19.0	17.6	08.3	14.5	18.7	15.3	16.9	11.8	93.3	06.2	19.6	18.0	18.8	20.9	12.2	17.6
3	12.2	99.3	04.8	12.2	01.5	05.4	15.3	10.6	13.5	11.5	99.3	06.2	23.1	17.8	20.2	23.7	20.1	21.8
4	13.5	98.5	06.6	25.5	09.1	18.8	15.1	07.7	10.0	99.3	87.7	94.9	23.2	17.6	21.8	27.8	21.8	24.4
5	21.0	13.5	17.8	26.5	20.6	24.9	21.1	15.1	19.1	87.7	78.9	81.1	17.6	10.5	14.6	27.4	19.7	24.6
6	21.0	19.6	20.2	20.6	16.1	17.6	20.4	14.2	17.9	86.0	81.4	84.2	10.5	02.4	05.3	19.7	10.5	13.4
7	22.7	19.2	20.9	22.5	18.2	21.1	14.2	07.9	10.2	83.2	80.3	81.4	19.6	04.4	14.6	12.0	07.2	09.5
8	22.4	11.6	16.7	22.1	18.0	20.2	07.9	94.0	00.5	95.6	83.0	88.8	19.8	18.6	19.2	11.3	08.0	09.4
9	20.5	10.7	14.4	21.1	06.8	16.2	12.8	99.7	07.5	96.5	85.9	91.7	20.2	18.8	19.5	15.8	10.1	12.9
10	24.1	20.5	22.8	12.1	04.5	08.4	14.6	12.5	13.5	15.7	87.2	01.2	19.4	14.2	17.4	16.9	14.9	16.0
11	21.8	14.8	18.2	12.2	99.4	06.6	14.0	12.2	13.2	18.4	15.7	17.3	14.2	07.2	10.3	16.4	11.5	13.2
12	15.9	92.3	05.6	99.9	93.6	96.3	13.9	07.0	10.7	16.9	15.0	16.0	08.3	06.4	07.4	11.5	08.1	09.7
13	92.3	88.4	89.5	20.4	99.9	10.0	07.0	98.9	02.8	23.3	15.1	18.3	12.6	07.7	10.0	10.8	08.6	09.9
14	13.1	91.4	02.4	28.2	20.4	25.3	99.0	96.7	97.7	30.7	23.3	27.1	14.9	12.5	13.7	10.4	08.4	09.5
15	15.7	10.7	13.9	34.3	27.3	30.3	01.6	97.7	99.3	31.4	27.6	29.8	14.5	08.6	12.1	11.2	08.1	09.5
16	15.6	08.6	11.5	41.2	34.3	38.2	03.9	96.7	01.5	27.6	23.1	25.2	08.6	05.6	06.6	11.3	06.3	09.1
17	17.5	12.8	15.5	42.4	39.9	41.2	96.7	92.0	93.8	23.8	17.9	21.6	08.9	06.6	08.2	06.8	00.9	03.4
18	18.5	12.5	14.9	39.9	37.7	38.8	04.5	94.6	98.5	17.9	07.6	12.5	06.6	96.7	00.7	19.0	05.5	13.0
19	18.7	10.8	15.7	37.7	29.3	34.0	12.2	04.5	08.7	07.6	02.4	04.3	12.8	04.1	08.4	21.5	18.9	20.6
20	17.3	10.7	13.4	29.3	24.5	26.2	14.5	11.9	12.8	08.9	04.5	06.0	13.6	11.6	12.7	21.9	18.6	20.6
21	20.7	17.3	19.2	24.5	13.6	19.3	25.1	14.5	19.7	10.3	08.0	09.2	11.9	09.3	10.6	20.7	13.9	16.4
22	19.9	09.2	15.9	13.6	06.1	09.6	28.6	25.1	26.9	16.2	08.6	11.4	09.3	07.8	08.4	13.9	10.4	11.9
23	09.2	94.9	00.8	06.1	02.1	03.4	28.7	25.2	27.6	26.5	16.2	22.3	09.0	95.3	03.7	15.2	10.2	11.8
24	99.6	82.5	92.8	07.8	02.7	05.0	25.2	14.2	19.3	28.2	26.5	27.4	00.1	92.2	96.6	23.1	15.2	18.7
25	96.2	80.8	83.9	12.6	07.8	10.5	18.8	14.0	15.9	27.9	25.3	26.8	98.8	89.9	92.7	25.4	23.1	24.2
26	10.5	96.2	06.9	13.4	10.7	12.3	19.0	15.8	18.1	25.3	23.9	24.4	93.0	86.8	91.1	23.3	18.1	19.8
27	07.1	84.7	93.5	10.7	93.1	02.1	19.3	12.9	15.5	28.1	24.3	25.6	86.9	80.9	85.5	18.7	09.0	15.0
28	89.8	86.3	87.2	08.2	92.6	97.9	20.8	16.0	18.9	31.7	28.1	30.4	93.9	77.8	83.6	13.4	08.8	11.5
29	07.2	89.8	02.1				16.0	08.1	11.6	32.8	30.6	31.7	01.8	93.9	97.4	20.4	12.7	17.4
30	07.2	96.9	01.8				08.1	02.7	05.2	30.6	26.1	28.5	08.9	01.8	05.7	20.1	16.3	18.0
31	13.2	03.6	10.7				02.7	86.8	92.5				18.6	08.3	13.1			
Mean	13.86	03.74	08.95	20.49	12.34	16.55	14.15	07.51	10.78	14.82	07.83	11.39	11.17	04.93	08.13	17.64	12.28	14.92

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER			
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	
	<i>millibars</i>																		
1	17.5	16.4	17.0	12.7	08.1	10.8	00.7	98.6	99.7	16.8	05.9	09.0	07.5	03.4	05.5	03.9	97.3	99.7	
2	16.4	09.6	12.8	10.2	06.8	08.0	04.2	90.2	01.7	20.6	16.8	19.3	10.3	07.0	08.6	13.4	03.9	09.4	
3	09.6	01.6	06.1	14.6	10.1	12.3	02.5	92.6	95.8	21.0	07.2	17.2	13.0	11.0	11.5	14.6	12.2	13.6	
4	01.9	98.4	01.7	18.6	14.3	16.4	04.0	97.0	01.5	07.6	01.8	05.2	12.7	06.9	10.2	12.2	92.9	06.4	
5	02.1	99.9	01.1	18.8	17.2	17.9	00.5	89.8	94.6	12.5	97.7	03.8	06.9	02.7	04.8	99.7	82.6	88.1	
6	00.6	96.7	98.5	18.0	15.3	17.2	14.5	00.5	07.7	19.2	12.5	16.3	03.0	85.8	95.9	06.6	96.9	02.5	
7	02.5	99.3	00.5	15.3	07.1	10.9	14.6	09.1	12.3	12.9	99.9	05.8	01.0	88.0	94.9	97.5	87.3	94.1	
8	06.0	02.5	04.2	07.1	94.5	99.3	12.7	09.4	11.2	99.9	96.8	98.1	15.7	01.0	10.1	07.9	88.4	03.0	
9	10.1	06.0	08.0	05.0	98.7	02.7	22.8	09.7	17.4	01.4	84.3	93.6	16.6	14.3	15.4	02.5	90.3	98.3	
10	09.9	08.2	09.0	04.7	88.5	96.1	22.7	13.8	18.5	00.5	84.6	90.8	24.6	12.5	16.8	99.2	82.9	91.5	
11	12.8	08.1	09.9	93.1	87.8	90.1	22.4	13.8	17.8	14.8	00.5	09.7	25.5	13.4	21.3	94.2	81.0	87.1	
12	14.5	11.4	13.5	02.4	93.2	97.0	27.4	22.4	25.1	13.7	07.4	10.4	26.8	10.0	18.2	03.8	94.2	00.3	
13	11.4	07.8	09.3	08.6	02.4	05.5	27.4	20.9	24.8	15.5	11.2	14.1	29.3	26.8	28.2	01.9	86.9	91.2	
14	13.6	09.6	10.7	10.1	08.4	09.3	20.9	02.9	12.5	11.2	93.5	01.0	27.5	24.0	26.0	97.8	90.5	95.4	
15	15.1	06.5	12.6	09.8	00.8	05.1	07.2	99.0	03.6	02.8	92.4	97.9	26.0	19.8	22.2	97.2	91.5	93.7	
16	06.5	02.9	03.9	12.0	03.3	09.3	09.6	05.2	07.6	11.0	02.8	07.5	31.8	25.7	29.4	93.1	87.2	89.9	
17	12.5	04.4	09.5	07.3	05.0	05.7	12.1	07.6	10.1	11.0	07.4	09.8	31.4	25.3	28.8	88.5	87.0	87.8	
18	17.8	12.5	16.4	07.5	02.1	05.8	11.2	03.3	06.0	13.2	07.1	10.3	25.4	23.1	24.7	98.9	88.1	94.4	
19	17.6	13.4	14.8	02.1	99.0	00.4	10.7	01.6	06.8	11.8	08.8	09.8	25.1	17.3	21.4	99.4	91.8	95.4	
20	14.3	10.6	12.3	02.3	00.0	00.7	10.3	91.7	03.5	09.6	04.8	06.8	24.7	18.2	21.0	04.6	94.7	01.6	
21	14.0	04.4	10.1	04.2	97.8	02.0	92.5	86.8	89.8	08.8	02.6	07.0	30.9	24.7	27.8	02.9	89.1	97.1	
22	04.4	89.2	97.4	09.6	97.9	01.4	92.2	83.3	86.9	02.6	96.2	98.2	31.0	26.6	28.4	20.0	94.2	03.6	
23	07.5	88.7	00.7	16.2	09.6	14.2	85.3	80.4	81.7	00.3	94.2	98.0	31.3	26.1	28.5	20.6	15.6	18.4	
24	06.8	93.7	98.6	15.6	08.7	11.9	98.3	85.3	93.7	94.2	86.6	88.8	35.4	31.3	33.5	21.0	11.5	15.5	
25	03.8	94.1	98.7	09.0	07.1	08.0	07.9	97.1	02.7	92.7	88.4	91.7	36.4	35.0	35.7	20.9	17.5	19.2	
26	08.4	03.8	06.2	14.8	08.5	11.5	09.6	07.2	08.3	88.4	79.4	82.2	35.2	29.4	31.6	20.9	15.2	18.2	
27	13.4	07.3	09.1	16.0	13.6	14.9	07.4	01.9	05.6	96.0	77.7	85.2	29.6	18.4	24.4	23.4	13.7	20.4	
28	15.2	09.4	13.2	14.1	09.4	11.8	01.9	92.6	97.9	06.2	96.0	02.5	21.2	05.9	15.8	13.7	94.3	02.4	
29	17.1	07.2	10.9	17.7	13.5	16.1	05.2	91.9	97.8	05.8	01.2	03.7	12.3	06.7	09.5	19.0	94.9	08.6	
30	20.2	17.1	19.2	17.4	08.7	14.2	07.6	04.5	06.1	05.9	01.0	03.6	12.3	97.8	06.4	20.9	95.0	12.8	
31	18.7	12.5	15.1	08.7	00.0	03.0				05.4	02.6	03.8				03.1	94.8	99.4	
Mean	11.04	04.94	08.06	10.44	04.43	07.41	08.88	00.34	04.96	07.53	09.01	03.26	22.01	14.57	18.55	07.20	95.59	01.90	
										Annual	13.18	05.54	09.57						

PRESSURE AT STATION LEVEL
 Monthly and annual means of hourly values in millibars at exact hours, G.M.T.

49

62 ABERDEEN: $h_b = 26$ m.

1942

	Hour G.M.T.																								Mean	
	0	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23		24
	<i>millibars</i>																									
Jan.	09-16	09-10	09-22	09-29	09-29	09-25	09-25	09-33	09-54	09-68	09-76	09-64	09-30	08-88	08-65	08-48	08-37	08-28	08-32	08-30	08-36	08-42	08-52	08-63	08-76	08-95
Feb.	16-60	16-54	16-43	16-29	16-20	16-16	16-20	16-35	16-64	16-79	16-95	17-01	16-84	16-63	16-54	16-48	16-43	16-44	16-61	16-66	16-69	16-66	16-62	16-51	16-49	16-55
Mar.	11-39	11-29	11-12	10-83	10-61	10-62	10-61	10-75	10-90	10-97	11-03	11-10	10-96	10-84	10-63	10-45	10-33	10-32	10-46	10-69	10-74	10-80	10-83	10-83	10-75	10-78
Apr.	10-74	10-74	10-70	10-67	10-70	10-81	11-02	11-27	11-48	11-61	11-74	11-75	11-70	11-71	11-57	11-44	11-31	11-31	11-36	11-51	11-75	11-86	11-95	11-99	12-01	11-39
May	08-46	08-27	08-05	07-91	07-82	07-82	07-93	07-99	08-02	08-01	08-07	08-10	08-09	08-14	08-15	08-12	08-07	08-07	08-09	08-23	08-40	08-54	08-51	08-41	08-22	08-13
June	15-20	15-11	15-02	14-87	14-81	14-80	14-89	14-93	14-98	14-98	14-93	14-82	14-82	14-78	14-71	14-69	14-66	14-66	14-80	14-87	15-02	15-23	15-29	15-21	15-16	14-92
July	08-31	08-18	08-01	07-79	07-76	07-85	07-93	08-11	08-18	08-27	08-28	08-24	08-18	08-15	08-00	07-93	07-89	07-86	07-88	07-93	08-05	08-16	08-24	08-24	08-16	08-06
Aug.	07-82	07-72	07-61	07-46	07-37	07-35	07-43	07-56	07-68	07-72	07-63	07-59	07-44	07-31	07-25	07-16	07-02	06-95	07-01	07-24	07-36	07-50	07-48	07-49	07-41	07-41
Sept.	05-01	04-81	04-53	04-29	04-06	04-06	04-30	04-57	04-83	05-09	05-10	05-14	05-14	05-12	05-06	05-01	04-96	05-03	05-21	05-49	05-61	05-57	05-49	05-44	05-25	04-96
Oct.	03-56	03-44	03-19	02-99	02-84	02-74	02-76	02-95	03-08	03-17	03-28	03-35	03-34	03-25	03-27	03-16	03-15	03-26	03-51	03-64	03-63	03-60	03-55	03-51	03-44	03-26
Nov.	18-62	18-57	18-57	18-41	18-34	18-36	18-42	18-68	18-92	19-05	19-15	19-20	18-88	18-76	18-55	18-36	18-31	18-24	18-34	18-33	18-26	18-28	18-29	18-40	18-43	18-55
Dec.	01-35	01-18	01-17	01-35	01-28	01-54	01-73	02-06	02-24	02-40	02-74	02-74	02-50	02-28	02-14	02-01	02-03	02-05	02-08	02-00	01-84	01-77	01-69	01-49	01-40	01-90
Annual	09-69	09-58	09-47	09-35	09-26	09-28	09-37	09-55	09-71	09-81	09-89	09-89	09-77	09-65	09-54	09-44	09-38	09-37	09-47	09-57	09-64	09-70	09-71	09-68	09-62	09-57

The initial 9 or 10 of the value is omitted, i.e. 1001.42 is printed 01.42.

PRESSURE REDUCED TO MEAN SEA LEVEL
 Monthly and annual means of hourly values in millibars at exact hours, G.M.T.

63 ABERDEEN: $h_b = 26$ m.

1942

	Hour G.M.T.																								Mean	
	0	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23		24
	<i>millibars</i>																									
Jan.	12-43	12-37	12-48	12-56	12-56	12-52	12-53	12-60	12-81	12-95	13-03	12-91	12-56	12-14	11-91	11-74	11-64	11-54	11-58	11-56	11-63	11-69	11-78	11-90	12-03	12-22
Feb.	19-91	19-84	19-73	19-59	19-51	19-47	19-50	19-65	19-95	20-09	20-25	20-31	20-13	19-92	19-82	19-77	19-72	19-73	19-91	19-95	19-99	19-96	19-92	19-82	19-80	19-85
Mar.	14-64	14-56	14-38	14-10	13-88	13-89	13-88	14-02	14-16	14-23	14-28	14-35	14-20	14-09	13-87	13-69	13-57	13-56	13-71	13-94	13-99	14-05	14-09	14-09	14-00	14-04
Apr.	13-98	13-98	13-93	13-91	13-94	14-05	14-26	14-50	14-70	14-82	14-95	14-95	14-91	14-91	14-77	14-64	14-51	14-52	14-51	14-72	14-98	15-09	15-18	15-22	15-25	14-61
May	11-66	11-47	11-26	11-12	11-03	11-03	11-13	11-18	11-20	11-18	11-24	11-26	11-25	11-30	11-31	11-29	11-24	11-24	11-26	11-41	11-58	11-73	11-71	11-61	11-42	11-31
June	18-39	18-30	18-21	18-07	18-01	17-99	18-07	18-11	18-15	18-14	18-09	17-97	17-98	17-93	17-87	17-84	17-81	17-82	17-96	18-04	18-19	18-41	18-48	18-39	18-35	18-09
July	11-46	11-33	11-16	10-95	10-91	11-00	11-07	11-25	11-31	11-39	11-39	11-36	11-29	11-25	11-11	11-03	11-00	10-97	10-99	11-05	11-18	11-30	11-37	11-39	11-31	11-19
Aug.	10-96	10-86	10-75	10-61	10-51	10-49	10-57	10-70	10-81	10-84	10-75	10-70	10-55	10-42	10-35	10-27	10-12	10-06	10-13	10-35	10-48	10-62	10-61	10-62	10-55	10-54
Sept.	08-17	07-97	07-69	07-45	07-22	07-22	07-46	07-73	07-98	08-22	08-23	08-27	08-27	08-24	08-18	08-13	08-08	08-16	08-34	08-63	08-76	08-72	08-64	08-59	08-41	08-10
Oct.	06-74	06-61	06-37	06-17	06-02	05-92	05-94	06-13	06-25	06-34	06-44	06-50	06-49	06-40	06-42	06-31	06-31	06-42	06-67	06-81	06-81	06-77	06-72	06-69	06-62	06-43
Nov.	21-88	21-83	21-83	21-67	21-61	21-63	21-68	21-94	22-19	22-31	22-41	22-45	22-12	21-99	21-78	21-60	21-55	21-49	21-59	21-59	21-51	21-54	21-55	21-66	21-69	21-81
Dec.	04-54	04-38	04-37	04-54	04-48	04-74	04-93	05-27	05-44	05-61	05-95	05-94	05-69	05-47	05-33	05-20	05-22	05-25	05-27	05-20	05-04	04-97	04-88	04-69	04-59	05-10
Annual	12-90	12-79	12-68	12-56	12-47	12-50	12-59	12-76	12-91	13-01	13-08	13-08	12-95	12-84	12-73	12-63	12-56	12-56	12-67	12-77	12-85	12-90	12-91	12-89	12-83	12-77

The initial 9 or 10 of the value is omitted, i.e. 1001.42 is printed 01.42

The monthly and annual values of pressure reduced to mean sea level are computed from the corresponding monthly and annual means of pressure at station level and of temperature. See General Introduction to the Meteorological Tables, 1938.

TEMPERATURE

Monthly and annual means of readings in degrees Absolute at exact hours, G.M.T.

64 ABERDEEN: North-wall screen on tower: $h_t = 12.5$ m.

1942

	Hour G.M.T.																								Mean	
	0	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23		24
	<i>degrees Absolute</i>																									
Jan.	74-91	74-97	75-05	74-99	74-93	74-78	74-70	74-65	74-65	74-80	74-86	75-00	75-31	75-52	75-48	75-47	75-36	75-21	75-15	74-90	74-91	74-88	74-84	74-86	74-86	75-01
Feb.	74-00	73-92	73-91	73-84	73-79	73-65	73-65	73-74	73-71	74-05	74-41	74-99	75-49	75-75	75-79	75-71	75-59	75-24	74-93	74-62	74-38	74-30	74-25	74-14	73-99	74-49
Mar.	76-00	75-82	75-72	75-62	75-53	75-48	75-41	75-49	76-07	76-59	77-23	77-67	78-05	78-14	78-15	78-16	78-03	77-75	77-39	77-05	76-81	76-54	76-52	76-37	76-28	76-74
Apr.	78-59	78-33	78-13	77-95	77-63	77-45	78-02	78-76	79-59	80-34	80-86	81-06	81-27	81-53	81-65	81-40	81-13	80-95	80-63	80-12	79-64	79-37	79-08	78-70	78-44	79-67
May	80-52	80-41	80-21	79-93	79-64	79-96	80-58	81-34	82-01	82-67	83-28	83-69	83-74	83-91	83-94	83-81	83-62	83-45	83-23	82-69	82-15	81-65	81-27	80-95	80-63	82-03
June	83-27	82-99	82-85	82-58	82-40	82-98	83-86	84-48	85-05	85-58	85-85	86-43	86-44	86-35	86-51	86-53	86-57	86-35	85-77	85-27	84-82	84-42	84-04	83-74	83-44	84-80
July	85-22	85-04	84-82	84-59	84-57	84-87	85-54	86-23	87-03	87-79	88-13	88-47	88-70	88-92	88-82	88-90	88-62	88-52	88-08	87-65	87-02	86-34	85-98	85-63	85-28	86-90
Aug.	86-40	86-16	85-95	85-70	85-56	85-46	85-71	86-20	86-86	87-51	88-10	88-34	88-64	88-83	88-96	88-76	88-85	88-66	88-21	87-78	87-31	86-96	86-74	86-62	86-37	87-26
Sept.	83-56	83-37	83-21	83-09	83-06	83-10	83-14	83-62	84-56	85-43	86-03	86-35	86-59	86-87	86-96	87-06	86-86	86-42	85-84	85-01	84-56	84-27	83-94	83-71	83-45	84-86
Oct.	81-53	81-36	81-28	81-07	81-06	81-02	80-92	80-85	81-28	82-03	82-74	83-34	83-65	83-90	84-01	83-78	83-34	82-83	82-41	81-92	81-79	81-73	81-74	81-54	81-34	82-12
Nov.	78-18	78-00	77-87	77-87	77-74	77-81	77-85	77-66	77-84	78-19	78-67	79-44	80-03	80-35	80-30	80-13	79-74	79-33	79-10	78-92	78-84	78-68	78-60	78-30	78-09	78-73
Dec.	78-98	78-99	79-02	78-89	78-81	78-76	78-73	78-70	78-52	78-52	78-71	79-22	79-56	79-66	79-71	79-59	79-41	79-35	79-31	79-27	79-29	79-27	79-05	78-99	79-00	79-10
Annual	80-10	79-95	79-83	79-68	79-55	79-61	79-84	80-14	80-60	81-13	81-57															

TEMPERATURE

Maximum, minimum and daily mean values in degrees Absolute for each day 0h. to 24h., G.M.T.
 The initial 2 or 3 of the values is omitted, i.e. 275.0° is printed 75.0°. Add 0.16° to obtain temperature
 in degrees Kelvin where $T(^{\circ}\text{K.}) = t(^{\circ}\text{C.}) + 273.16$

65 ABERDEEN: North-wall screen on tower: h_t (height of thermometer bulb above ground) = 12.5 m. 1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	<i>degrees Absolute</i>																	
1	80.4	71.3	76.7	74.8	72.9	74.2	75.6	71.2	73.8	83.9	77.8	80.5	85.0	77.2	81.4	89.2	79.2	83.6
2	81.3	75.4	78.7	75.4	73.2	74.7	76.8	75.1	76.1	79.7	75.3	77.8	85.6	77.2	81.3	93.1	84.8	88.4
3	83.5	80.4	82.1	75.5	72.4	74.0	77.3	76.3	76.9	77.6	73.3	76.5	82.6	76.4	80.1	96.3	86.4	89.9
4	80.5	73.5	76.3	74.8	71.5	73.7	77.0	72.7	75.3	82.1	77.3	79.0	83.0	77.3	80.5	95.0	85.1	88.2
5	74.7	72.4	73.4	74.5	71.7	73.0	72.8	69.2	71.0	83.3	78.1	79.7	88.7	81.1	86.1	90.1	83.9	86.1
6	77.4	72.5	75.6	77.2	72.9	75.0	72.2	70.9	71.8	83.0	79.0	80.6	92.2	82.8	87.1	98.2	82.7	88.6
7	78.4	75.3	77.1	76.9	74.8	75.8	74.5	71.1	73.1	83.3	78.0	80.3	82.8	74.8	79.5	88.2	80.3	84.0
8	79.8	74.8	76.8	78.7	76.4	77.6	77.7	69.3	74.1	80.6	77.5	79.1	81.1	72.9	78.0	84.1	79.9	81.6
9	77.3	73.8	75.3	79.1	74.3	76.6	77.9	74.2	75.8	79.4	74.2	77.8	81.5	73.3	78.5	84.1	79.9	81.7
10	75.4	71.0	73.6	79.2	70.5	73.7	77.6	74.4	75.7	84.3	76.8	80.4	81.6	78.4	80.1	83.9	78.3	81.3
11	74.7	69.9	72.9	78.3	70.8	75.1	76.1	71.6	74.0	85.8	75.3	80.7	81.7	76.8	80.2	84.9	78.2	81.4
12	77.2	74.3	75.8	79.1	72.6	76.6	76.4	70.0	73.8	82.1	78.0	80.1	80.6	78.4	79.6	82.0	78.1	80.5
13	76.6	74.6	75.6	76.0	71.5	73.4	76.5	74.1	75.5	80.1	76.9	78.6	80.6	76.0	79.2	83.4	81.3	82.5
14	76.3	72.6	74.5	76.7	73.3	74.7	78.6	75.7	76.9	80.0	76.9	78.5	82.5	72.9	78.9	82.9	80.7	81.9
15	76.9	75.2	76.1	77.2	71.6	74.4	82.0	76.5	79.0	85.4	76.7	81.6	85.7	79.8	82.1	84.7	80.0	82.5
16	76.3	75.3	75.8	77.0	72.7	74.5	82.3	77.5	80.0	91.8	77.6	85.6	84.2	80.6	81.8	86.2	78.0	82.9
17	76.4	75.2	75.8	76.0	73.7	74.9	84.3	78.5	80.9	86.3	76.5	81.9	87.3	79.7	83.6	89.5	79.0	85.1
18	77.1	75.3	76.2	76.5	71.7	74.9	79.1	75.8	77.6	81.0	73.8	78.2	88.6	80.9	84.0	85.6	80.4	83.1
19	77.2	73.0	75.2	75.6	68.2	72.6	75.8	74.5	75.1	81.7	76.0	79.0	91.0	81.0	85.5	84.1	79.2	82.2
20	74.2	71.9	73.1	78.2	73.6	75.6	77.3	74.5	76.1	85.1	78.0	81.1	87.7	78.7	83.5	85.2	82.6	83.6
21	74.4	72.0	73.3	75.9	71.5	73.8	82.6	76.3	79.0	85.2	77.4	81.7	86.2	80.9	83.4	88.0	83.0	85.1
22	73.8	71.6	72.5	73.1	71.0	71.9	83.0	75.9	79.1	85.0	78.3	80.6	84.5	80.7	82.7	93.1	85.6	89.3
23	77.7	73.5	76.0	76.4	72.1	73.9	86.4	75.9	81.1	79.8	76.2	78.3	83.5	81.2	82.2	93.0	83.7	88.4
24	77.3	73.8	75.7	76.6	70.8	73.7	88.4	76.4	82.5	79.4	74.9	77.5	87.6	81.7	84.3	88.6	80.5	85.4
25	74.7	69.6	72.8	76.3	68.1	72.2	82.3	77.7	79.9	80.2	77.3	78.7	83.7	80.3	82.0	87.2	79.4	82.8
26	71.5	69.4	70.3	76.0	72.3	74.0	79.9	75.9	77.6	80.3	77.3	78.8	84.3	79.8	82.0	89.6	81.2	86.0
27	75.8	71.3	74.0	76.5	73.9	75.1	79.0	74.3	76.0	81.2	78.1	79.6	85.8	79.0	82.3	87.4	83.7	85.7
28	75.8	70.3	73.2	78.7	73.0	76.1	76.6	74.0	75.0	81.2	78.2	79.6	89.6	81.5	85.0	90.6	84.9	87.3
29	76.0	71.5	74.0				78.6	74.5	76.7	81.0	76.4	79.4	86.3	81.9	84.0	90.4	84.8	87.5
30	75.3	70.2	72.7				81.3	77.2	79.2	84.7	73.0	78.9	85.7	80.6	82.5	90.9	85.0	87.7
31	75.1	72.8	73.9				82.5	79.1	80.4				83.3	80.5	81.4			
Mean	76.7	73.0	75.0	76.7	72.3	74.5	79.0	74.5	76.7	82.5	76.7	79.7	85.0	78.8	82.0	88.3	81.7	84.8

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	<i>degrees Absolute</i>																	
1	90.6	84.1	87.0	90.9	86.2	87.8	91.8	86.0	88.7	88.5	81.6	85.1	80.8	76.1	78.2	75.4	72.0	73.2
2	91.0	83.8	87.3	88.8	85.0	86.5	91.2	84.8	87.5	86.1	80.1	83.3	80.1	73.5	76.6	84.6	71.8	73.0
3	90.9	85.0	87.5	86.2	83.6	84.9	90.2	84.8	87.4	84.6	80.9	83.0	79.7	72.6	75.1	76.0	72.0	74.1
4	91.2	85.5	87.9	86.1	82.2	84.1	89.7	83.1	86.6	86.1	83.1	84.9	78.6	71.0	74.7	79.1	72.4	76.2
5	90.6	84.3	87.8	88.6	82.1	85.5	91.8	84.2	88.4	85.9	80.3	83.2	79.6	74.3	76.8	79.8	76.6	78.5
6	92.3	84.9	88.8	88.2	84.8	86.4	89.2	82.5	85.7	85.8	80.4	83.0	83.0	75.0	79.5	82.2	75.0	77.9
7	91.9	85.7	88.7	95.4	85.0	88.8	87.9	82.1	85.0	86.5	82.5	84.3	81.3	75.8	79.0	86.0	80.8	83.8
8	90.5	83.2	87.4	91.2	87.0	88.4	96.7	86.8	90.8	85.0	78.8	82.0	82.1	75.9	79.2	84.4	79.6	81.5
9	88.7	83.9	86.3	92.9	86.6	88.9	91.0	83.7	87.8	86.6	77.9	82.4	83.0	80.4	81.8	84.6	82.5	83.8
10	85.7	82.8	84.6	87.8	86.2	87.0	90.0	81.9	86.4	85.4	79.0	82.3	83.1	76.4	80.7	83.7	80.6	82.2
11	88.7	81.3	85.4	91.4	86.1	88.0	87.7	82.9	85.8	83.4	77.1	80.5	81.8	73.0	78.2	83.9	78.8	80.9
12	89.5	83.2	85.8	89.9	85.8	87.8	86.9	80.3	83.5	83.7	78.0	81.4	82.0	74.6	78.9	79.6	76.8	78.1
13	94.6	85.0	88.7	89.9	85.8	87.3	86.5	77.3	83.0	84.6	77.5	81.2	82.2	74.5	79.0	83.3	77.9	81.8
14	90.0	84.8	87.1	91.1	82.8	87.2	88.4	84.6	86.1	89.7	81.7	85.8	87.7	79.4	83.5	81.7	79.7	80.7
15	90.2	83.2	86.9	89.3	84.5	87.8	88.0	81.5	84.4	86.6	81.9	83.8	85.5	78.4	81.5	82.0	80.7	81.5
16	90.3	85.6	87.3	91.7	85.9	88.2	86.9	82.1	84.8	86.1	81.8	83.4	80.0	77.8	78.9	82.1	80.6	81.5
17	87.3	84.4	85.7	91.8	86.5	88.7	87.2	81.9	84.2	83.3	80.4	81.5	82.1	76.6	79.7	82.1	80.9	81.6
18	86.3	83.1	84.6	90.8	86.4	88.1	88.9	81.3	84.5	82.7	80.9	81.6	82.2	75.5	80.8	81.0	78.9	80.0
19	91.2	83.2	86.8	92.9	86.4	88.9	87.0	80.9	84.3	87.5	82.5	84.6	82.8	74.1	78.3	80.7	76.2	79.9
20	94.6	85.9	89.6	89.9	85.3	87.5	85.2	83.2	84.3	85.1	78.8	82.4	81.3	75.0	78.8	81.5	75.1	78.6
21	92.2	85.8	88.7	89.3	85.8	87.1	87.1	83.4	85.5	85.0	76.5	81.2	75.7	73.0	74.6	83.6	80.6	82.3
22	89.6	85.1	87.1	90.9	85.4	87.6	87.3	80.9	84.3	87.8	82.0	84.5	80.2	74.3	77.2	84.0	76.1	81.0
23	88.0	84.2	85.9	87.5	83.9	85.7	86.3	79.2	82.4	85.6	80.1	82.7	82.0	79.3	80.9	83.2	75.1	80.0
24	93.9	84.1	86.9	87.2	79.2	84.3	85.0	77.1	80.6	82.6	77.9	80.2	83.1	80.0	81.9	84.0	77.7	81.6
25	92.1	82.9	87.4	87.0	85.3	86.4	82.5	75.1	79.0	82.0	76.5	79.1	81.3	79.6	80.5	79.1	75.8	77.5
26	87.2	82.7	85.0	92.2	86.3	88.3	83.0	75.4	79.4	82.6	78.3	80.5	81.6	78.5	80.5	82.6	76.7	79.9
27	88.4	79.7	84.7	96.1	85.0	90.7	85.2	76.5	81.8	82.8	78.5	80.5	81.3	77.4	79.9	80.7	75.2	77.6
28	88.9	81.6	85.6	95.1	84.6	89.0	86.6	82.2	84.2	83.1	74.7	80.0	80.6	75.9	76.9	81.6	76.5	79.1
29	89.3	83.2	85.7	86.7	84.0	85.4	86.1	82.7	85.0	82.9	79.9	81.0	78.6	73.0	75.3	77.1	71.6	73.4
30	90.1	82.9	86.8	86.3	84.2	85.5	85.5	81.9	84.2	80.5	76.7	78.7	77.9	72.9	75.1	75.0	72.5	74.3
31	94.3	83.2	88.9	89.5	85.9	87.1				80.3	75.6	77.7				78.0	75.0	76.8
Mean	90.3	83.8	86.9	90.1	85.0	87.3												

MEAN RELATIVE HUMIDITY AND VAPOUR PRESSURE FOR EACH DAY

Mean percentages from readings at exact hours 0h. to 24h., G.M.T.; vapour pressure from daily mean temperature and relative humidity

66 ABERDEEN: North-wall screen on tower: $h_t = 12.5$ m.

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.
1	85.8	6.8	87.0	5.8	70.7	4.6	64.9	6.7	72.3	8.0	87.3	10.2	70.0	11.2	90.4	15.2	76.8	13.7	83.4	11.8	88.1	7.8	83.4	5.2
2	84.0	7.7	83.5	5.8	72.0	5.5	74.6	6.4	68.0	7.5	75.5	13.2	78.5	12.8	92.5	14.3	72.3	11.9	73.5	9.2	84.6	6.7	77.4	4.7
3	89.0	10.3	92.9	6.1	83.0	6.7	80.6	6.3	66.0	6.7	71.9	13.8	83.6	13.8	71.9	10.0	83.7	13.7	85.5	10.5	85.2	6.1	73.0	4.8
4	82.0	6.4	78.7	5.1	76.3	5.5	82.8	7.7	69.4	7.2	75.2	13.0	80.8	13.7	77.3	10.2	72.1	11.2	87.8	12.2	84.9	5.9	81.5	6.3
5	82.5	5.2	74.5	4.5	74.0	4.3	89.3	8.8	60.9	9.2	87.4	13.2	78.8	13.3	72.2	10.5	69.4	12.1	69.6	8.7	91.2	7.3	90.7	8.2
6	72.6	5.4	85.3	6.0	68.6	3.8	84.3	8.8	49.7	8.0	78.7	14.0	69.6	12.5	73.7	11.3	66.2	9.7	72.0	8.8	90.4	8.8	87.2	7.5
7	85.3	7.0	86.4	6.4	65.7	4.0	84.2	7.6	66.4	6.4	60.1	7.9	69.3	12.4	87.5	15.7	87.4	12.3	75.9	10.2	80.9	7.6	87.4	11.3
8	83.2	6.7	84.0	7.1	83.7	5.5	88.4	8.3	69.9	6.1	70.1	7.8	74.6	12.2	91.2	16.0	82.4	17.1	72.8	8.4	80.8	7.7	77.8	8.6
9	82.2	5.9	81.2	6.4	77.6	5.8	93.8	8.1	76.1	6.9	80.7	9.1	85.4	13.0	81.6	14.7	59.9	10.1	76.5	9.0	86.7	9.8	87.0	11.3
10	84.4	5.4	82.2	5.3	78.1	6.0	74.3	7.7	77.6	7.8	72.7	7.9	87.6	12.0	92.6	14.8	69.1	10.6	73.6	8.6	87.8	9.2	88.0	10.3
11	82.5	5.0	68.7	4.9	75.8	5.0	81.4	8.6	72.1	7.3	75.2	8.3	78.2	11.3	87.9	15.0	80.6	11.9	73.0	7.6	83.9	7.4	85.8	9.1
12	84.6	6.3	73.1	5.8	75.1	4.9	83.1	8.4	68.1	6.6	81.9	8.5	75.4	11.1	87.0	14.6	83.2	10.6	83.9	9.3	81.7	7.6	85.1	7.5
13	91.9	6.8	77.5	4.9	77.3	5.7	87.3	8.0	70.6	6.7	84.5	10.0	79.5	14.2	86.6	14.1	86.7	10.6	76.6	8.3	79.5	7.4	86.3	9.8
14	80.6	5.5	72.8	5.0	87.6	7.1	87.1	7.9	81.5	7.6	81.9	9.3	79.2	12.7	88.4	14.3	87.0	13.1	86.4	12.8	77.1	9.8	88.9	9.3
15	65.9	5.0	82.9	5.6	94.0	8.4	70.8	7.9	79.1	9.1	76.6	9.1	73.0	11.6	88.1	14.8	66.0	8.9	63.8	8.3	73.4	8.1	94.7	10.5
16	66.1	4.9	82.9	5.6	91.1	9.1	59.6	8.7	92.2	10.5	79.5	9.7	87.3	14.2	66.1	11.4	64.9	9.0	65.9	8.3	69.0	6.4	89.9	10.0
17	71.4	5.3	83.3	5.8	90.9	9.7	56.7	6.5	86.0	11.0	77.2	10.9	82.7	12.1	78.3	14.0	77.0	10.2	89.5	9.9	73.6	7.2	94.5	10.6
18	85.0	6.5	95.0	6.7	95.9	8.1	82.7	7.3	86.0	11.3	70.7	8.7	81.6	11.1	83.0	14.2	83.0	11.3	99.3	11.1	81.3	8.6	93.6	9.4
19	78.7	5.6	82.6	4.9	84.1	6.0	92.6	8.7	61.8	9.0	81.4	9.5	83.0	13.1	81.0	14.6	81.2	10.9	99.1	13.5	82.4	7.3	90.3	9.0
20	89.7	5.5	79.5	5.9	85.4	6.5	73.6	7.9	64.7	8.2	92.4	11.8	75.5	14.3	79.9	13.2	90.9	12.2	93.5	11.0	75.9	7.0	87.1	8.0
21	86.8	5.4	72.7	4.7	90.8	8.5	67.5	7.6	72.1	9.1	97.8	13.8	76.1	13.6	83.3	13.4	94.3	13.7	83.0	9.0	79.7	5.5	85.0	10.0
22	91.7	5.4	84.8	4.8	93.9	8.8	77.2	8.1	86.7	10.4	86.7	16.1	91.2	14.7	85.9	14.3	79.3	10.6	79.6	10.8	70.3	5.8	84.5	9.1
23	93.5	7.1	75.1	4.9	68.6	7.4	66.1	5.9	94.3	11.1	66.3	11.6	77.6	11.5	84.4	12.4	76.8	9.1	70.2	8.5	86.8	9.3	87.4	8.8
24	92.3	6.8	83.5	5.4	59.7	7.1	67.0	5.7	74.2	9.9	70.0	10.1	79.3	12.6	84.7	11.3	86.3	9.0	82.4	8.4	84.2	9.6	82.9	9.3
25	92.1	5.5	78.8	4.5	56.8	5.7	80.6	7.3	85.9	9.9	72.4	8.8	63.6	10.4	96.2	14.8	84.5	7.9	87.4	8.2	85.2	8.8	83.4	7.0
26	87.2	4.4	78.6	5.2	67.2	5.7	75.4	7.0	82.7	9.5	75.8	11.4	74.5	10.5	96.5	16.8	74.9	7.2	90.2	9.3	82.5	8.5	91.0	9.1
27	86.5	5.7	84.0	6.0	76.6	5.8	80.6	7.9	84.9	10.0	80.4	11.8	84.6	11.6	81.1	16.4	79.1	9.0	84.7	8.8	84.9	8.4	85.3	7.2
28	84.1	5.2	67.6	5.2	61.2	4.3	75.4	7.3	72.0	10.1	77.9	12.7	74.2	10.8	80.7	14.6	89.0	11.8	88.9	8.9	71.9	5.8	78.1	7.4
29	87.7	5.8			79.5	6.3	73.6	7.1	77.9	10.2	73.4	12.1	83.9	12.3	88.6	12.7	93.7	13.1	78.5	8.4	85.0	6.1	83.0	5.2
30	88.7	5.3			88.2	8.4	79.7	7.4	81.0	9.6	60.4	10.1	80.6	12.7	83.4	12.1	94.6	12.6	81.8	7.5	78.6	5.6	78.2	5.2
31	80.0	5.2			91.2	9.4			79.7	8.8			80.3	14.5	96.1	15.4			88.3	7.5			74.4	6.0
Mean*	83.8	6.0	80.7	5.5	78.7	6.4	77.8	7.6	75.1	8.7	77.4	10.8	78.7	12.5	84.5	13.8	79.8	11.2	81.2	9.4	81.6	7.6	85.3	8.2

* Mean of the column

RELATIVE HUMIDITY

Monthly and annual means of values at exact hours, G.M.T.

67 ABERDEEN: $h_t = 12.5$ m.

1942

	Hour G.M.T.																								Mean*	
	0	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23		24
Jan.	83.9	84.4	83.5	83.6	82.4	82.3	83.0	83.4	83.5	83.7	83.7	84.7	82.6	82.5	83.4	82.4	83.4	84.6	84.7	85.8	85.4	85.1	85.7	83.9	83.6	83.8
Feb.	81.5	82.3	82.7	83.2	83.1	84.6	85.0	84.6	85.3	83.7	80.6	79.2	76.4	74.3	74.5	76.1	74.7	77.1	79.4	80.3	82.0	81.3	82.1	82.3	81.7	80.7
Mar.	81.2	82.3	83.1	82.5	83.1	83.2	83.1	83.5	81.2	78.5	77.0	75.5	72.7	72.6	73.3	73.3	73.0	74.8	75.9	78.2	79.2	80.8	80.5	81.3	80.7	78.7
Apr.	80.9	82.7	83.9	84.2	85.2	85.0	82.5	80.2	77.6	75.2	73.3	73.0	73.2	72.4	70.7	71.0	72.8	73.4	74.2	76.1	79.1	80.6	80.2	80.1	81.3	77.8
May	80.7	82.0	83.2	83.9	84.4	82.5	81.1	78.2	75.2	72.6	70.0	68.6	69.2	67.6	66.9	67.6	69.4	70.2	70.5	72.5	74.6	76.8	76.9	78.7	80.7	75.1
June	84.5	84.3	85.1	86.2	86.3	83.3	79.5	75.2	73.3	71.4	71.3	68.9	69.2	71.0	70.7	71.3	70.7	72.1	74.7	77.6	80.4	82.1	84.2	84.4	84.1	77.4
July	85.7	85.7	86.3	85.9	86.3	86.3	83.9	80.9	77.3	73.4	72.5	72.1	71.1	70.2	71.5	71.0	72.2	72.5	74.5	76.3	80.0	82.9	84.3	85.6	86.4	78.7
Aug.	87.9	88.5	89.2	89.7	89.6	89.5	89.0	88.1	85.4	82.5	79.6	79.2	78.9	78.5	78.3	79.3	79.1	80.5	82.5	84.0	85.6	87.4	87.5	87.2	88.0	84.5
Sept.	85.0	85.5	86.4	86.1	86.5	85.7	85.5	84.8	81.9	78.5	75.2	74.2	73.5	72.4	71.0	70.6	71.2	74.1	75.8	79.4	81.4	81.9	83.4	84.0	85.1	79.8
Oct.	83.1	83.3	84.2	84.6	84.4	84.5	85.6	85.9	85.0	82.5	79.6	76.5	75.6	74.7	73.5	74.8	77.5	79.6	81.2	83.6	82.8	82.1	81.1	82.7	83.1	81.2
Nov.	84.4	82.9	83.6	82.5	83.2	83.4	83.2	84.0	83.8	82.4	80.8	78.8	76.3	74.9	75.5	77.2	78.8	81.3	82.3	83.2	83.8	84.1	83.5	84.3	84.3	81.6
Dec.	85.9	87.5	86.2	86.4	86.4	86.4	87.1	87.5	87.6	86.5	86.7	84.6	82.2	81.9	81.7	82.7	83.2	83.6	85.0	85.2	85.5	85.2	85.4	86.4	85.5	85.3
Annual	83.7	84.3	84.8	84.9	85.1	84.7	84.1	83.0	81.5	79.2	77.5	76.3	75.1	74.4	74.2	74.8	75.5	77.0	78.4	80.2	81.7	82.5	82.9	83.4	83.7	80.4

VAPOUR PRESSURE

Monthly and annual means of values at exact hours, G.M.T.

RAINFALL

Amount in millimetres, duration in hours and maximum rate of fall for each day 0h. to 24h., G.M.T.

69 ABERDEEN: h_r (height of receiving surface above M.S.L.) = height of station above M.S.L. + height of receiving surface above ground = 24.1 m. + 0.6 m.

1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate
	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.
1	5.4	12.0	1	3.5	5.7	2
2	0.8	2.0	...	4.9	13.0	1	2.7	2.1	5
3	8.1	6.7	5	14.1	22.0	2	2.1	4.9	1	0.1	0.5
4	7.0	8.5	12	4.0	12.3	1	1.7	3.7
5	3.0	4.8	3	2.7	4.1	...	1.7	3.8	5	2.0	6.3	0.1	0.4	...
6	0.1	0.2	...	1.5	4.0	1	0.5	1.0	0.9	1.4	8
7	1.9	1.5	6	0.5	2.2	1.7	2.2	10	0.4	0.5	4
8	0.5	0.8	5	0.5	1.6	...	20.0	13.8	4	0.1	0.3	...
9	1.5	2.2	4	0.1	0.4	...	3.0	2.6	3	0.2	0.3	3	2.6	4.2	2
10	4.9	8.3	2	0.5	1.8	0.3	0.6
11	0.4	1.0	1.0	4.0	2
12	2.9	4.4	2	1.4	1.2	3	0.8	2.5	9.8	6.5	22
13	8.5	17.1	1	1.7	3.1	1	0.2	1.0	...
14	0.7	0.6	3
15	3.4	4.0	4
16	0.6	3.1	12.0	6.5	5
17	0.3	2.0	6.8	4.9	4	0.2	0.2
18	1.9	4.1	1	2.7	8.1	1	6.9	9.0	20	9.3	5.8	11
19	4.8	6.5	2	0.1	0.5	0.6	0.9	...
20	3.8	11.0	1	0.4	0.8	0.1	0.2	...
21	2.2	7.7	1	0.3	1.0	...	0.6	2.1	0.2	0.3	...	4.2	8.5	1
22	2.9	11.5	...	3.0	5.8	4	0.1	0.6	...	0.2	1.3	...	1.0	2.6	2	1.0	1.3	4
23	18.2	19.9	2	0.9	3.2	...	2.4	3.5	3
24	10.4	16.1	2	0.1	0.5	7.6	4.6	18
25	6.8	21.0	2	5.5	6.4	4
26	0.6	3.1	0.1	0.1	...
27	4.1	5.4	2	3.3	4.5	3	12.3	7.8	26	0.4	0.8	1
28	5.9	2.2	26
29	7.9	15.0	2	0.2	1.0	3.7	1.7	7
30	16.9	10.2	10	12.2	9.3	18
31	0.2	1.0	2.7	3.7	3	3.8	6.8	7
Total	115.3	182.7	-	50.9	102.9	-	25.4	40.0	-	34.8	41.1	-	77.7	59.1	-	25.7	36.4	-

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER		
	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate
	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.
1	0.1	0.3	0.1	0.1	...	2.3	3.2	2
2	0.1	0.3	0.7	0.6	3
3	0.7	0.8	4	3.9	3.6	2	3.3	3.1	2
4	1.7	1.8	6	0.4	0.3	...	0.6	0.3	3	0.2	0.6	...
5	0.1	0.2	...	0.2	0.2	...	0.1	0.5	...	7.4	8.2	8
6	0.6	0.2	17	2.7	3.6	4	0.5	1.1	...
7	3.0	3.6	5	6.7	4.1	12
8	0.7	0.7	4	6.1	4.9	11	4.1	3.3	5	3.1	2.4	7
9	8.1	3.0	11	0.6	0.5	8	1.9	2.0	4	0.5	0.9	6
10	1.2	4.5	...	5.4	3.7	17	0.2	0.1	4	5.8	4.5	6	12.2	6.2	18
11	12.9	4.3	73	0.2	0.5	0.6	0.7	...
12	1.3	1.1	20	3.2	3.0	5	4.2	3.0	30
13	2.6	1.5	8	5.0	1.4	25	3.3	2.4	8
14	5.3	1.6	90	0.5	0.2	9	5.0	4.1	4
15	0.4	1.3	1	1.1	0.9	3.5	5.3	3
16	0.9	2.0	2	0.1	0.2	1	4.2	2.5	7
17	5.3	7.2	9	1.0	2.2	1	11.3	15.3	3	8.4	4.3	11
18	1.1	1.0	3	26.6	20.9	17
19	0.4	0.3	3	4.3	7.0	14	0.3	0.7	...
20	22.9	11.1	28	16.1	8.0	16	0.3	0.9	...
21	6.8	4.8	18	2.9	2.5	7	17.4	4.3	30	0.9	1.2	1	0.6	0.4	10
22	4.1	7.5	7	5.1	0.7	61	0.2	0.6	...	1.2	0.7	6	0.1	0.1	...
23	0.2	2.0	2.4	1.3	4	0.1	0.2
24	0.7	1.0	1.6	0.9	18	0.7	0.5
25	0.3	0.2	12	5.2	2.8	24	0.8	0.4	3
26	0.5	0.5	...	0.1	0.2	...	14.9	6.3	13	0.1	0.1	2	0.2	0.2	...
27	2.7	1.5	5	0.5	0.5	...	0.1	0.3
28	2.9	2.0	7	0.5	0.4	3	1.0	0.6	9
29	1.4	0.9	6	8.8	7.3	7	4.1	1.9	66	0.8	2.4	14	2.1	1.4	23	2.7	6.7	3
30	2.0	2.0	9	9.1	6.7	9	0.6	0.8	2	0.6	1.3	5	2.3	3.7	4
31	0.5	0.7	...	5.5	3.5	22	0.7	0.6	2	0.4	0.5	4
Total	43.6	43.0	-	65.4	39.7	-	74.2	41.3	-	98.1	80.0	-	19.5	18.2	-	53.2	51.2	-

RAINFALL

Monthly and annual totals of amounts in sixty-minute periods between exact hours, G.M.T.

70 ABERDEEN: $h_r = 24.1 \text{ m.} + 0.6 \text{ m.}$

1942

	Hour G.M.T.																						0-24		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
	<i>millimetres</i>																								
Jan.	5.8	6.1	5.2	2.5	3.6	3.6	1.8	2.6	3.9	3.2	3.5	2.9	3.3	3.3	4.4	4.2	4.3	6.0	7.2	8.3	12.3	6.3	6.0	5.0	115.3
Feb.	1.5	1.8	1.0	3.5	3.0	2.3	1.7	2.8	2.8	2.5	2.8	3.8	2.3	3.6	3.9	2.1	1.5	1.8	0.9	1.4	1.1	1.3	0.7	0.8	50.9
Mar.	1.3	1.8	2.7	1.3	0.4	0.3	1.3	0.5	4.9	4.5	1.3	0.6	0.4	0.5	0.3	0.3	0.4	0.2	0.6	0.4	0.6	0.3	0.4	0.1	25.4
Apr.	2.7	1.0	1.8	4.9	3.3	4.0	2.2	0.7	0.6	0.3	1.0	1.7	2.5	0.5	0.6	2.1	2.0	0.1	...	0.2	0.3	0.5	0.6	1.2	34.8
May	4.8	5.2	4.4	5.3	7.4	7.4	6.4	3.5	0.6	0.2	1.8	3.1	3.1	0.8	4.1	4.7	1.3	0.3	0.5	0.5	0.4	1.6	4.9	5.4	77.7
June	0.4	0.2	0.5	0.8	1.4	1.0	1.0	0.5	0.1	0.7	0.7	0.8	0.7	0.5	1.3	0.3	1.2	0.6	1.9	4.0	4.0	1.2	1.4	0.5	25.7
July	0.5	0.5	1.1	4.3	1.9	1.6	0.9	0.7	0.3	0.4	3.6	3.1	2.0	4.3	2.7	1.9	4.2	5.0	0.8	1.2	0.5	0.7	0.6	0.8	43.6
Aug.	1.1	2.2	3.1	0.6	1.2	2.1	0.6	1.2	2.0	2.2	3.1	1.6	4.0	5.5	5.6	4.4	2.2	7.2	4.5	1.4	4.7	1.8	0.5	2.6	65.4
Sept.	4.5	7.6	8.3	1.4	3.2	0.1	0.2	0.3	0.3	1.1	2.5	3.2	2.7	4.9	5.6	3.8	8.1	5.4	0.6	2.7	0.7	1.7	2.3	3.0	74.2
Oct.	2.7	2.0	6.5	6.8	7.3	5.1	7.7	7.7	2.7	2.2	5.1	4.4	4.9	2.9	2.8	2.7	4.3	4.5	2.5	2.0	1.2	1.8	2.6	5.7	98.1
Nov.	0.2	1.1	0.1	0.2	0.8	0.7	2.6	0.9	0.8	0.3	0.3	0.1	2.0	1.2	2.5	0.8	0.5	0.3	1.2	0.7	0.3	0.2	1.3	0.4	19.5
Dec.	1.6	1.8	1.2	1.5	2.1	1.9	0.5	0.4	0.2	0.8	0.8	1.0	1.8	6.1	6.3	2.0	4.6	4.4	6.0	4.3	1.8	0.8	0.6	0.7	53.2
Annual	27.1	31.3	35.9	33.1	35.6	30.1	26.9	21.8	19.2	18.4	26.5	26.3	29.7	34.1	40.1	29.3	34.6	35.8	26.7	27.1	27.9	18.2	21.9	26.2	683.8

RAINFALL

Monthly and annual totals of durations in sixty-minute periods between exact hours, G.M.T.

71 ABERDEEN: $h_r = 24.1 \text{ m.} + 0.6 \text{ m.}$

1942

	Hour G.M.T.																						0-24		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
	<i>hours</i>																								
Jan.	8.1	9.8	9.1	8.7	7.9	8.9	5.6	6.9	7.0	7.9	8.0	7.0	6.3	6.2	8.4	6.2	6.6	7.0	7.3	6.9	7.5	8.4	8.5	8.5	182.7
Feb.	4.7	5.0	3.7	5.3	5.2	5.5	6.0	4.7	4.7	4.9	7.1	6.3	3.6	4.1	5.4	4.3	3.8	3.1	2.2	3.3	3.0	2.5	2.0	2.5	102.9
Mar.	2.1	1.0	1.0	2.0	1.4	1.1	1.8	1.2	3.0	4.0	2.1	1.6	1.5	1.5	1.1	1.6	1.1	1.0	1.6	2.9	2.3	1.4	1.1	0.6	40.0
Apr.	2.7	3.6	3.8	3.8	2.2	2.4	1.5	1.0	1.0	0.4	0.8	1.8	2.2	1.4	2.5	2.1	2.1	0.4	...	0.7	0.6	0.9	1.3	1.9	41.1
May	3.0	3.3	3.5	4.4	3.6	4.2	5.2	2.4	2.2	1.0	1.6	1.8	1.9	1.0	2.6	2.0	1.7	1.0	0.9	1.4	1.2	2.6	3.6	3.0	59.1
June	1.0	0.4	0.8	1.2	1.7	2.2	2.5	1.0	0.3	0.8	1.0	1.6	1.2	1.0	1.7	0.9	1.8	1.1	2.4	3.3	2.7	2.9	2.3	0.6	35.4
July	1.7	2.6	1.0	1.8	1.6	1.9	2.1	2.4	2.0	1.5	0.8	1.7	1.6	2.2	2.9	1.2	2.3	2.3	1.0	1.5	1.4	0.8	2.0	2.7	43.0
Aug.	1.7	1.3	1.4	1.5	1.5	1.7	1.8	2.3	1.6	1.7	1.4	0.6	1.9	2.5	1.4	2.3	1.8	2.5	2.1	1.0	2.1	1.3	0.8	1.5	39.7
Sept.	3.0	2.5	2.5	1.5	1.8	0.2	0.1	0.9	0.2	1.8	2.1	2.1	3.3	3.0	3.0	3.0	2.9	1.3	0.7	0.8	0.6	0.7	1.6	1.7	41.3
Oct.	2.7	3.4	4.8	4.3	4.7	3.5	4.3	3.4	3.5	3.1	4.1	5.2	4.6	2.6	2.7	3.1	3.0	2.3	2.7	2.4	1.7	2.8	2.3	2.8	80.0
Nov.	0.1	0.7	0.2	0.4	0.2	1.1	1.5	0.9	0.8	0.3	0.4	0.2	1.2	1.0	1.3	1.0	1.6	0.3	1.1	0.7	0.8	0.7	1.2	0.5	18.2
Dec.	1.6	1.5	2.0	2.6	2.9	1.4	0.6	0.4	0.4	1.0	1.5	2.1	2.2	2.4	3.6	3.2	3.9	3.1	3.6	4.6	2.7	1.3	1.0	1.6	51.2
Annual	32.4	35.1	33.8	37.5	34.7	34.1	33.0	27.5	26.7	28.4	30.9	32.0	31.5	28.9	36.6	30.9	32.6	25.4	25.6	29.5	26.6	26.3	27.7	27.9	735.6

NOTES ON RAINFALL

72 ABERDEEN:

1942

Dry Periods

The following definitions are adopted by the British Rainfall Organization

- An "absolute drought" is a period of at least 15 consecutive days to none of which is credited 0.2 mm. of rain or more
- A "partial drought" is a period of at least 29 consecutive days, the mean daily rainfall of which does not exceed 0.2 mm.
- A "dry spell" is a period of at least 15 consecutive days, to none of which is credited 1.0 mm. or more.

- "Absolute drought": April 24-May 8
- "Partial drought": April 10-May 15
- "Dry spells": April 10-May 15

Wet Periods

The following definitions are adopted by the British Rainfall Organization

- A "rain spell" is a period of at least 15 consecutive days to each of which is credited 0.2 mm. of rain or more
- A "wet spell" is a period of at least 15 consecutive days to each of which is credited 1.0 mm. of rain or more

- "Rain spells": No occasions
- "Wet spells": No occasions

Rainfall Duration

Hours	0.1-1.0	1.1-2.0	2.1-6.0	6.1-12.0	>12.0
Number of days	75	28	62	30	11

Continuous or Heavy Falls

The day with the greatest duration was Feb. 3 (22.0 hr.) the amount being 14.1 mm. The heaviest fall amounting to 40 mm. occurred between 09h. on September 20 and 06h. on September 21. The longest continuous fall lasted from 06h. on October 17 to 05h. on October 19, 40 mm. being recorded.

Heavy Falls in Short Periods

The heaviest falls were:- 10 mm. in 1 hr. 20 min. on January 30 (snow); 10 mm. in 1 hr. 10 min. on September 21. This includes a fall of 5 mm. in 20 min.

Rate of Rainfall (Jardi Recorder)

The highest instantaneous rate was 90 mm./hr. on July 14.

DURATION OF BRIGHT SUNSHINE AND PERCENTAGE OF POSSIBLE FOR EACH DAY

1942

73 ABERDEEN: h_s (height of recorder above ground) = 20.7 m.

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		
	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	
1	1.6	24	4.2	40	6.2	48	11.2	73	2.0	11	7.8	44	4.7	29	4.7	34	4.4	38	5.3	58	4.5	63	
2	2.2	17	12.4	80	2.0	11	11.9	67	1.3	8	9.1	65	1.0	9	7.1	79	3.7	52	
3	0.5	3	5.8	33	0.9	5	0.6	4	1.4	10	5.6	63	3.5	50	
4	0.3	4	6.4	48	9.8	63	10.0	57	6.8	38	1.6	10	8.8	64	7.1	81	
5	2.9	43	1.9	22	0.1	1	0.3	2	7.2	41	13.3	76	0.5	3	7.8	57	6.4	57	
6	0.5	7	0.1	1	2.6	19	5.7	36	8.0	45	12.3	70	9.5	70	4.0	36	0.1	1	
7	2.5	36	2.8	32	8.7	64	8.4	53	10.1	57	8.2	47	5.7	36	1.8	16	3.4	40	
8	0.2	3	0.3	3	14.1	89	3.5	20	2.9	17	0.5	3	9.2	69	7.1	65	3.8	45	
9	2.1	30	0.1	1	8.5	76	2.2	16	14.1	88	4.9	28	2.2	13	7.6	48	9.1	68	0.4	6	
10	1.9	27	0.6	7	0.7	6	5.8	42	9.0	56	8.8	50	0.6	5	3.6	33	
11	6.3	56	3.5	25	4.6	29	0.3	2	10.4	60	0.9	6	4.5	42	2.0	24	
12	0.1	1	1.8	16	2.7	19	0.2	1	2.0	11	8.0	46	1.2	8	5.3	41	0.5	5	3.7	45	5.0	75	
13	5.1	55	9.5	58	1.9	11	3.7	21	0.6	4	2.2	17	6.6	52	0.3	4	
14	4.6	64	1.4	15	1.1	9	0.6	4	12.8	79	1.4	8	6.1	40	3.0	29	3.0	37	1.2	18	
15	6.1	65	2.2	19	11.5	81	4.8	29	0.1	1	5.2	30	1.0	7	6.9	54	9.1	87	3.3	26	
16	5.9	62	2.2	19	11.4	80	1.8	11	11.1	62	0.5	3	8.5	56	3.5	28	3.9	38	1.6	20	
17	0.7	7	3.0	25	11.8	83	7.0	42	7.6	43	4.8	28	1.2	8	6.4	50	2.4	30	
18	12.1	84	3.0	18	1.8	10	2.2	13	0.3	2	2.9	23	0.8	12	
19	6.0	62	5.7	39	9.0	54	0.2	1	3.4	20	4.1	28	5.7	46	4.7	60	
20	3.9	27	13.3	80	2.2	12	3.8	22	8.0	54	1.3	17	
21	0.7	6	10.7	73	9.1	54	1.5	9	5.0	34	1.2	10	6.6	67	2.4	31	2.5	38	
22	0.7	7	7.3	60	1.7	12	6.4	38	3.0	17	1.8	12	2.4	20	2.1	21	0.1	1	0.8	12	
23	6.5	65	5.5	45	5.0	34	10.7	60	3.6	21	1.3	9	7.3	60	5.1	52	
24	7.9	78	8.7	70	9.0	60	2.8	16	3.8	21	2.7	16	11.3	78	5.6	46	5.0	52	
25	7.7	75	5.9	47	12.6	84	1.2	7	7.5	42	11.1	66	5.1	43	0.3	3	0.2	3	3.0	45	
26	7.2	70	4.2	33	13.8	92	9.6	56	1.6	9	4.8	29	3.1	22	10.6	89	0.9	9	0.6	8	0.1	2	
27	0.1	1	1.0	8	13.8	91	6.5	37	5.5	33	11.6	81	8.4	71	3.7	39	0.4	5	2.5	38	
28	1.4	17	9.4	90	0.9	7	13.8	91	9.2	53	6.2	35	4.7	28	9.5	67	1.7	14	6.4	68	0.2	3	
29	6.8	53	13.7	90	4.6	27	3.9	22	4.8	29	2.9	25	2.4	33	1.6	24	
30	0.3	2	13.9	91	4.8	28	3.7	21	6.1	37	2.3	16	5.3	58	
31	0.4	5	0.6	3	2.3	14	0.7	5	3.7	41	1.0	15	
Mean	0.58	-	2.52	-	2.31	-	6.85	-	6.65	-	4.33	-	5.05	-	3.25	-	4.61	-	3.06	-	2.02	-	1.00	-	
													Annual mean												

DURATION OF BRIGHT SUNSHINE

Monthly and annual totals between exact hours, local apparent time

74 ABERDEEN: h_s = 20.7 m.

1942

	Hour L.A.T.																	Total	per cent. of possible	
	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20			20-21
Jan.	-	-	-	-	3.5	5.3	4.1	3.5	1.7	-	-	-	-	18.1	8
Feb.	-	-	-	...	0.6	3.8	6.2	8.9	10.3	9.8	10.8	10.8	7.5	1.9	...	-	-	-	70.6	27
Mar.	-	...	0.8	2.9	5.4	8.5	8.5	9.7	7.9	7.6	8.1	7.1	4.7	0.5	...	-	-	-	71.7	20
Apr.	-	...	5.0	10.5	13.7	15.1	15.6	16.4	18.8	20.4	17.6	17.5	17.8	13.9	7.3	0.2	-	-	205.6	48
May	...	2.1	7.8	10.4	13.3	16.3	19.9	19.6	16.8	15.8	16.4	14.3	13.6	12.7	12.9	9.9	3.2	...	206.0	40
June	0.8	5.8	8.7	8.7	10.5	9.6	9.4	9.6	8.9	9.0	10.2	8.9	10.2	7.7	5.1	3.3	3.5	...	129.9	24
July	0.2	4.8	7.6	9.8	10.3	12.4	12.5	12.9	13.4	12.8	10.2	11.0	8.6	9.2	9.1	7.8	4.2	...	156.8	30
Aug.	2.5	4.7	5.9	8.3	8.4	8.5	9.9	10.1	9.6	9.5	8.5	7.6	5.9	1.6	101.0	22
Sept.	-	-	0.1	5.5	9.8	11.3	10.9	14.6	14.4	14.2	14.6	14.5	15.1	10.2	2.8	0.3	-	-	138.3	36
Oct.	-	-	-	-	3.5	7.7	12.3	13.6	12.9	13.4	12.9	10.0	5.9	2.8	-	-	-	-	95.0	30
Nov.	-	-	-	-	...	2.8	5.8	9.7	11.1	11.9	9.7	6.7	3.0	...	-	-	-	-	60.7	25
Dec.	-	-	-	-	...	2.5	6.1	7.1	7.5	5.7	2.0	...	-	-	-	-	-	-	30.9	15
Annual	1.0	12.7	31.7	50.4	70.5	92.7	112.0	131.3	136.2	136.3	131.6	115.1	97.0	74.6	50.2	30.2	11.1	...	1284.6	29

WIND

Mean speed and highest instantaneous speed recorded each day (0h. to 24h., G.M.T.) by the pressure-tube anemograph

75 ABERDEEN: h_a (height of anemograph above M.S.L.) = height of ground above M.S.L. + height of anemograph above ground = 24 m. + 13 m.

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust
	<i>metres per second</i>																							
1	2.2	19	4.9	17	2.2	7	4.0	18	4.8	12	3.9	15	3.3	11	1.2	5	3.5	13	2.6	11	3.9	11	6.0	18
2	1.8	12	6.8	20	6.3	18	4.3	25	3.9	11	3.7	13	4.1	15	2.1	11	2.9	11	2.2	9	1.9	5	4.5	15
3	3.2	14	6.0	19	6.4	17	4.0	13	3.6	11	2.6	11	4.1	13	4.2	12	5.3	19	3.2	15	1.3	4	2.6	7
4	4.9	16	3.8	13	8.4	19	3.4	13	2.4	9	1.6	9	4.2	15	3.6	11	5.4	20	2.9	16	1.5	5	2.6	13
5	4.7	12	3.4	10	7.6	18	3.7	15	4.0	15	2.1	8	4.1	13	3.2	10	4.7	19	3.8	19	1.2	6	4.5	16
6	4.5	13	2.3	10	8.3	19	3.3	12	6.2	19	2.6	12	3.5	16	2.2	7	3.5	20	3.1	19	4.4	20	2.5	10
7	3.4	10	2.2	8	2.5	12	2.7	12	4.1	15	6.2	20	3.7	13	2.5	8	2.5	10	4.2	17	3.0	11	4.1	27
8	4.4	18	1.7	8	2.5	14	2.1	11	2.6	7	7.7	21	2.6	10	4.0	19	2.0	12	2.9	13	2.2	7	3.6	24
9	4.5	19	2.5	11	4.0	12	1.6	9	2.2	9	7.1	18	2.0	9	2.4	10	3.4	15	4.5	19	2.6	11	6.3	20
10	1.8	7	3.5	15	2.6	7	4.2	21	3.2	11	4.9	14	1.9	6	4.7	16	3.2	17	2.9	18	3.4	11	5.9	19
11	2.1	9	4.5	16	2.5	10	2.3	12	3.9	11	2.4	9	4.7	14	2.8	10	1.5	9	2.2	13	3.7	16	3.4	17
12	5.8	21	5.9	22	5.2	17	4.3	17	4.9	13	3.2	11	3.1	10	4.5	10	1.3	5	2.3	9	3.6	14	2.2	8
13	3.5	20	8.3	22	6.8	17	4.8	14	3.5	11	2.8	9	1.6	8	1.8	6	2.9	10	1.8	11	1.7	8	6.5	22
14	1.5	7	3.0	12	3.7	12	3.7	11	3.7	8	3.8	11	1.8	8	2.5	9	4.5	16	5.7	22	2.4	13	3.5	11
15	7.9	21	0.8	4	2.3	8	2.6	11	4.0	14	4.3	13	4.1	13	3.7	15	5.6	24	6.7	24	4.4	19	5.5	18
16	8.7	21	1.8	9	2.4	9	2.0	12	4.3	12	2.8	8	2.6	10	3.9	17	6.1	23	4.9	16	6.0	19	8.0	24
17	4.6	14	1.0	4	2.1	10	1.5	8	3.0	13	2.2	11	7.2	19	6.1	22	3.9	15	1.3	14	3.1	12	4.9	16
18	4.0	13	0.7	3	1.8	9	1.3	6	3.1	10	3.7	11	6.1	17	4.3	16	2.3	13	2.8	10	4.9	17	2.0	6
19	9.0	26	1.6	5	2.2	8	1.8	9	3.1	11	2.8	9	1.5	9	3.1	13	3.4	15	0.9	7	2.4	13	3.2	13
20	4.7	16	1.4	10	2.1	9	2.1	7	3.1	10	2.5	7	3.2	14	4.3	16	4.2	15	2.3	14	3.4	12	4.1	18
21	8.4	23	3.4	12	0.4	3	2.5	11	4.6	13	3.2	9	2.1	8	4.8	15	2.7	12	2.1	9	3.9	13	5.9	17
22	7.1	15	2.0	9	1.3	7	1.2	7	3.3	13	2.2	13	1.7	7	2.7	9	2.3	13	3.3	16	4.4	15	5.2	19
23	5.5	16	1.5	5	0.8	5	2.7	10	3.4	14	3.1	11	3.5	15	2.0	7	2.2	9	2.5	13	3.6	11	4.1	18
24	6.9	22	1.6	5	1.7	14	2.5	9	3.6	12	4.5	12	3.5	15	2.0	7	3.3	16	2.5	9	3.1	11	4.7	18
25	10.9	29	1.6	7	5.4	19	2.5	9	5.1	17	2.9	11	4.6	17	2.9	11	4.1	17	1.4	9	2.2	7	2.3	13
26	3.7	(9)	4.1	11	2.4	8	2.8	8	5.3	14	2.6	10	2.0	6	1.3	6	3.0	11	3.4	18	3.2	10	3.7	17
27	4.4	17	5.9	19	2.3	12	2.5	8	4.7	15	2.9	11	2.0	7	1.6	9	3.9	14	2.8	11	3.8	17	1.5	8
28	1.3	7	4.3	15	3.9	11	3.6	9	4.3	14	2.4	9	2.6	9	1.2	9	4.2	17	1.7	11	4.4	15	5.4	27
29	3.1	13	3.9	11	3.5	13	3.2	10	3.0	13	3.0	13	1.4	8	2.5	10	3.1	11	5.6	17	3.9	13	10.5	30
30	1.8	10	2.4	9	1.8	8	1.8	8	1.8	7	2.8	10	1.8	8	3.7	12	2.3	9	5.2	18	3.2	11	5.1	21
31	2.2	9	3.0	11					2.2	8			1.9	9	2.4	11			3.9	13			5.3	20

WIND

Monthly and annual means of mean wind speed between exact hours, G.M.T.

76 ABERDEEN: $h_a = 24$ m. + 13 m.

1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
	<i>metres per second</i>																								
Jan.	4.4	4.5	4.6	4.8	4.9	4.6	4.7	4.8	4.3	4.3	4.5	4.6	4.7	4.6	4.4	4.5	4.4	4.4	4.7	4.6	4.7	4.9	4.9	4.6	4.6
Feb.	3.4	3.4	3.2	3.2	2.8	2.8	2.9	2.6	2.8	3.0	3.2	3.6	3.8	3.8	3.7	3.6	3.5	3.2	3.1	3.2	3.0	3.3	3.4	3.3	3.2
Mar.	3.0	3.0	2.9	2.8	2.9	3.0	3.0	3.3	3.6	3.9	4.0	4.3	4.4	4.4	4.4	4.1	3.7	3.6	3.4	3.3	3.2	3.0	2.9	3.5	
Apr.	2.4	2.3	2.4	2.4	2.1	2.2	2.5	2.6	2.9	3.2	3.7	3.9	4.1	4.1	3.9	3.7	3.7	3.2	2.7	2.2	2.0	2.0	2.3	2.8	
May	2.7	2.9	2.9	3.0	3.1	3.1	3.6	3.9	4.0	4.6	4.8	5.0	5.0	4.9	4.7	4.6	4.4	4.0	3.6	3.1	2.8	2.7	2.6	2.7	
June	2.6	2.5	2.5	2.4	2.3	2.7	3.2	3.7	3.8	4.1	4.2	4.5	4.3	4.4	4.3	4.5	4.3	4.0	3.6	3.4	2.8	2.7	2.7	2.8	
July	2.3	2.2	2.2	2.4	2.5	2.5	2.7	2.9	3.2	3.6	3.9	4.0	4.1	4.1	4.2	4.2	4.0	3.7	3.4	2.9	2.6	2.6	2.3	2.3	
Aug.	2.4	2.5	2.3	2.2	2.4	2.3	2.4	2.5	2.9	3.4	3.8	3.8	4.1	4.1	3.9	3.9	3.8	3.7	3.2	3.0	2.7	2.6	2.4	2.5	
Sept.	2.7	2.8	3.2	3.0	3.0	3.0	3.1	3.4	3.8	4.2	4.7	4.8	4.7	4.7	4.6	4.3	3.8	3.0	2.7	2.4	2.7	2.7	2.5	2.7	
Oct.	3.1	3.2	3.1	3.1	3.1	2.9	2.8	2.8	2.9	3.1	3.5	3.8	3.9	3.8	3.6	3.3	2.9	2.7	2.7	2.9	2.8	3.1	3.0	3.1	
Nov.	2.8	2.8	3.0	3.0	3.0	3.2	3.1	3.1	3.1	3.1	3.4	3.6	3.7	3.4	3.4	3.4	3.2	3.1	3.4	3.3	3.5	3.4	3.2	3.0	
Dec.	4.7	4.4	4.5	4.6	4.6	4.3	4.2	4.0	3.9	4.3	4.5	4.5	4.9	5.0	4.9	4.7	4.6	4.6	4.5	4.4	4.6	4.3	4.5	4.6	
Annual	3.1	3.0	3.1	3.1	3.1	3.2	3.3	3.4	3.7	4.0	4.2		4.3	4.3	4.2	4.1	3.9	3.6	3.4	3.2	3.1	3.1	3.0	3.1	

DISTRIBUTION OF WIND SPEED, EXTREME VELOCITIES AS RECORDED BY PRESSURE-TUBE ANEMOGRAPH

77 ABERDEEN: $h_a = 24$ m. + 13 m.

1942

	DISTRIBUTION OF WIND SPEED								EXTREME VELOCITIES					
	More than 17.1 m./sec.		10.8 to 17.1 m./sec.		5.5 to 10.7 m./sec.	1.6 to 5.4 m./sec.	Less than 1.6 m./sec.	No record	Highest hourly wind			Highest gust		
	Dates of occurrence	Duration	No. of days	Duration	Duration	Duration	Duration	Duration	Veer from N.	Speed	Hour ended	Speed	Date	
		hr.		hr.	hr.	hr.	hr.	hr.	°	m./sec.	day h.	m./sec.	day h. m.	
Jan.	—	0	3	(14)	(230)	395	105	0	150	13	25 11	29	25 10 45	
Feb.	—	0	2	3	98	366	205	0	310	12	13 1	22	12 22 15	
Mar.	—	0	—	0	169	401	174	0	130	10	4 12	19	6 9 55	
Apr.	—	0	1	1	58	458	203	0	320	11	2 1	25	2 0 40	
May	—	0	—	0	119	546	79	0	280	9	6 16	19	6 12 15	
June	—	0	—	0	87	521	112	0	290 310	10	7 13 8 10	21	8 10 20	
July	—	0	—	0	103	463	178	0	350	9				

78 ABERDEEN

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.
	<i>degrees Absolute</i>																							
1	76.3	78.6	74.6	76.8	74.1	75.8	77.9	77.4	81.3	79.8	83.7	82.1	86.6	84.1	87.2	85.3	87.6	86.1	84.1	84.6	80.2	82.5	77.6	80.2
2	76.0	78.5	74.6	76.8	74.1	75.8	78.3	77.4	81.5	79.9	83.8	82.2	86.7	84.1	87.8	85.3	87.7	86.2	84.1	84.5	79.9	82.4	77.1	80.0
3	76.7	78.5	74.5	76.7	74.1	75.8	78.0	77.4	81.9	79.9	84.4	82.2	86.8	84.2	87.6	85.5	87.6	86.1	83.9	84.4	79.3	82.3	76.8	80.0
4	77.4	78.5	74.5	76.6	74.3	75.8	77.6	77.5	81.4	80.1	85.6	82.3	86.8	84.3	87.0	85.6	87.2	86.1	83.9	84.5	78.5	82.2	76.5	79.7
5	75.8	78.4	74.5	76.6	74.3	75.8	78.2	77.6	82.1	80.2	86.0	82.4	86.8	84.4	86.7	85.6	87.0	86.2	84.1	84.4	77.9	81.9	76.6	79.6
6	75.8	78.4	74.5	76.4	74.1	75.8	78.4	77.7	81.9	80.2	86.0	82.7	86.9	84.6	86.6	85.6	86.9	86.1	83.6	84.4	77.8	81.7	76.3	79.6
7	76.1	78.4	74.5	76.4	74.1	75.7	78.6	77.7	82.4	80.3	86.2	82.9	87.1	84.6	86.6	85.6	86.5	86.1	83.6	84.4	78.6	81.4	77.4	79.4
8	76.1	78.4	74.5	76.3	74.0	75.7	79.1	77.8	81.8	80.3	85.4	83.0	87.1	84.7	87.1	85.5	85.4	86.2	83.6	84.2	78.5	81.3	78.2	79.2
9	76.0	78.3	74.5	76.3	74.0	75.8	79.3	77.9	81.8	80.6	84.6	83.0	86.8	84.6	87.2	85.6	87.3	85.9	83.2	84.2	78.6	81.2	78.4	79.2
10	75.7	78.2	74.6	76.3	74.1	75.7	78.4	78.1	82.3	80.7	84.9	83.2	86.9	84.7	87.7	85.6	86.8	85.9	82.9	84.1	79.2	81.2	79.0	79.2
11	75.4	78.2	74.4	76.2	74.0	75.7	78.4	78.1	82.5	80.7	84.3	83.2	86.6	84.7	87.2	85.5	86.3	86.1	82.6	84.1	79.2	80.9	79.3	79.4
12	75.2	78.0	74.5	76.2	74.2	75.7	79.1	78.3	82.5	80.7	84.1	83.1	86.7	84.8	87.4	85.7	86.0	85.9	82.2	84.0	79.1	81.0	78.9	79.5
13	75.2	78.0	74.5	76.2	74.1	75.7	79.3	78.3	82.2	80.8	83.9	83.1	87.1	84.8	87.4	85.7	85.7	85.8	81.8	83.9	78.8	80.8	78.2	79.5
14	75.0	77.9	74.4	76.1	74.2	75.7	79.0	78.4	82.1	80.8	84.2	83.1	87.5	84.8	87.5	85.8	85.7	85.8	82.0	83.7	78.8	80.8	78.5	79.4
15	75.0	77.7	74.4	76.1	74.9	75.7	78.6	78.4	82.6	80.9	83.9	83.0	87.2	84.9	87.3	85.7	85.6	85.8	82.7	83.6	79.1	80.8	78.6	79.4
16	74.9	77.6	74.3	76.1	75.9	75.7	79.2	78.4	82.8	80.9	84.0	83.1	87.1	84.9	87.2	85.8	85.2	85.8	82.4	83.6	79.1	80.7	79.0	79.5
17	75.1	77.5	74.2	75.1	76.7	75.7	80.1	78.6	82.7	81.0	84.1	83.1	87.2	85.1	87.3	85.8	85.1	85.8	82.4	83.5	78.9	80.7	79.2	79.4
18	75.1	77.4	74.2	76.0	77.4	75.8	79.8	78.6	83.2	81.1	85.1	83.1	86.9	85.1	87.4	85.8	85.0	85.6	82.3	83.5	79.0	80.7	79.5	79.6
19	75.4	77.4	74.2	76.0	77.0	76.1	80.1	78.6	83.1	81.2	84.9	83.1	86.7	85.2	87.3	85.8	84.9	85.4	82.5	83.3	78.8	80.6	78.9	79.7
20	75.3	77.4	74.1	76.0	76.5	76.3	80.4	78.7	83.2	81.3	84.8	83.3	86.9	85.2	87.5	85.8	85.1	85.4	82.3	83.3	78.6	80.5	78.6	79.6
21	75.2	77.3	74.1	75.9	76.3	76.3	80.4	79.0	83.1	81.3	85.2	83.4	87.1	85.2	87.4	85.8	85.1	85.3	82.3	83.2	78.5	80.5	78.6	79.6
22	75.1	77.3	74.1	75.8	77.2	76.4	80.6	79.1	83.7	81.4	85.5	83.5	87.3	85.2	87.2	85.8	85.2	85.2	82.3	83.3	78.0	80.4	78.9	79.6
23	75.1	77.3	74.1	75.9	77.5	76.6	80.4	79.2	83.6	81.6	85.9	83.5	87.2	85.2	87.4	85.8	85.0	85.2	82.3	83.2	77.9	80.2	78.6	79.6
24	75.3	77.1	74.1	75.8	77.8	76.8	80.2	79.2	83.4	81.7	86.3	83.5	87.0	85.2	87.2	85.8	84.6	85.2	81.9	83.1	78.5	80.2	78.7	79.6
25	75.4	77.0	74.1	75.9	78.2	76.8	80.5	79.4	83.4	81.7	85.9	83.6	86.8	85.3	87.2	85.8	84.1	85.2	81.6	83.0	78.9	80.2	78.7	79.6
26	75.1	76.9	74.1	75.8	77.8	76.9	80.8	79.4	83.0	81.8	86.1	83.7	86.9	85.3	87.2	85.8	83.6	85.1	81.3	83.0	79.0	80.2	77.9	79.6
27	74.9	77.0	74.1	75.8	77.6	77.1	80.8	79.5	83.2	81.9	85.9	83.9	86.8	85.3	87.6	85.9	83.1	84.9	81.3	82.9	79.1	80.2	78.1	79.6
28	74.8	76.9	74.2	75.8	77.3	77.2	81.1	79.6	83.3	81.8	85.9	83.9	86.7	85.3	87.1	85.8	83.4	84.8	81.1	82.9	79.0	80.2	77.7	79.4
29	74.7	76.9	77.0	77.3	77.0	77.3	81.2	79.7	83.7	81.9	86.2	84.1	86.6	85.4	88.3	85.9	83.9	84.7	81.2	82.7	78.5	80.1	77.6	79.4
30	74.6	76.9	77.3	77.3	77.3	77.3	81.1	79.7	83.9	82.0	86.5	84.1	86.8	85.3	88.7	86.1	84.1	84.7	81.2	82.6	77.9	80.2	77.1	79.3
31	74.7	76.8	77.7	77.3	77.7	77.3	83.8	81.9	83.8	81.9	85.9	85.3	87.6	86.1	87.6	86.1	84.1	84.7	81.2	82.6	78.8	80.9	78.1	79.5
Mean	75.4	77.7	74.3	76.2	75.7	76.2	79.5	78.5	82.7	81.0	85.1	83.1	86.9	84.9	87.4	85.7	85.6	85.6	82.5	83.6	78.8	80.9	78.1	79.5
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year																							
	Year						</																	

ESKDALEMUIR

ESKDALEMUIR OBSERVATORY

Latitude 55°19' N.
 Longitude 3°12' W.
 G.M.T. of Local Mean Noon 12h. 13m.

Heights of instruments	above M.S.L.	above ground
	m.	m.
Barometer	237.3	..
Thermometer bulbs	0.9
Rain-gauge	242.0	..
Beckley rain-gauge rim	..	0.4
Sunshine recorder	1.5
Pressure-tube anemograph	250	15

INTRODUCTION

No changes of site or in the meteorological instruments occurred except that in September 1940 the Beckley self-registering rain-gauge was replaced by a Dines tilting syphon rain recorder. Reference should be made to the 1938 volume for details.

NOTES ON THE METEOROLOGICAL SUMMARIES

The extreme temperatures recorded during the year were 298.3°A. (77.5°F.) on June 5 and 262.1°A. (12.4°F.) on February 26. December 3 with a mean temperature of 266.6°A. (20.5°F.) was the coldest day of the year and June 5 with 290.3°A. (63.1°F.) was the hottest. There were 11 ice days, i.e. days with maximum temperature below 273°A.; 7 of these occurred in January, 2 in February and 2 in March.

The total rainfall for the year 1504.4 mm. (59.23 in.) was slightly below normal. Snow fell on 54 days.

The total duration of bright sunshine, 1261.5 hr., was above the normal.

The highest gust of wind during the year was 34.4 m./sec. (77 m.p.h.) and was recorded on December 10; the highest hourly speed 19.7 m./sec. (44 m.p.h.), also occurred on December 10.

The results of the harmonic analysis of the diurnal inequalities of pressure are set out in the accompanying table. For purposes of comparison the corresponding data are also given, derived from the mean inequalities for the period 1911-20 by Dr. A. Crichton Mitchell*.

* MITCHELL, A. CRICHTON: On the diurnal variation of atmospheric pressure at Eskdalemuir and Castle O'er, Dumfriesshire. *Quart. J.R. met. Soc.*, London, 50, 1924, p. 127.

HARMONIC COEFFICIENTS OF THE DIURNAL INEQUALITY OF ATMOSPHERIC PRESSURE
ESKDALEMUIR, LONGITUDE 3°12'W.

Values of c_n, α_n in the series $\sum c_n \sin(15nt + \alpha_n)$, t being local mean time reckoned in hours from midnight

	c_1		α_1		c_2		α_2		c_3		α_3		c_4		α_4	
	1942	1911-1920	1942	1911-1920	1942	1911-1920	1942	1911-1920	1942	1911-1920	1942	1911-1920	1942	1911-1920	1942	1911-1920
	mb.	mb.	°	°	mb.	mb.	°	°	mb.	mb.	°	°	mb.	mb.	°	°
January	0.44	0.09	351	346	0.21	0.23	164	152	0.10	0.13	353	345	0.06	0.05	218	214
February	0.17	0.12	159	215	0.31	0.27	147	138	0.08	0.08	8	341	0.02	0.04	61	68
March	0.15	0.13	85	185	0.40	0.30	149	145	0.04	0.05	341	335	0.07	0.05	33	25
April	0.35	0.21	14	92	0.27	0.30	149	155	0.05	0.02	186	156	0.07	0.05	6	356
May	0.20	0.23	162	53	0.20	0.27	136	147	0.05	0.07	162	160	0.06	0.03	349	330
June	0.17	0.15	59	54	0.23	0.23	152	146	0.08	0.08	149	161	0.02	0.02	15	326
July	0.04	0.17	142	69	0.17	0.21	138	141	0.09	0.08	153	156	0.01	0.02	49	300
August	0.14	0.11	109	115	0.24	0.24	137	148	0.06	0.06	161	157	0.05	0.05	340	331
September	0.33	0.12	200	88	0.28	0.31	168	152	0.03	0.01	358	111	0.06	0.05	6	345
October	0.21	0.11	207	76	0.23	0.31	162	159	0.07	0.06	348	8	0.03	0.04	53	33
November	0.23	0.13	319	183	0.27	0.24	163	168	0.10	0.10	1	9	0.04	0.01	143	146
December	0.39	0.14	259	97	0.21	0.21	221	147	0.09	0.12	348	4	0.06	0.07	204	213
Arithmetic mean	0.23	0.14			0.25	0.26			0.07	0.07			0.05	0.04		
Year	0.01	0.09	284	91	0.24	0.26	156	150	0.02	0.02	16	42	0.02	0.02	10	342
Winter	0.17	0.04	305	165	0.22	0.24	170	151	0.09	0.11	357	355	0.03	0.02	191	189
Equinox	0.04	0.11	171	104	0.29	0.31	156	153	0.03	0.02	341	4	0.05	0.04	20	9
Summer	0.10	0.15	118	67	0.21	0.24	141	146	0.07	0.07	155	159	0.03	0.03	355	324

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

ATMOSPHERIC ELECTRICITY

The disposition of the instruments and the arrangement of the tables recording the result remain substantially the same as described in the 1938 volume. Wulf quartz-thread electrometer (N.3040) was calibrated in July. No material change had taken place since the previous calibration in June 1941.

TERRESTRIAL MAGNETISM

Reference should be made to the 1938 volume for notes on the instruments and tables.

NOTES ON THE RESULTS

Comparing mean values on all days of 1942 with those for 1941 it is noted that H increased by 10γ, D(west) decreased by 8.4' and V increased by 2γ. The changes in the deduced quantities N, W, I and T are +19γ, -37γ, -0.6', +5γ. If these changes are compared with those for previous years the discontinuities introduced on January 1, 1934 in H and V and the components derived from them must be kept in mind.

The ranges between the extreme values recorded during 1942 were H, 656γ; D, 2°3.5'; V, 641γ. The ranges of 2°3.5' in declination is equivalent to a range of about 594γ in the component of force perpendicular to the magnetic meridian.

Table I summarizes the magnetic character figures assigned locally and the international mean character figures. At the assembly of the association of Terrestrial Magnetism and Electricity at Washington in September 1939, a new measure of magnetic disturbance, the K index, was agreed upon. Measurements of K are now given in this volume replacing the former measure $(HR_H + VR_V)10^{-4}$ in accordance with the I.A.T.M.E. circular letter dated January 20, 1940. The K index is fully described in Terrestrial Magnetism and Atmospheric Electricity*. Briefly a figure is allotted, on a scale 0-9, to each

* BARTELS, J., HECK, N. H. AND JOHNSTON, H. F.; The three-hour-range index measuring geomagnetic activity. *Terr. Magn. Atmos. Elect. Baltimore, Md*, 44, 1939, p. 411.

3-hr. interval. The figure is a measure of the range of magnetic force during that period, measured from a curved line which represents the normal quiet-day variation. The figures are first allotted from the H magnetogram and then increased, if necessary, by inspection of the D and V curves, so that the most disturbed component determines the final figure. The scale of ranges in γ corresponding to the figures 0-9 varies from observatory to observatory. The lower limit of each number for Eskdalemuir is

K	0	1	2	3	4	5	6	7	8	9
Range in γ	0	8	15	30	60	105	180	300	500	750

Table I has been slightly changed in form from previous years owing to the omission of $(HR_H + VR_V)10^{-4}$. K figures and their sums have been given for each day in the main tables but as it is considered that monthly means of K figures are not a good measure of activity they are not included.

TABLE I

	Magnetic character figures			Mean character figures	
	0 days	1 days	2 days	Eskdalemuir	International
January	18	13	0	0.42	0.53
February	14	12	2	0.57	0.62
March	5	20	6	1.03	0.88
April	10	16	4	0.80	0.71
May	18	13	0	0.42	0.39
June	15	15	0	0.50	0.47
July	11	19	1	0.68	0.65
August	11	20	0	0.65	0.65
September	12	15	3	0.70	0.71
October	8	18	5	0.90	0.85
November	10	19	1	0.70	0.69
December	19	11	1	0.42	0.55
Year					
1942	151	191	23	0.65	0.64
1941	172	168	25	0.60	0.73
1940	156	184	26	0.65	0.72
1939	167	172	26	0.61	0.77
1938	183	135	47	0.63	0.76
1937	116	205	44	0.81	0.73
1935	144	198	24	0.67	0.65
1935	130	212	23	0.71	0.67
1934	167	178	20	0.60	0.56
1933	156	175	34	0.67	0.64
1932	126	208	32	0.74	0.71

The values of mean absolute daily range for the months and seasons are brought together in Table II where for convenience of comparison the ranges of declination in angle have been converted to units of force of the component perpendicular to the magnetic meridian.

The frequency distribution of absolute daily ranges recorded in 1942 is shown in Table III which contains also the percentage distribution for 1942 and for the period 1932-1942.

TABLE II - ABSOLUTE DAILY RANGE AND MEAN MONTHLY VALUES

	Mean absolute daily range						Mean daily range expressed as percentage of yearly mean					
	1942			Mean 1932-42			1942			Mean 1932-42		
	H	D	V	H	D	V	H	D	V	H	D	V
January	γ	γ	γ	γ	γ	γ	%	%	%	%	%	%
February	55	65	30	78	79	44	60	74	50	81	91	76
March	73	84	51	76	86	50	80	96	85	79	99	88
April	129	120	88	122	113	82	142	136	147	127	130	144
May	116	107	92	125	103	79	127	122	153	130	108	139
June	81	71	45	111	86	66	89	81	75	116	99	116
July	81	73	44	100	81	50	89	83	73	104	93	88
August	99	78	55	106	82	53	109	89	92	110	94	93
September	95	84	53	102	85	57	104	95	88	106	98	100
October	102	88	65	102	95	64	112	100	108	106	109	112
November	117	118	99	97	94	65	129	134	165	101	108	114
December	82	89	54	67	75	41	90	101	90	70	86	72
Winter	66	74	44	61	69	40	73	84	73	64	79	70
Equinox	69	78	45	70	77	44	76	89	75	73	88	77
Summer	116	108	86	111	101	72	127	123	143	116	116	126
Year	89	77	49	105	84	57	98	87	82	109	97	100
	91	88	60	96	87	57

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

TABLE III - FREQUENCY DISTRIBUTION OF ABSOLUTE DAILY RANGE

Range	Number of cases, 1942			Percentage distribution					
	H	D	V	H 1942	H 1932-42	D 1942	D 1932-42	V 1942	V 1932-42
γ				%	%	%	%	%	%
0 - 9	0	0	4	0.0	0.0	0.0	0.0	1.1	3.0
10 - 19	1	1	48	0.3	1.0	0.3	0.4	13.2	15.8
20 - 29	17	8	66	4.7	4.2	2.2	2.9	18.1	22.1
30 - 39	21	20	63	5.8	6.6	5.5	5.7	17.3	16.8
40 - 49	22	24	37	6.0	8.7	6.6	8.0	10.1	9.5
50 - 59	48	55	28	13.2	11.3	15.1	13.2	7.6	6.9
60 - 69	48	64	24	13.2	13.2	17.1	14.0	6.6	5.1
70 - 79	41	40	15	11.2	10.6	11.0	12.5	4.1	3.4
80 - 89	29	26	18	7.9	9.3	7.1	10.3	4.9	2.7
90 - 99	24	20	13	6.6	6.9	5.5	7.8	3.6	2.3
100 - 109	24	20	5	6.6	5.2	5.5	5.3	1.4	1.8
110 - 119	15	18	7	4.1	4.5	4.9	3.8	1.9	1.4
120 - 129	17	19	8	4.7	2.9	5.2	3.3	2.2	1.4
130 - 139	12	9	0	3.3	2.7	2.5	2.5	0.0	0.9
140 - 149	5	4	2	1.4	1.8	1.1	1.8	0.5	0.8
150 - 159	7	10	2	1.9	1.9	2.7	1.6	0.5	0.4
160 - 169	6	4	4	1.6	1.3	1.1	1.4	1.1	0.5
170 - 179	4	5	2	1.1	1.0	1.4	0.8	0.5	0.2
180 - 189	4	1	1	1.1	0.8	0.3	0.8	0.3	0.5
190 - 199	2	4	3	0.5	0.6	1.1	0.7	0.8	0.4
200 +	18	13	15	4.9	5.2	3.6	3.1	4.1	4.0
Days omitted	0	0	0

The average values of the diurnal inequality ranges for the year and seasons for the period 1932-42 (not the values of the range of the representative mean diurnal inequalities for this period) are given in Table IV, along with the 1942 values expressed as a percentage of the average values. The units employed are γ for force and $1'$ for declination.

TABLE IV - AVERAGE RANGE OF DIURNAL INEQUALITY 1932-42,
WITH 1942 VALUE AS PERCENTAGE

		All days			International quiet days			International disturbed days		
		V	H	D	V	H	D	V	H	D
Year	1932-42	25.4	36.9	8.54	12.8	33.6	8.17	71.7	52.1	11.47
	1942(%)	114	83	89	105	85	90	97	79	102
Winter	1932-42	19.5	18.5	6.70	5.6	15.7	4.23	61.0	28.8	10.95
	1942(%)	99	96	104	84	76	90	93	106	109
Equinox	1932-42	32.1	42.7	10.02	13.9	38.8	9.56	94.5	72.8	14.56
	1942(%)	140	84	88	118	95	98	114	70	84
Summer	1932-42	29.8	58.0	11.66	20.8	49.2	11.37	71.6	82.2	12.69
	1942(%)	98	82	89	102	82	84	73	73	99

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

Irregular changes in declination.— In connexion with the supply of declination data to mine surveyors it has been the practice to classify the hourly periods between the exact hours G.M.T. into four groups according to the range in declination within each period. The range limits which were adapted in consultation with representative mine surveyors, are: less than $5'$, between $5'$ and $15'$, between $15'$ and $30'$, and greater than $30'$. The range is less than $5'$ in about 85 per cent. of the hourly periods. The actual frequencies of occurrence of hourly ranges in the last three of the four divisions mentioned are set out below. A range of $30'$ is equivalent to a change of 144γ in the component of horizontal force perpendicular to the magnetic meridian.

Number of cases per month, 1942

Range interval	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
5-15'	55	66	144	101	40	40	97	89	141	177	94	96	1140
15-30'	3	9	20	10	3	0	6	8	12	29	19	8	127
>30'	0	2	12	3	0	0	0	1	0	8	1	0	27

Hourly distribution, 1942

Range interval	Hour (G.M.T.) ending at																							
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
5-15'	78	65	50	40	41	34	29	28	22	27	30	29	37	25	38	37	51	56	63	67	70	81	73	69
15-30'	7	10	3	2	2	0	1	2	0	0	1	0	0	0	2	10	10	17	11	13	13	6	11	6
>30'	2	1	2	0	0	0	0	1	1	1	0	1	1	1	0	0	1	1	3	3	5	2	0	1

Principal disturbances.— Particulars of the principal magnetic disturbances recorded during the year are given in Table V. Corresponding information for the same disturbances is given in the Lerwick section. The magnetograms for the most highly disturbed days are not reproduced in this volume, but photographic copies may be obtained on application to the Director, Meteorological Office, Air Ministry, Kingsway, London, W.C.2.

TABLE V - PRINCIPAL MAGNETIC DISTURBANCES RECORDED AT ESKDALEMUIR, 1942

No.	From			To			Horizontal force					Declination					Vertical force																	
	d.	h.	m.	d.	h.	m.	Max.	Time	Min.	Time	Range	Max.	Time	Min.	Time	Range	Max.	Time	Min.	Time	Range													
1*	Feb.	23	13	27	Feb.	24	5	661	23	17	2	383	23	22	41	278	67.2	23	16	53	2.8	23	20	51	64.4	1330	23	16	56	964	24	1	40	366
2*	Feb.	27	15	26	Mar.	1	3	576	28	16	18	384	28	12	7	192	58.2	28	14	16	32.3	28	4	25	25.9	1180	28	16	58	1025	28	12	38	155
3*	Mar.	1	7	25	Mar.	2	7	751	1	10	0	95	1	8	15	656	107.2	1	7	46	-16.3	1	9	29	123.5	1179	1	9	27	787	2	1	53	392
4	Mar.	3	1		Mar.	4	7	614	3	17	7	388	3	9	40	226	56.7	3	8	2	19.7	3	17	5	37.0	1206	3	16	32	1017	3	2	49	189
5*	Mar.	5	4	17	Mar.	6	7	594	5	15	23	393	5	20	9	201	64.0	5	19	48	18.0	5	17	46	46.0	1276	5	18	19	976	6	4	39	300
6	Mar.	7	7		Mar.	8	7	565	7	20	35	381	8	2	48	184	53.5	8	2	58	24.3	8	1	55	29.2	1080	7	17	1	918	8	3	11	162
7	Mar.	8	10		Mar.	9	7	599	8	20	8	392	9	1	0	207	49.5	9	0	44	17.9	9	2	38	31.6	1121	8	18	22	891	9	3	29	230
8	Mar.	26	6		Mar.	26	24	583	26	16	17	413	26	16	48	170	58.4	26	14	53	32.7	26	8	50	25.7	1079	26	17	12	1033	26	12	18	46
9	Apr.	2	5		Apr.	4	24	700	4	16	39	322	4	20	23	378	67.3	4	20	18	1.0	4	19	58	66.3	1248	4	16	49	942	4	20	18	306
10*	Apr.	8	1	14	Apr.	9	2	586	8	16	55	473	8	17	15	113	54.0	8	13	58	22.5	8	3	30	31.5	1112	8	17	55	984	8	2	48	128
11	Apr.	13	13		Apr.	14	19	592	14	15	37	285	14	0	51	307	55.8	13	14	10	21.7	14	0	33	34.1	1114	13	16	25	780	14	1	9	334
12	Apr.	16	13		Apr.	19	6	612	18	18	29	329	7	2	14	283	54.8	18	13	40	4.8	17	1	58	50.0	1121	17	16	46	865	17	3	18	256
13	Apr.	23	0		Apr.	24	22	597	23	17	7	425	23	13	12	172	55.1	24	0	36	29.2	23	19	15	25.9	1111	23	17	42	975	24	1	52	136
14	Apr.	27	10		Apr.	28	6	575	27	18	27	407	28	1	50	168	48.7	27	17	40	15.7	28	1	32	33.0	1115	27	19	35	874	28	2	2	241
15	May	4	12		May	5	8	602	4	18	38	447	5	1	31	155	54.1	4	16	21	12.6	5	1	44	41.5	1103	4	20	13	920	5	1	30	183
16	May	27	9		May	28	9	648	27	19	4	465	28	6	51	183	53.2	27	13	32	25.0	27	19	1	28.2	1101	27	17	42	1013	27	23	9	88
17	June	11	0		June	12	5	634	11	16	14	472	11	13	32	162	53.9	11	16	11	28.0	11	8	19	25.9	1115	11	19	49	1007	12	1	20	108
18	June	19	10		June	20	7	649	19	17	5	496	19	14	50	153	52.1	19	15	15	34.0	19	21	27	18.1	1113	19	18	32	1026	19	11	52	87
19	July	8	1		July	9	5	626	8	19	59	437	8	11	23	189	53.7	8	14	16	27.2	8	5	20	26.5	1079	8	19	22	1004	9	2	16	75
20*	July	10	23	35	July	12	7	630	11	15	19	420	11	6	12	210	54.8	11	7	29	22.1	11	1	45	32.7	1213	11	15	31	981	11	8	0	232
21	July	15	14		July	16	5	645	15	17	55	470	15	9	17	175	46.8	15	16	41	24.4	15	21	3	22.4	1101	15	17	31	999	16	0	37	102
22	Aug.	10	12		Aug.	11	1	609	10	15	30	460	10	16	4	149	50.6	10	15	22	21.7	10	19	5	28.9	1123	10	18	55	1022	11	0	1	101
23	Aug.	15	18		Aug.	17	6	616	16	20	27	462	16	4	1	154	49.4	16	13	59	6.4	16	20	21	43.0	1105	16	20	11	982	16	5	11	123
24	Aug.	18	6		Aug.	20	6	598	19	21	54	429	19	8	46	169	52.1	18	14	28	20.7	19	18	32	31.4	1092	19	18	30	990	20	2	30	102
25	Aug.	22	21		Aug.	24	5	627	23	16	18	449	23	9	11	178	52.6	23	14	28	18.9	23	23	1	33.7	1149	23	15	56	958	23	1	53	191
26*	Sept.	11	11	36	Sept.	13	5	655	11	22	58	378	12	9	19	277	52.3	12	7	21	20.3	12	0	29	32.0	1103	12	16	40	932	12	0	43	171
27	Sept.	14	12		Sept.	15	7	625	14	19	17	457	14	21	15	168	46.9	14	14	49	25.7	14	19	44	21.2	1098	14	16	57	985	14	23	56	113
28	Sept.	17	9		Sept.	18	6	593	17	17	58	389	17	10	53	204	49.2	17	13	38	20.7	17	17	40	28.5	1123	17	17	35	997	17	22	31	126
29	Sept.	20	8		Sept.	22	8	617	21	18	30	410	21	9	32	207	49.3	21	12	20	22.4	21	18	29	26.9	1096	21	16	47	1015	22	4	20	81
30*	Oct.	2	2	45	Oct.	3	8	726	2	15	28	404	2	20	53	322	58.3	2	13	51	8.1	2	19	52	50.2	1265	2	15	35	908	3	4	18	357
31	Oct.	11	15		Oct.	14	3	588	12	17	54	398	12	10	46	190	49.1	13	12	50	8.2	13	17	23	40.9	1121	13	17	19	1001	13	2	36	120
32	Oct.	28	11		Oct.	31	5	735	28	15	51	212	28	20	58	523	69.7	28	18	9	-3.6	28	21	9	73.3	1421	28	18	28	849	28	23	43	572
33	Nov.	23	11		Nov.	27	1	608	25	21	32	363	24	1	1	245	52.3	24	4	25	6.5	23	22	59	45.8	1126	25	15	49	859	24	1	13	267
34	Dec.	9	13		Dec.	10	6	607	10	0	11	396	9	23	45	211	48.1	9	19	2	6.4	10	0	3	41.7	1183	9	19	45	961	10	0	20	222

Where the beginning of a disturbance has been marked by a "sudden commencement", the serial number is followed by an asterisk (*), and the time entered in the second column is that of the sudden commencement, estimated to the nearest minute. In other cases, the exact hour nearest the time at which disturbance may be regarded as having begun is entered in the second column. To the tabulated values of maximum and minimum the following have to be added:— H, 16000γ; D, 12°; V, 44000γ.

REMARKS ON THE AUTOGRAPHIC RECORDS, 1942

During 1942 magnetic activity concurrently with sunspot frequency declined further from its maximum in 1937-38 towards the minimum due about 1944-45. In the following notes the sunspot data have been extracted from an article in the *Observatory* for May 1943. The abbreviation C.M.P. is used for Central Meridian Passage. The mean character figure for the month is shown in brackets after the name of the month.

JANUARY (0.42).— The month was fairly quiet, and there was only one day of notable activity.

The first day of the month was quiet. Disturbance then set in and lasted until the 6th inclusive, the largest oscillation of this period being an isolated one of 136γ in H between 18h. and 19h. on the 5th. The only features of note from the 6th to the 18th were a well defined "sudden commencement" at 8d.23h.8m. without, however, any marked sequel, a moderate bay in D at 12d.20-21h. and a slight disturbance with night maximum and early morning minimum in V on the 16th-17th. The night of the 18th-19th brought moderate disturbance in D (range 37.7') and less pronounced effects in H and V. During the rest of the month there were no outstanding features.

FEBRUARY (0.57).— This month also was fairly quiet, only one disturbance of note being recorded.

Except for small rapid oscillations on the 2nd, the period 1st–4th was quiet. There was some activity on the 5th, the chief feature of which was a bay of $31'$ in D at about 18–19h., and moderate disturbance of the type giving night maximum and early morning minimum in V occurred on the 6th–7th. Thereafter conditions were either quiet or only slightly disturbed until the 23rd. On this day a storm started with a "sudden commencement" at 23d.13h.27m. and lasted until about 24d.5h. Minor oscillations in H preceded the main peak which was recorded at 23d.17h.2m. This was succeeded by an oscillatory decrease until 23d.22h.41m., giving an overall range of 278γ . The traces of the other two elements were similarly oscillatory. The respective ranges were $64.4'$ in D between a maximum at 23d.16h.53m. and a minimum at 23d.20h.51m., and 366γ in V between the maximum at 23d.16h.56m. and 24d.1h.40m. Subsequently the only outstanding features of the traces until the 28th were two moderate oscillations in H and D at 25d.20–21h. and 23–24h. and a "sudden commencement" at 27d.15h.26m. followed by a slight disturbance. Greater activity with a "sudden commencement" at 28d.9h.1m. followed and may be regarded as leading up to the major disturbance of March 1–2.

MARCH (1.03).— This was the most disturbed month of the year and included the only storm of the year (that of the 1st–2nd) to be classed as intense. A remarkable example of "giant pulsations" occurred on the 1st.

A "sudden commencement" of large amplitude at 1d.7h.25m. introduced the storm, and rapid oscillations of H and D set in immediately. The H trace reached its minimum at 1d.8h.15m. in the first large swing, the maximum occurring less than 2 hr. afterwards at 1d.10h.0m. The range was 656γ . After some hours of typical swings "giant pulsations" appeared. Their period was about 5 min., their maximum amplitude 136γ at about 16h. and they were continuous from 15h. to 17h. Subsequent, relatively slow, irregular displacements accompanied a slow decrease to a secondary minimum at between 1h. and 2h. on the 2nd. Normal values were reached again at about 2d.7h. The storm variations of D were similar in general character to those of H, but the "giant pulsations" were much less prominent. The overall range was $2^{\circ} 3.5'$ between the maximum at 1d.7h.46m. and the minimum at 1d.9h.29m. The principal feature in the record of V was the large decrease from about 1d.22h. to the time of minimum at 2d.1h.53m., giving an overall range of 392γ . The introductory phase on the previous day gave a higher peak in V than did the main storm. The disturbance was associated with a large sun-spot which crossed the disc from February 22 to March 7, and had its C.M.P. at February 28d.8h.

After the storm of March 1–2 conditions remained mostly disturbed until towards the middle of the month. On the 3rd–4th there were ranges of 226γ in H, $37.0'$ in D and 189γ in V. Relative quiet on March 4 continued until a "sudden commencement" at 5d.4h.17m. introduced a disturbance whose greatest range (300γ) occurred in V. The ranges in H and D were 201γ and $46'$ respectively. The chief feature in V was a blunt peak between 17h. and 20h. From 20h. to 4h.39m. on the following morning when the minimum occurred there was no great activity. The maximum was recorded at 5d.18h.19m. Approximately normal values were restored at about 16d.7h. The 7th and 8th were disturbed from about 7d.7h. to 8d.7h. The ranges were 184γ in H, $29.2'$ in D and 162γ in V. There was disturbance again soon after from about 8d.10h. to about 9d.7h. with ranges of 207γ in H, $31.6'$ in D and 230γ in V. The variation of V was of the familiar type with an evening maximum and early morning minimum.

The 9th and 10th with moderate oscillations were followed by two fairly quiet days, but the 13th and 14th again had some moderate oscillations. Thereafter activity was relatively slight until the night of the 19th–20th which was again moderately disturbed. The night of the 21st–22nd was somewhat similar. There followed a fairly quiet period until the 26th. This day had a serrated trace with marked swings shortly before 17h. which gave a range of 170γ in H. The range in D was $25.7'$ and in V only 46γ . The rest of the month was mainly quiet, a displacement of the "sudden commencement" type at 31d.23h.35m. having no sequel worthy of note.

APRIL (0·80).— This month had seven disturbances with ranges of over 150 γ . On two days the ranges were well over 300 γ .

Slight oscillations in the traces of the 1st and 2nd increased to moderate on the 3rd. There was a range of 188 γ in V between 2d.18h.10m. and 3d.5h.8m. The traces continued somewhat disturbed during the 3rd–4th. A "sudden commencement" at 4d.4h.37m. was followed by rather low values of H at 7h. and 11h. and later by two sharp oscillations giving the peak value at 4d.16h.39m. and the minimum at 4d.20h.23m. The range was 378 γ . The D trace showed a range of 1° 6·3' which occurred in a double oscillation accompanying a similar one in H. The maximum was recorded at 4d.20h.18m. and the minimum at 4d.19h.58m. The main feature in the V trace was a broken peak extending from about 16h. to 20h. The maximum and minimum values were at 4d.16h.49m. and 4d.20h.18m. and the range 306 γ . Conditions were normal again by about midnight.

The next disturbance followed three relatively quiet days. It began with a "sudden commencement" at 8d.1h.14m. and continued until about 9d.2h. There was a moderate undulation in each of the three traces during the first three hours and a few sharper moderate oscillations, especially in H, during the afternoon. The ranges were 113 γ in H, 31·5' in D and 128 γ in V between maxima at 8d.16h.55m., 8d.13h.58m., 8d.17h.55m. and minima at 8d.17h.15m., 8d.3h.30m. and 8d.2h.48m. respectively. The 10th was quiet but the 11th had ranges of 139 γ in H, 35·9' in D and 161 γ in V. There was a decided disturbance from 13d.13h. to 14d.19h. The chief feature in H was a fairly sharp downward oscillation giving the minimum at 14d.0h.51m. The maximum was recorded at 14d.15h.37m. in a moderate peak. The range was 307 γ . The disturbance of D was less pronounced with a range of 34·1'. There was a slow rise of V to a maximum at 13d.16h.25m., and a fall to a trough with the minimum at 14d.1h.9m. The range, namely 334 γ , was again larger than that of H.

After a brief quiet interval until about 16d.13h. moderate disturbance occurred, though not continuously, until about 19d. The principal features on the 16th–17th were decreases in all three elements to marked minima two or three hours after midnight, followed by a fairly sharp recovery. The ranges were 230 γ in H, 46·7' in D and 231 γ in V. On the 17th there was less activity but on the 18th there were ranges of 185 γ in H, 25·9' in D and 112 γ in V with serrated traces. The overall ranges from the 16th to the 19th were 283 γ in H, 50·0' in D and 256 γ in V.

After a quiet or only slightly disturbed interval from the 19th to the 22nd a moderate disturbance occurred from about 23d.0h. to 24d.22h. This gave ranges of 172 γ in H, 25·9' in D and 136 γ in V. The next disturbance started at about 27d.10h., after two quiet days, and continued until about 28d.6h. The prominent feature in all three elements was a considerable decrease lasting for about two hours after midnight. The ranges were 168 γ in H, 33·0' in D and 241 γ in V. The rest of the month was quiet apart from some slight activity on the last day.

MAY (0·42).— The month was fairly quiet; there were only two definite disturbances and these were small.

The slight activity which set in on the last day of April continued in May. It was very slight on the 3rd, but at about 4d.12h. began to develop into a definite disturbance which lasted until about 5d.8h. The H trace rose above normal in the afternoon and fell below normal at night until between 1h. and 2h. on the 5th a marked double swing was recorded. There were two equally high peaks in the trace, one at 4d.18h.38m. and the other at 5d.1h.4m. The minimum was recorded in the swing at 5d.1h.31m. The range covered was 155 γ . In D the main variations were like those in H. The range was 41·5'. In V, apart from a marked trough accompanying the double swings in H and D on the 5th, the changes were relatively small. The overall range was 183 γ .

From the 6th to the 26th disturbance was not more than slight though there were a few noticeable isolated variations. Moderate disturbance then occurred from about 27d.9h. to about 28d.9h. In H some moderate oscillation and serrated trace led up to a peak at 27d.19h.4m. The range was 183 γ between the principal peak and the minimum at 28d.6h.51m. In D there was some amplification of the daily variation and a downward oscillation accompanying the peak in H. The range was 28·2'. The changes in V were not remarkable

and its value ranged over only 88 γ . Conditions during the remainder of the month were quiet or only slightly disturbed.

JUNE (0.50).— This month was fairly quiet, like May, with only two disturbances exceeding 150 γ .

Quiet prevailed until the 3rd on which day there was some oscillation in H. Thereafter, apart from one or two isolated excursions, the traces were steady until the 11th–12th. Disturbance then set in at midnight and lasted until about 12d.5h. There was moderate oscillation in H during the afternoon of the 11th.

The peak value was reached at 11d.16h.14m. and an oscillatory decrease followed until normal conditions recurred. The range was 162 γ . In D and V the disturbance was less pronounced, the respective ranges being 25.9' and 108 γ . Slight to moderate oscillations continued until the 18th with, however, a quiet day on the 15th.

On the 19th there was definite moderate disturbance again, principally in H. This disturbance started at about 19d.10h. and ended at about 20d.7h. In H a decided increase set in after 15h. culminating in an irregular peak between 16h. and 18h. Approximately normal values were resumed about 19h. The range was 153 γ between a peak value at 19d.17h.5m. and a minimum at 19d.14h.50m. The ranges in D and V were only 18.1' and 87 γ . There was nothing of special note during the rest of the month, conditions being mainly quiet until the 22nd and slightly disturbed thereafter.

JULY (0.68).— This month was not so quiet as May and June, three disturbances of over 150 γ being recorded.

The slight activity of the closing days of June decreased in the early days of July, the 3rd and 4th being quiet. It recurred on the 6th–7th, and a moderate disturbance beginning at about 8d.1h. continued until about 9d.5h. The element most affected was H. A serrated trace with lower values than usual in the forenoon followed the diurnal rise but at 20h. there was a marked double oscillation. The only noteworthy feature thereafter was a moderate trough at between 2h. and 3h. The overall range was 189 γ between the peak at 8d.19h.59m. and the minimum at 8d.11h.23m. The other two elements were less affected, the ranges being 25.6' in D and 75 γ in V.

After an interval of decreased activity on the 9th–10th a "sudden commencement" at 10d.23h.35m. introduced further disturbance which lasted until about 12d.7h. Fairly pronounced minima occurred in H at 6h.12m. and towards 9h. Subsequently a serrated rising trace led to a sharp peak at 11d.15h.19m. The value then immediately fell to about normal and apart from a smaller peak at about 20h.40m. no marked features followed. The range was 210 γ . The disturbance in D was of similar type, with a range of 32.7'. The V trace showed a steady rise and fall on each side of a single symmetrical peak at 11d.15h.31m., the range being 232 γ . Some moderate oscillations were recorded on the 12th, but the 13th was only slightly disturbed.

Moderate disturbance recurred on the 14th and there was a range of 175 γ in H on the 15th. Increased serration of the H and D traces began about 15d.6h. and between 14h. and 17h.55m. there was a pronounced rise in H followed by a fall of similar amount to a fairly sharp minimum at 20h.50m. After this minimum the trace returned to about normal. Disturbance in D and V was smaller, the ranges being 22.4' and 102 γ .

Activity was only slight on the 16th–17th and the succeeding two days were almost quiet. Moderate disturbance was however renewed on the 20th. There was considerable serration on this day and moderate bays in all three traces at about 1h. on the 21st. Slight activity continued intermittently until the end of the month, and there were two moderate peaks in H on the night of the 25th.

AUGUST (0.65).— This month also was rather quiet though the number of disturbances exceeding 150 γ increased to four.

The first five days of the month were almost quiet. Somewhat more marked oscillation on the 6th-7th was followed by renewed quiet on the 8th. Activity increased somewhat on the 9th and on the 10th-11th there were ranges of 149γ in H, $28.9'$ in D and 101γ in V. The principal features were a marked oscillation in H between 15h. and 17h. on the 10th, and moderate peaks in H and V together with a bay in D at about 10d.19h. After slight disturbance on the 11th-12th, conditions became quiet on the 13th and remained so until the evening of the 15th. There was some moderate oscillation during the night and this increased on the 16th, giving ranges of 135γ in H, $43.0'$ in D and 91γ in V on the 16th-17th. The chief feature was a rapid decrease of $41'$ in D at 16d.20h. accompanied by less outstanding peaks in H and V. Moderate activity persisted for some days thereafter, and the range in H increased again on the 19th-20th to 169γ , the accompanying ranges being $25.6'$ in D and 102γ in V. Slight disturbance in the following two days increased to moderate towards midnight on the 22nd-23rd and on the 23rd-24th there were ranges of 178γ in H, $33.7'$ in D and 131γ in V. The most prominent features in H were moderate oscillations during the afternoon and evening of the 23rd with considerable serration of the trace. In D there were three notable bays at about 16h., 19h. and 23h. respectively, and V maintained a fairly high value from about 16h. to 19h. There was serration of the 24th and a moderate peak in H at about 19h., followed by slight activity until the evening of the 27th. The remainder of the month was mainly quiet.

SEPTEMBER (0.70).—September continued the series of fairly quiet months though disturbance was increasing. The four disturbed periods were more marked than those of August.

A displacement resembling a "sudden commencement" at 1d.11h.1m. led to nothing more than slight disturbance. This continued until the 5th except for a fairly quiet day on the 3rd. There was some moderate oscillation on the 6th, and thereafter mainly quiet conditions until the 11th. The succeeding disturbance may be said to have begun at about 11d.12h. and to have lasted until 13d.5h. Serrations apart, the trace of H rose more or less according to the usual diurnal variation until two moderate peaks were recorded at about 17h. These were followed between 11d.22h. and 12d.1h. by an outstanding oscillation of about 226γ with short peak and trough. The peak value was the maximum for H but the minimum was not reached until 12d.9h.19m. after a further irregular decrease. A serrated ascending trace succeeded the minimum until about 17h. after which time the trace was fairly steady until interrupted by a fairly rapid rise to an isolated secondary peak shortly before 21h. The overall range of H was 277γ . The trace of D was somewhat less broken than that of H. The main features were moderate bays at about 12d.1h. and 12d.17h. respectively. Its range was $32.0'$. There were oscillations corresponding with the peaks in the H trace but they were relatively small. The chief part of the V disturbance was an irregular trough from about 11d.22h. to 12d.5h. This was mainly responsible for the range of 171γ .

Disturbance of a similar character continued on the 13th-14th with a moderate isolated peak between 22h. and 23h. on the 13th. On the evening of the 14th at 19h.17m. a marked peak was followed by a descent in three moderate oscillations to the minimum at 14d.21h.15m. The range between the peak and this minimum was 168γ . Again, the disturbance was of similar character in D but less marked than in H. The ranges of D and V were $21.2'$ and 113γ respectively.

Activity of this type was not yet over, and on the 17th a range in H of 204γ occurred in a serrated trace between a minimum at 17d.10h.53m. and a peaked maximum at 17d.17h.58m. The principal peak was followed by another, not much lower, at about 22h. In D more or less ordinary daily values until 17d.11h. were interrupted by a rather sharp decrease to the minimum at 17d.17h.40m. The trace remained lower than usual, with minor oscillations, until towards 18d.1h. at which time it returned to about normal. Its range was not large — $28.5'$. The trace of V showed a small peak at 17d.17h.35m. about the time of the principal peak of H and the sharp fall in D, the range being 126γ between this and the minimum at 17d.22h.31m.

Moderate oscillation continued on succeeding days but without exceptional ranges until the 21st-22nd, though mention may be made of a marked bay in D accompanied by moderate oscillation in H and a rounded peak in V between 18h. and 19h. on the 18th. The disturbance on the 21st-22nd was not large. The trace of H showed a minimum (with serrations) at 21d.9h.32m. and the serrated trace subsequently rose, with two moderate downward excursions, until interrupted by a sharp isolated peak at 21d.18h.30m. Its range was 207γ . Again the disturbance in D and V was on a minor scale and the respective ranges were only $26\cdot9'$ and 81γ . This brought to an end the somewhat protracted disturbed period. For the rest of the month conditions were mainly quiet and the only notable feature was a considerable displacement in each trace like a "sudden commencement" but without any special sequel.

OCTOBER (0·90).— There were disturbances at the beginning and end of October decidedly greater than any since April. Apart from these the month was fairly quiet.

After a quiet opening day a "sudden commencement" at 2h.45m. on the 2nd introduced the most marked disturbance since April. In H some moderate oscillation was followed by an isolated peak at 2d.15h.28m. Later on there was a marked double oscillation between 20h. and 21h. This gave the minimum at 2d.20h.53m. The range was 322γ . Moderate oscillation continued intermittently during the following two days. In D the diurnal range was larger than usual and there was a marked double oscillation between 20h. and 21h. The range was $50\cdot2'$. In V a slow increase from 12h. to 15h. was followed by a sharp peak at 2d.15h.35m. After this V remained fairly high until at about 20h. it fell off in a double oscillation less marked than those of H and D. The minimum was recorded at 3d.4h.18m. Disturbance on the succeeding two days was of similar type with moderate amplitudes. A somewhat marked peak in V at 4d.16h.35m. may be noted.

A period of slight activity with almost quiet conditions on the 9th-10th gave way late on the 11th to a disturbed one. Except for a break on the 17th, this lasted until the 20th. In this period one may distinguish the part from 12d.7h. to 14d.3h. which was marked by a range of 190γ in H on the 12th-13th, and a deep bay in D at 17-18h. on the 13th, giving a range of $40\cdot9'$ for the 13th-14th. There was slight activity on the 21st, 25th and 26th, otherwise the period from the 20th to the 27th was quiet.

A storm which was the most intense since that of March 1 set in at 28d.11h. and associated disturbance lasted until the 31st. In H there was a sharp isolated peak at 28d.15h.51m. and an almost equal one shortly after 18h. The trace then fell considerably below normal level from 19h. to nearly midnight. A sharp rift at 28d.20h.50m. gave the lowest value of the period which ended in double oscillation bringing the trace about half way back to normal. Other marked falls in the trace occurred from 6h. to 8h. and 10h. to 13h. on the 29th and there was considerable oscillation again from 19h. to 22h. The range was 523γ . The variation in D began with a larger rise than usual until nearly 28d.15h. Marked oscillations then occurred corresponding with the two peaks in H. The maximum of D was recorded in the second of these at 28d.18h.9m. After this its value rapidly fell below normal and the minimum was recorded in a sharp oscillation at 28d.21h.9m. The return of the trace towards normal again was broken by another sharp decrease at about midnight and a marked increase between 6h. and 9h. As in H there was considerable oscillation again between 19h. and 22h. The range was $73\cdot3'$. The range of V was the largest of the year, namely, 572γ . The trace rose from about 28d.11h.30m. at a gradually increasing rate until 15h.30m. at which time a moderate peak accompanied the principal peak of H. The value remained high until 18h.5m. at which time a sharp increase led to the principal, much more marked peak. This peak value was maintained from 18h.15m. to 18h.35m. The descent from the peak occurred in three steep stages with intervening relatively steady values. These stages corresponded with the falls in the other traces at 18-19h., 20-21h. and 23-24h. The minimum value was reached in an oscillation at 28d.23h.43m. There was disturbance in V on the following two days but on a relatively minor scale.

NOVEMBER (0·70).— This month was fairly quiet until the 23rd, but disturbed thereafter.

Slight activity characterized the first five days of November and at 5d.18h.4m. a "sudden commencement" was recorded, without however any marked sequel. A long period of

only slight activity with a number of quiet days followed until the 23rd. The minor storm which then set in began a disturbed period which lasted until the end of the month. The storm may be said to have begun at 23d.11h. as indicated by a gradual increase of V. None of the traces showed much disturbance however until about 21h. In H about this time a fall set in and continued (with an interruption by a marked upward excursion at 23h.) until the minimum was reached at 24d.1h.1m. A sudden recovery then took place and values were about normal until a moderate upward excursion gave a maximum at 24d.4h.10m. approaching the maximum for the whole period, which occurred at 25d.21h.32m. The range during these few hours was about 190 γ . From this peak there was a long-continued fall until nearly 10h. after which a fairly rapid recovery restored a more or less normal level broken, however, at 20h. by a marked downward excursion which almost reached the minimum of the early morning. Subsequently there was no outstanding feature in the H trace until the isolated oscillation which gave the maximum at 25d.21h.32m., and again nothing outstanding until the occurrence of a comparable peak at 26d.20h. In D the early fall in H during the night of the 23rd and the subsequent recovery had their counterparts. The minimum of D was recorded at 23d.22h.59m. and the maximum at 24d.4h.25m. Subsequently there were a number of moderate oscillations, some of these corresponding with the more marked oscillations of H. The range of D during the disturbance was 45.8'. The changes in V began with a slow increase lasting from about 23d.11h. to 23d.16h. Little change then occurred until a fairly marked decrease setting in at 21h. gave the lowest value for the disturbance at 24d.1h.13m. An increase of similar type restored normal values by about 8h. Subsequently there were relatively minor displacements of the trace and it was in one of these at 25d.15h.49m. that the maximum was recorded. The range in V was 267 γ .

Activity was slight on the 27th and 29th, but moderate on the 28th. The last day of the month was quiet.

DECEMBER (0.42).— Apart from moderate activity in the second week the month was fairly quiet.

The first six days of the month were mainly quiet, though there were some minor oscillations. Slight activity began, however, on the 6th and this increased during the following three days. On the 8th the chief feature was a marked bay in D with its lowest value at about 21h. On the 9th there was moderate disturbance in H culminating in a fairly large oscillation at midnight. This oscillation gave the maximum and minimum values of the disturbance at 10d.0h.11m. and 9d.23h.45m. and had a range of 211 γ . The disturbance in D was of similar character to that of H but less marked, at 9d.19h.2m. and its minimum at 10d.0h.3m., the range being 41.7'. In V the main part of the disturbance gave a moderate irregular increase from 9d.17h. to 19h.45m. followed (after a repetition of the same value at 19h.54m.) by a decrease until 10d.0h.20m., the range being 222 γ . Conditions were more or less normal again in all three elements by about 10d.6h.

From the 10th to the 20th mainly quiet conditions prevailed. Thereafter there was a period of slight to moderate activity which was most marked on the 21st and 23rd. By the 27th quiet was restored and the closing days of the month were exceptionally quiet.

PRESSURE AT STATION LEVEL

Maximum, minimum and daily mean values in millibars for each day 0h. to 24h., G.M.T.
The initial 9 or 10 of the values is omitted, i.e. 1005.61 is printed 05.61

80 ESKDALEMUIR: h_b (height of barometer cistern above M.S.L.) = 237.3 m.

1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	<i>millibars</i>																	
1	00.0	95.3	96.9	86.3	80.7	82.9	90.2	81.5	86.9	73.7	67.7	69.7	99.4	92.4	95.5	93.9	90.5	92.2
2	97.1	91.0	95.5	90.3	80.5	86.9	90.2	87.3	88.9	86.2	73.7	82.9	92.8	91.6	92.3	00.4	93.4	97.5
3	91.1	77.1	84.2	85.9	75.3	78.8	88.1	79.5	83.8	85.2	72.6	78.1	97.4	92.1	93.7	01.4	99.2	00.6
4	86.5	72.5	77.9	98.1	80.7	89.4	82.2	76.1	77.7	73.4	58.5	69.4	97.9	95.8	96.8	01.4	99.7	00.3
5	95.9	86.5	91.9	99.7	96.8	98.8	87.4	82.2	85.8	63.1	53.5	57.8	96.1	91.2	93.9	00.9	95.5	99.0
6	97.7	95.8	96.8	96.8	90.6	92.5	86.7	83.5	85.1	63.7	57.9	61.0	91.2	82.4	85.9	95.5	87.7	90.7
7	97.8	95.0	96.7	99.1	91.0	95.7	83.5	81.9	82.8	61.2	53.4	56.5	92.6	82.7	88.1	90.7	88.4	89.5
8	97.6	87.4	92.8	98.7	94.1	96.6	82.3	74.7	77.1	72.0	61.2	67.3	92.7	89.8	91.5	89.8	87.3	88.5
9	93.2	85.6	88.0	95.6	86.4	92.8	87.4	79.1	83.4	72.4	59.6	65.0	91.8	90.1	91.0	90.6	88.0	89.0
10	97.4	92.8	96.2	88.6	79.3	83.6	88.5	87.2	87.8	91.9	62.9	79.9	91.4	83.8	88.1	91.3	89.6	90.3
11	95.9	91.9	93.6	88.6	80.6	86.1	87.7	86.2	87.0	93.9	90.6	92.7	83.8	78.6	80.6	91.2	83.7	87.5
12	91.9	66.2	80.5	80.6	73.1	76.1	87.3	79.9	83.1	90.6	85.4	87.6	79.7	77.0	78.1	84.0	80.5	82.1
13	67.7	62.5	64.3	96.5	78.6	87.4	79.9	71.1	74.9	93.7	84.7	87.8	85.9	78.7	81.8	83.9	80.3	82.0
14	87.3	67.7	78.0	04.0	96.5	00.7	71.9	69.8	70.8	04.0	93.7	98.6	88.0	85.9	87.0	83.7	82.2	82.8
15	88.8	81.4	86.1	08.4	03.4	05.3	78.0	69.7	73.4	05.3	02.9	04.1	88.0	79.2	84.3	85.8	82.4	83.8
16	87.8	77.8	81.9	13.8	08.4	11.1	78.6	68.5	75.4	03.4	98.1	00.6	82.2	78.1	80.1	85.8	83.3	84.6
17	91.5	86.2	89.4	14.5	10.0	12.6	69.6	68.3	69.0	98.3	89.3	93.7	83.6	80.2	82.7	83.9	80.0	81.3
18	92.1	85.6	88.8	10.4	09.2	09.9	75.4	69.3	71.2	89.3	78.9	82.9	81.8	72.9	76.2	93.2	81.0	87.1
19	91.9	83.6	88.2	10.1	03.3	07.2	85.5	75.4	80.5	78.9	77.0	77.9	89.3	81.8	86.5	95.4	93.2	94.4
20	91.3	84.1	88.0	03.8	95.2	99.0	89.8	85.5	87.4	84.1	78.7	81.0	89.3	84.9	87.2	95.2	93.9	94.5
21	93.1	90.6	91.7	95.2	84.8	89.5	98.8	89.8	93.8	85.6	84.1	84.9	85.2	83.8	84.5	94.7	90.9	92.4
22	93.2	85.9	91.1	84.8	79.4	81.4	04.0	98.8	01.5	87.9	85.4	86.4	84.5	82.3	83.2	91.1	87.5	88.8
23	85.9	68.2	75.1	79.4	77.0	77.9	04.3	01.8	03.3	98.3	87.9	93.4	84.0	67.9	76.5	90.8	88.2	88.9
24	74.5	56.1	66.5	81.6	77.1	78.8	01.8	93.1	97.2	99.0	96.8	98.0	77.3	68.2	74.3	96.0	90.7	93.1
25	63.2	56.2	59.0	87.9	81.6	84.7	93.6	91.8	92.5	97.5	94.4	96.1	74.2	65.1	67.7	99.3	96.0	97.9
26	86.8	63.1	80.3	89.0	86.4	88.0	93.6	88.3	91.4	94.8	91.8	93.3	68.1	59.1	64.8	97.4	94.7	95.9
27	85.9	62.9	71.9	86.4	73.4	79.0	90.2	85.7	87.2	97.0	93.0	94.7	63.0	55.8	59.9	94.9	87.9	91.9
28	67.3	61.5	64.0	81.5	73.4	76.3	92.3	89.1	90.7	00.1	96.7	98.1	70.3	53.6	61.8	92.9	86.8	89.3
29	82.8	61.4	75.2				89.1	83.0	85.5	01.8	98.7	00.2	77.9	70.0	73.7	94.8	91.6	93.5
30	82.7	67.4	74.7				83.0	77.6	80.3	02.4	99.4	01.1	83.2	77.8	80.8	94.7	91.9	93.2
31	88.9	74.7	85.2				77.6	65.8	69.6				93.7	82.8	87.0			
Mean	88.54	77.87	83.56	94.84	87.21	91.04	87.05	81.34	84.03	88.29	80.95	84.69	85.69	79.21	82.44	92.80	88.87	90.76

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER			
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	
	<i>millibars</i>																		
1	92.7	89.6	91.1	89.3	82.6	85.8	78.3	76.2	77.5	93.4	80.7	85.6	82.2	78.8	80.3	81.2	71.7	76.2	
2	90.4	85.1	87.7	82.6	78.9	80.4	80.3	76.5	78.7	97.6	93.4	96.5	84.6	81.9	83.2	89.2	81.2	86.0	
3	85.5	76.0	81.6	89.5	82.0	85.5	77.3	69.8	72.5	97.0	86.4	93.5	88.1	84.1	86.2	90.1	88.5	89.5	
4	78.4	75.6	76.6	93.4	89.4	91.2	82.9	76.5	80.5	86.4	80.7	82.6	88.0	82.5	85.9	89.4	67.5	82.7	
5	77.6	75.1	76.1	93.8	92.7	93.2	80.9	70.7	75.0	91.0	77.4	82.7	82.5	77.0	79.0	76.1	57.2	65.0	
6	76.6	73.9	75.0	94.2	90.7	92.9	92.7	80.9	87.2	96.0	91.0	93.8	77.0	64.1	72.4	82.2	75.1	79.2	
7	79.6	75.5	77.5	90.7	83.9	88.0	93.2	89.4	91.1	91.3	76.9	83.8	78.9	68.2	73.2	77.0	74.1	75.9	
8	83.9	79.6	81.7	83.9	72.7	75.8	92.3	88.6	91.1	79.5	75.3	77.1	94.1	78.9	88.1	85.9	75.7	82.5	
9	85.6	83.6	84.4	82.1	77.0	80.1	00.6	89.1	96.4	82.0	66.7	75.7	95.1	92.2	94.0	82.7	68.8	77.3	
10	85.4	81.0	82.9	81.3	66.5	71.5	00.6	94.3	98.1	78.2	66.7	70.8	98.6	90.1	92.6	75.5	60.0	67.9	
11	87.9	82.8	84.9	74.2	66.2	70.2	96.1	92.5	93.9	91.9	78.2	87.0	98.9	88.4	95.5	72.8	59.9	65.3	
12	89.9	87.9	89.3	79.5	73.8	76.2	99.9	96.0	97.8	90.9	84.6	87.2	01.9	86.4	93.5	79.7	72.8	77.1	
13	89.7	86.2	87.4	84.5	79.5	82.1	99.8	95.8	98.0	92.0	88.3	91.0	06.4	01.9	04.7	74.1	63.8	66.9	
14	89.8	87.1	87.9	85.8	84.2	85.1	95.8	82.2	89.7	88.3	75.4	81.5	06.3	02.0	04.2	72.4	67.7	70.2	
15	91.9	83.4	89.6	85.7	79.2	81.7	88.4	81.9	85.3	84.6	76.4	82.0	02.3	97.5	00.6	68.1	64.4	65.9	
16	83.4	79.7	80.7	90.1	82.2	87.8	89.7	85.5	88.4	90.5	83.7	87.5	07.0	01.7	05.3	66.2	58.9	62.4	
17	87.2	80.7	84.4	87.2	85.2	85.9	88.8	85.0	87.5	89.8	83.3	85.8	07.0	00.6	04.5	64.6	60.4	61.7	
18	92.8	86.5	90.2	85.6	76.7	82.0	88.1	81.8	84.0	88.8	83.1	85.8	00.9	99.2	99.9	74.1	64.6	70.1	
19	92.6	88.9	90.4	77.4	74.6	76.1	84.3	82.2	83.3	88.7	87.3	88.1	00.2	96.6	98.6	76.7	66.8	71.3	
20	91.9	89.6	90.3	80.7	76.2	77.6	83.3	65.1	74.0	87.3	80.9	83.1	98.3	95.5	96.9	80.9	68.2	77.8	
21	91.6	85.3	89.4	81.7	74.1	78.3	68.1	63.6	65.4	86.8	80.8	84.5	05.7	98.3	02.1	82.1	67.7	76.1	
22	85.3	68.8	76.5	82.8	73.8	76.5	68.1	62.5	66.0	80.8	77.3	78.3	06.2	03.3	04.9	96.9	72.0	82.3	
23	83.5	68.5	77.1	89.8	82.8	87.9	62.5	57.5	59.3	79.2	71.9	76.9	07.3	02.9	04.5	98.2	94.5	96.4	
24	83.0	74.0	76.6	89.4	80.6	85.3	73.3	59.9	68.2	71.9	64.0	67.4	10.0	07.3	08.9	96.8	90.6	93.3	
25	80.9	76.5	79.1	81.5	78.1	79.5	82.3	70.5	76.1	68.8	57.5	65.7	10.6	09.7	10.0	96.6	94.8	95.5	
26	82.6	80.4	81.4	89.8	81.5	85.6	84.5	82.3	83.3	59.1	55.7	57.4	10.0	03.2	06.6	96.4	93.7	95.2	
27	89.2	80.8	83.5	92.7	89.8	91.6	83.5	78.0	81.9	70.5	56.7	62.7	03.2	94.7	99.5	98.2	91.1	95.7	
28	91.1	85.9	89.3	91.3	84.9	87.3	78.0	66.8	71.3	78.6	70.5	75.5	95.2	85.7	92.3	91.1	76.6	82.6	
29	92.6	84.3	87.2	88.1	85.7	87.1	76.4	66.4	71.1	78.4	74.6	76.2	88.0	82.2	85.0	92.9	76.9	85.1	
30	96.0	92.6	95.1	87.5	80.7	84.6	81.6	76.4	80.0	79.8	75.0	77.8	88.4	74.7	84.3	96.2	73.0	89.3	
31	95.7	89.3	92.3	80.7	76.9	78.4				79.0	77.5	78.2				80.4	72.3	77.2	
Mean	87.23	81.75	84.43	86.03	80.10	82.94	85.05	78.13	81.76	84.45	76.71	80.69	97.43	90.99	94.55	83.38	73.24	78.69	
										Annual	88.32	81.28	84.88						

PRESSURE AT STATION LEVEL
Monthly and annual means of hourly values in millibars at exact hours, G.M.T.

81 ESKDALEMUIR: $h_b = 237.3$ m. 1942

	Hour G.M.T.												13	14	15	16	17	18	19	20	21	22	23	24	Mean		
	0	1	2	3	4	5	6	7	8	9	10	11														Noon	
	<i>millibars</i>																										
Jan.	83.73	83.68	83.82	83.93	83.97	83.83	83.90	83.97	84.18	84.23	84.22	84.08	83.77	83.37	83.13	82.99	83.01	82.99	83.01	83.08	83.11	83.17	83.28	83.31	83.29	83.56	
Feb.	91.40	91.22	91.06	90.88	90.69	90.58	90.64	90.83	91.04	91.20	91.24	91.23	91.24	91.06	90.84	90.74	90.79	90.93	91.07	91.17	91.25	91.30	91.34	91.31	91.23	91.04	
Mar.	84.62	84.53	84.25	84.01	83.83	83.79	83.89	84.05	84.28	84.23	84.33	84.30	84.17	83.94	83.70	83.50	83.42	83.43	83.73	84.01	84.15	84.21	84.30	84.25	84.20	84.03	
Apr.	84.41	84.39	84.39	84.37	84.35	84.45	84.64	84.87	84.95	84.93	84.90	84.84	84.74	84.69	84.59	84.35	84.22	84.19	84.41	84.64	85.00	85.08	85.23	85.39	85.44	84.69	
May	82.75	82.63	82.49	82.27	82.11	82.09	82.17	82.29	82.42	82.36	82.41	82.43	82.49	82.54	82.52	82.40	82.40	82.32	82.33	82.50	82.63	82.78	82.69	82.67	82.57	82.44	
June	91.07	90.98	90.83	90.69	90.58	90.66	90.83	90.91	90.98	90.85	90.85	90.77	90.73	90.60	90.59	90.46	90.44	90.39	90.50	90.59	90.77	91.04	91.10	91.10	91.04	90.76	
July	84.71	84.55	84.37	84.27	84.23	84.25	84.39	84.47	84.54	84.42	84.48	84.49	84.52	84.45	84.43	84.36	84.39	84.23	84.19	84.33	84.41	84.61	84.59	84.68	84.60	84.43	
Aug.	83.45	83.33	83.18	82.98	82.84	82.76	82.85	82.95	83.08	82.98	82.99	82.98	82.95	82.91	82.84	82.74	82.63	82.55	82.65	82.73	83.00	83.12	83.18	83.15	83.05	82.94	
Sept.	81.68	81.49	81.36	81.18	81.06	81.12	81.27	81.50	81.77	81.85	81.95	81.94	81.90	81.93	81.90	81.74	81.79	81.86	82.08	82.18	82.32	82.17	82.10	81.94	81.83	81.76	
Oct.	80.70	80.67	80.51	80.35	80.33	80.23	80.37	80.61	80.69	80.80	80.96	81.03	80.88	80.77	80.71	80.57	80.57	80.72	80.90	80.91	80.93	80.91	80.85	80.71	80.62	80.59	
Nov.	94.57	94.52	94.45	94.42	94.41	94.48	94.55	94.72	94.94	95.03	95.16	95.12	94.82	94.58	94.30	94.17	94.19	94.26	94.40	94.42	94.39	94.43	94.46	94.46	94.43	94.55	
Dec.	78.13	78.04	78.12	78.32	78.38	78.49	78.61	78.73	78.94	79.07	79.22	79.13	78.96	78.82	78.73	78.71	78.97	78.95	78.99	78.92	78.76	78.64	78.48	78.31	78.14	78.69	
Annual	85.10	84.92	84.82	84.73	84.65	84.65	84.76	84.81	84.91	85.07	85.08	85.14	85.11	85.01	84.89	84.77	84.65	84.65	84.65	84.77	84.87	84.98	85.04	85.05	85.02	84.95	84.88

The initial 9 or 10 of the value is omitted, i.e. 1001.42 is printed 01.42

PRESSURE REDUCED TO MEAN SEA LEVEL
Monthly and annual means of hourly values in millibars at exact hours, G.M.T.

82 ESKDALEMUIR: $h_b = 237.3$ m. 1942

	Hour G.M.T.												13	14	15	16	17	18	19	20	21	22	23	24	Mean	
	0	1	2	3	4	5	6	7	8	9	10	11														Noon
	<i>millibars</i>																									
Jan.	13.26	13.21	13.37	13.50	13.54	13.41	13.52	13.61	13.84	13.87	13.81	13.61	13.26	12.81	12.55	12.42	12.46	12.46	12.50	12.56	12.60	12.67	12.78	12.81	12.81	13.09
Feb.	21.41	21.22	21.08	20.88	20.68	20.59	20.65	20.82	21.01	21.12	21.06	20.98	20.94	20.73	20.48	20.38	20.46	20.59	20.90	21.05	21.17	21.26	21.32	21.30	21.23	20.92
Mar.	14.05	13.99	13.73	13.48	13.29	13.27	13.39	13.54	13.70	13.54	13.49	13.39	13.19	12.91	12.65	12.44	12.39	12.45	12.87	13.23	13.42	13.52	13.64	13.63	13.61	13.29
Apr.	13.55	13.56	13.59	13.60	13.58	13.68	13.84	13.92	13.82	13.69	13.49	13.31	13.15	13.06	12.97	12.74	12.63	12.70	13.05	13.47	13.99	14.12	14.33	14.54	14.62	13.53
May	11.63	11.55	11.44	11.22	11.09	11.05	11.01	10.95	10.97	10.79	10.75	10.70	10.69	10.67	10.66	10.55	10.57	10.54	10.63	10.93	11.24	11.51	11.48	11.53	11.46	11.00
June	19.89	19.86	19.72	19.61	19.49	19.54	19.58	19.51	19.45	19.21	19.12	18.98	18.87	18.69	18.67	18.54	18.53	18.50	18.69	18.89	19.21	19.61	19.78	19.82	19.83	19.23
July	13.17	13.05	12.87	12.77	12.75	12.74	12.77	12.70	12.64	12.45	12.53	12.41	12.40	12.28	12.25	12.19	12.23	12.10	12.10	12.34	12.56	12.86	12.91	13.07	13.05	12.58
Aug.	11.63	11.52	11.40	11.19	11.06	10.99	11.07	11.09	11.15	10.95	10.92	10.86	10.79	10.74	10.65	10.54	10.44	10.39	10.53	10.68	11.04	11.20	11.29	11.28	11.20	10.97
Sept.	10.09	09.91	09.80	09.63	09.54	09.61	09.77	09.97	10.14	10.13	10.16	10.06	09.98	09.96	09.92	09.77	09.88	10.01	10.36	10.57	10.75	10.63	10.57	10.40	10.27	10.10
Oct.	09.30	09.28	09.12	08.98	08.98	08.89	09.03	09.26	09.30	09.31	09.40	09.40	09.21	09.10	09.07	08.96	08.99	09.20	09.43	09.47	09.52	09.51	09.46	09.32	09.25	09.23
Nov.	24.08	24.05	23.97	23.95	23.95	24.05	24.14	24.31	24.55	24.59	24.59	24.41	24.01	23.71	23.42	23.35	23.47	23.60	23.77	23.81	23.81	23.85	23.90	23.92	23.93	23.96
Dec.	06.94	06.87	06.97	07.17	07.24	07.36	07.49	07.61	07.85	07.96	08.08	07.96	07.75	07.57	07.47	07.50	07.81	07.81	07.85	07.78	07.63	07.51	07.31	07.13	06.96	07.53
Annual	14.08	13.91	13.83	13.74	13.67	13.67	13.76	13.85	13.94	13.87	13.85	13.74	13.59	13.42	13.30	13.18	13.23	13.27	13.46	13.63	13.81	13.92	13.97	13.97	13.92	13.69

The initial 9 or 10 of the value is omitted, i.e. 1001.42 is printed 01.42.

The monthly and annual values of pressure reduced to mean sea level are computed from the corresponding monthly and annual means of pressure at station level and of temperature. See General Introduction to the Meteorological Tables, 1938.

TEMPERATURE
Monthly and annual means of readings in degrees Absolute at exact hours, G.M.T.

83 ESKDALEMUIR: Louvered hut: $h_t = 0.9$ m. 1942

	Hour G.M.T.												13	14	15	16	17	18	19	20	21	22	23	24	Mean	
	0	1	2	3	4	5	6	7	8	9	10	11														Noon
	<i>degrees Absolute</i>																									
Jan.	72.96	72.83	72.72	72.57	72.52	72.39	72.11	71.99	71.89	72.00	72.45	72.91	73.27	73.62	73.67	73.56	73.35	73.17	73.05	73.09	73.03	72.94	72.94	73.01	72.87	72.83
Feb.	70.71	70.70	70.59	70.64	70.66	70.52	70.56	70.72	70.96	71.36	72.27	72.91	73.34	73.62	73.84	73.79	73.49	72.79	72.20	71.76	71.45	71.10	70.94	70.89	70.77	71.74
Mar.	73.87	73.58	73.40	73.43	73.48	73.33	73.15	73.21	73.91	74.99	76.27	76.99	77.59	77.99	78.05	78.08	77.81	77.29	76.33	75.61	75.30	74.92	74.67	74.27	74.05	75.32
Apr.	76.45	76.22	76.00	75.70	75.67	75.71	75.99	77.44	79.18	80.68	81.90	83.01	83.55	83.93	83.85	83.68	83.32	82.47	81.17	79.48	78.10	77.61	77.14	76.70	76.41	79.37
May	78.38	78.09	77.79	77.63	77.35	77.46	78.57	80.33	81.54	82.62	83.46	84.17	84.89	85.57	85.47	85.39	85.17	84.60	83.78	82.54	80.94	79.91	79.23	78.52	78.27	81.39
June	81.19	80.63	80.39	80.10	80.14	80.55	81.77	83.09	84.46	85.48	86.31	86.91	87.62	87.96	88.05	88.01	87.98	87.69	86.97	85.95	84.62	83.46	82.42	82.04	81.36	84.33
July	82.69	82.40	82.30	82.06	81.98	82.26	83.33	84.82	86.15	86.75	87.51	87.93	88.26	88.85	88.94	88.81	88.67	88.35	87.88	86.97	85.63	84.67	83.98	83.33	82.78	85.61
Aug.	84.91	84.74	84.51	84.47	84.38	84.27	84.49	85.12	85.88	86.69	87.28	87.69	88.14	88.29	88.45	88.52	88.31	88.00	87.60	86.95	86.17	85.75	85.48	85.29	85.09	86.31
Sept.	82.25	82.20	82.04	81.85	81.60	81.47	81.43	81.81	82.74	83.65	84.44	85.27	85.67	86.18	86.25	85.14	85.52	84.94	83.76	82.81	82.30	82.07	81.99	81.96	82.11	83.35
Oct.	80.37	80.23	80.19	80.01	79.85	79.76	79.82	79.85	80.33	81.25	81.95	82.65	82.94	82.96	82.75	82.43	82.00	81.48	81.10	80.83	80.55	80.44	80.41	80.31	80.09	81.01
Nov.	75.92	75.96	75.84	75.73	75.52	75.35	75.22	75.27	75.15	75.61	76.76	78.03	78.92	79.49	79.43	78.83	77.93	77.41	77.10	76.94	76.76	76.70	76.47	76.32	76.03	76.77
Dec.	77.81	77.61	77.49	77.50	77.39	77.35	77.33	77.34	77.17	77.31	77.61	77.90	78.20	78.60	78.61	78.21	77.74	77.63	77.56	77.53	77.41	77.40	77.67	77.80	77.71	77.67
Annual	78.13	77.96	77.82	77.69	77.59	77.58	77.87	78.47	79.17	79.92	80.73	81.41	81.91	82.30	82.33	82.17	81.82	81.37	80.76	80.09	79.41	78.97	78.67	78.42	78.18	79.6

TEMPERATURE

Maximum, minimum and daily mean values in degrees Absolute for each day 0h. to 24h., G.M.T.
 The initial 2 or 3 of the values is omitted, i.e. 275.0° is printed 75.0°. Add 0.16° to obtain temperature
 in degrees Kelvin where $T(^{\circ}\text{K.}) = t(^{\circ}\text{C.}) + 273.16$

84 ESKDALEMUIR: Louvered hut: h_t (height of thermometer bulb above ground) = 0.9 m.

1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	<i>degrees Absolute</i>																	
1	80.2	73.6	78.1	72.3	71.2	71.7	74.3	72.6	73.4	80.2	75.1	77.1	87.6	73.5	80.6	85.6	72.2	80.9
2	80.5	77.9	79.6	73.6	70.2	72.2	75.5	71.7	73.7	82.1	70.1	77.3	89.5	73.1	81.3	88.5	82.9	84.7
3	82.0	80.2	81.1	77.8	70.0	73.6	77.2	72.2	75.2	80.0	71.7	76.4	88.3	71.3	79.8	91.1	79.4	85.5
4	81.0	72.1	76.0	74.1	69.6	72.3	76.6	71.2	74.2	81.9	74.7	77.8	89.8	69.4	80.8	94.6	78.1	87.4
5	72.5	69.2	71.1	72.9	68.5	70.6	71.4	68.0	69.3	82.5	77.9	79.3	86.4	79.2	83.3	98.3	79.9	90.3
6	74.6	64.0	69.9	75.4	68.7	72.2	70.5	68.1	69.2	80.6	78.3	79.5	90.1	74.4	83.6	97.3	79.7	88.9
7	78.1	72.7	75.4	74.9	65.3	71.7	74.0	66.6	70.2	83.0	77.7	79.0	84.3	70.7	79.5	86.0	79.4	82.4
8	77.4	67.8	73.7	75.1	66.0	72.2	76.4	68.6	74.1	80.7	75.1	77.4	85.1	70.2	77.6	85.1	78.2	81.3
9	75.3	72.8	74.1	76.2	73.7	74.7	77.3	69.2	73.5	83.1	74.3	78.4	85.1	69.9	77.6	87.2	78.5	82.1
10	75.5	70.0	72.7	77.3	68.5	74.0	77.3	67.3	72.2	84.7	77.2	80.4	84.1	75.2	79.0	86.2	76.4	81.6
11	72.3	66.0	70.5	74.7	67.3	71.8	76.3	66.6	71.0	84.2	76.7	80.9	81.4	76.6	78.5	90.0	71.8	82.0
12	73.3	72.0	72.7	78.0	72.9	75.0	73.6	65.8	70.8	89.2	77.8	84.2	82.4	76.1	78.3	80.1	78.0	78.9
13	76.0	66.3	72.5	73.6	68.7	71.6	78.0	70.6	73.8	87.3	76.9	80.8	85.9	75.6	79.8	83.1	78.9	80.4
14	73.5	65.9	70.9	75.7	69.3	72.0	79.9	72.5	75.8	88.2	75.4	81.0	90.9	75.4	82.5	84.1	78.2	80.8
15	72.8	68.5	70.1	74.1	70.5	72.5	80.8	77.4	78.9	91.4	71.9	82.1	89.9	77.1	84.7	85.7	78.9	82.1
16	73.5	69.8	72.3	75.2	67.2	70.8	82.2	77.7	80.2	93.0	71.9	83.0	89.5	82.5	84.9	89.0	75.0	83.0
17	72.4	68.5	70.9	73.4	67.7	71.4	81.4	78.4	79.6	90.4	76.0	83.0	89.2	82.0	84.3	87.3	73.6	82.4
18	73.4	71.1	72.3	74.0	71.3	72.6	84.8	77.2	80.4	88.7	74.4	80.3	87.2	78.7	83.5	86.4	77.3	83.3
19	73.0	68.5	71.2	73.7	65.4	70.2	77.2	73.6	74.9	87.5	76.6	80.8	87.7	77.8	82.6	90.3	76.3	84.6
20	70.0	68.4	69.1	76.5	63.0	70.2	78.4	73.5	75.7	83.6	73.8	79.9	88.1	74.1	82.2	92.6	82.8	87.6
21	69.1	67.0	67.9	73.0	68.2	70.4	82.1	74.2	78.5	87.0	70.5	78.8	89.0	76.3	83.8	88.4	84.3	85.9
22	68.8	66.7	67.5	73.0	68.5	70.4	85.0	71.4	77.3	85.4	70.0	79.2	88.1	75.2	81.5	91.3	83.1	87.6
23	77.3	68.8	73.5	74.1	64.1	70.4	86.8	69.3	77.5	80.2	74.4	77.4	86.7	71.9	81.1	91.3	77.3	85.7
24	78.7	73.0	75.3	74.6	63.7	69.9	87.1	69.3	77.9	79.3	73.8	75.9	85.9	79.3	82.2	89.2	76.8	84.4
25	76.8	73.7	75.6	75.7	64.4	71.1	84.0	73.9	78.5	83.8	72.6	77.7	82.1	77.1	80.3	91.0	80.0	85.5
26	75.7	69.3	70.4	73.4	62.1	67.4	81.7	70.4	75.8	83.8	72.5	77.6	84.5	77.2	80.1	90.7	75.7	84.7
27	76.1	68.7	72.2	75.0	63.3	71.4	78.0	73.8	75.0	86.7	72.7	79.1	86.1	78.1	82.0	89.5	83.1	85.9
28	75.7	73.5	74.2	74.3	72.2	73.3	75.3	70.6	73.5	85.2	73.1	78.3	86.7	80.0	82.3	91.3	84.6	87.3
29	74.1	71.0	73.2	80.9	69.9	75.3	84.5	73.3	78.3	84.5	73.3	78.3	83.6	78.9	81.4	92.2	81.0	87.4
30	75.2	68.9	72.7	81.2	75.8	78.7	88.4	69.9	80.3	88.4	69.9	80.3	87.3	75.8	82.1	91.9	77.0	85.6
31	73.7	69.9	71.2	82.0	78.6	80.7							87.7	73.6	82.1			
Mean	75.1	70.2	72.8	74.7	67.9	71.7	78.9	71.5	75.3	84.9	74.2	79.4	86.8	75.7	81.4	89.2	78.6	84.3

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER			
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	
	<i>degrees Absolute</i>																		
1	94.4	77.7	86.7	95.6	79.9	88.2	90.2	85.0	86.9	85.7	78.3	83.5	79.7	68.9	75.4	78.6	69.6	74.2	
2	96.0	82.4	89.5	94.2	84.5	88.3	88.8	81.6	84.8	84.6	75.5	80.2	79.0	68.9	74.9	74.6	64.4	70.0	
3	90.7	85.4	87.1	86.7	80.6	84.1	89.5	81.8	86.6	83.8	77.0	80.9	78.7	70.9	76.2	73.6	62.6	66.6	
4	89.8	83.7	86.3	87.3	80.5	83.5	87.3	82.0	84.6	84.9	83.0	83.8	78.9	66.6	72.6	77.1	62.7	71.1	
5	91.0	83.0	86.5	87.6	78.0	84.0	89.5	82.0	86.1	85.2	75.6	82.2	79.0	71.3	74.8	79.2	75.0	77.3	
6	89.3	83.6	86.0	88.3	80.9	85.1	87.4	81.3	83.9	85.0	75.5	79.7	83.1	73.7	77.7	83.0	75.9	79.0	
7	88.7	82.7	85.4	89.5	85.1	87.1	86.1	81.4	84.3	85.7	77.7	82.4	80.8	74.3	77.4	83.7	81.3	82.7	
8	88.2	81.5	84.6	89.1	85.0	87.8	87.7	85.6	86.6	83.9	74.9	79.3	82.0	74.3	78.5	82.6	78.9	80.8	
9	89.0	78.0	84.8	89.9	82.8	86.2	88.6	80.0	85.0	84.2	77.3	71.6	82.9	77.3	80.6	83.2	81.4	81.9	
10	89.2	76.2	83.4	87.6	85.5	86.6	88.6	76.2	83.4	84.2	78.9	81.1	82.5	76.8	80.7	83.6	77.6	81.4	
11	89.3	79.0	85.1	87.0	84.6	85.8	90.2	83.2	86.0	84.1	74.9	79.3	81.3	75.8	78.5	83.2	76.0	78.8	
12	91.9	75.6	85.3	87.1	84.3	85.4	86.2	82.3	84.1	83.8	75.8	80.3	80.5	71.3	77.2	78.2	73.1	75.9	
13	90.3	82.2	86.8	89.4	84.5	86.2	88.1	79.3	83.6	83.9	73.7	79.0	81.1	67.5	74.2	83.3	78.0	81.5	
14	88.6	81.0	85.1	91.6	83.5	87.0	87.2	80.4	84.4	86.6	79.4	84.2	84.0	76.6	81.0	81.0	77.6	79.6	
15	87.3	80.8	84.3	89.7	85.1	87.4	86.1	80.1	82.8	83.3	80.6	81.8	83.8	77.2	80.7	81.3	76.5	79.7	
16	89.0	84.4	86.4	89.4	84.0	86.1	87.3	80.1	83.5	84.9	82.0	83.0	79.3	73.0	76.0	81.5	77.6	79.9	
17	88.5	83.4	85.3	86.6	84.3	85.6	86.7	81.0	84.3	86.4	82.1	84.5	80.0	68.8	75.0	81.1	79.5	80.1	
18	90.1	79.1	85.4	89.0	82.4	86.4	87.1	79.9	83.7	87.5	85.7	86.4	82.3	70.3	75.6	79.7	78.0	78.9	
19	92.2	76.7	85.9	89.1	82.1	86.0	88.6	79.4	83.1	86.4	83.7	85.0	80.8	70.7	76.1	78.7	76.0	77.9	
20	90.5	82.5	86.6	88.2	83.0	85.4	86.2	82.0	84.0	84.7	78.3	82.5	82.6	75.2	75.4	81.4	75.0	78.8	
21	91.6	82.8	86.7	87.5	83.4	85.5	86.3	81.2	83.9	84.7	78.5	81.8	77.3	66.8	72.7	83.2	79.7	81.7	
22	88.2	84.4	86.5	88.1	84.6	86.0	85.6	80.5	82.5	87.7	81.7	84.6	76.4	64.7	70.9	83.5	75.2	79.8	
23	89.3	82.2	85.6	86.4	83.0	84.9	84.3	75.7	80.6	84.4	78.2	81.2	81.7	72.8	78.1	81.7	75.0	79.7	
24	91.2	82.1	85.9	88.8	82.0	85.6	85.0	75.7	79.6	81.7	76.8	78.5	81.2	78.0	80.1	81.3	74.8	79.1	
25	89.3	79.7	84.1	90.0	85.5	87.5	82.0	74.6	77.6	79.8	76.2	78.0	79.5	77.1	78.6	78.3	74.2	76.4	
26	89.9	78.4	84.0	93.0	84.9	89.5	84.8	72.7	78.1	80.2	73.3	77.5	79.6	74.1	76.5	80.2	77.9	78.8	
27	91.5	78.0	85.7	94.3	83.3	88.3	85.5	71.0	78.0	79.5	74.5	77.9	81.1	73.3	77.3	80.5	72.0	76.9	
28	88.6	75.5	83.1	93.1	83.5	90.3	88.0	77.4	82.6	82.2	73.7	78.2	77.6	72.7	75.0	80.7	74.6	78.2	
29	90.9	80.9	85.9	86.1	84.0	85.3	88.1	78.2	83.3	80.8	77.9	79.1	79.8	72.2	75.9	75.8	70.7	72.5	
30	90.4	79.3	84.6	85.7	83.0	84.4	87.3	77.8	82.7	80.7	75.0	77.6	77.5	71.2	74.3	77.0	70.0	72.4	
31	92.0	76.4	85.1	90.5	81.6	86.3				79.4	73.8	76.3				77.5	74.3	76.2	
Mean	90.2	80.6	85.6	89.4	83.2	86.3	87.1	79.6	83.3	83.9	77.7	81.0	80.5	72.4	76.8	80.3	74.7	77.7	
										Annual	83.5	75.6	79.7						

MEAN RELATIVE HUMIDITY AND VAPOUR PRESSURE FOR EACH DAY

Mean percentages from readings at exact hours 0h. to 24h., G.M.T.: vapour pressure from daily mean temperature and relative humidity

85 ESKDALEMUIR: Louvered hut: $h_t = 0.9$ m.

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.
1	91.3	8.0	95.3	5.3	81.5	5.1	81.4	6.7	59.7	6.2	94.6	10.1	73.8	11.6	77.8	13.4	86.8	13.8	87.1	11.1	82.4	6.0	76.9	5.1
2	96.7	9.4	92.4	5.3	85.3	5.5	65.1	5.4	53.7	5.9	93.2	12.8	73.0	13.7	85.4	14.9	82.4	11.4	87.3	8.9	89.3	6.3	80.0	3.9
3	94.6	10.2	95.6	6.1	84.1	6.0	93.0	7.3	62.2	6.1	85.5	12.4	89.7	14.4	79.4	10.5	87.2	13.6	94.8	10.1	87.7	6.7	95.0	3.6
4	92.5	7.0	87.8	5.1	88.6	5.9	89.7	7.7	63.4	6.7	79.9	13.1	85.6	13.1	73.3	9.3	87.4	11.9	94.6	12.3	95.2	5.6	97.5	5.2
5	73.0	3.9	75.3	3.9	95.3	4.4	88.8	8.5	78.0	9.8	72.3	14.3	80.0	12.4	78.3	10.3	80.3	12.1	78.4	9.1	89.7	6.2	85.1	7.1
6	85.4	4.1	90.5	5.2	96.1	4.4	95.9	9.3	65.3	8.4	73.5	13.3	83.1	12.4	76.9	10.9	78.7	10.3	83.8	8.2	91.6	7.8	94.4	8.8
7	82.6	6.0	84.6	4.7	89.4	4.4	92.6	8.7	68.4	6.6	73.6	8.7	85.3	12.3	96.9	15.6	91.5	12.3	87.5	10.3	84.8	7.1	95.3	11.5
8	86.0	5.5	90.3	5.2	93.3	6.2	83.3	7.0	65.9	5.6	71.8	7.9	87.7	12.0	93.7	15.8	97.5	15.2	89.5	8.2	89.5	8.1	90.4	9.6
9	71.7	4.7	91.4	6.3	83.0	5.3	90.2	8.1	65.5	5.6	71.4	8.3	75.8	10.5	91.0	13.8	76.1	10.7	93.1	10.4	87.0	9.1	93.3	10.6
10	86.4	5.2	81.7	5.4	80.7	4.6	69.5	7.2	71.0	6.6	73.6	8.2	77.8	9.8	95.8	14.9	87.6	11.0	83.3	9.0	89.6	9.4	91.5	10.0
11	97.5	5.0	75.7	4.2	79.0	4.2	92.7	9.9	71.4	6.5	71.1	8.5	70.5	9.9	91.4	13.5	85.7	12.8	79.8	7.6	86.6	7.8	91.7	8.5
12	90.3	5.4	81.3	6.2	87.3	4.5	69.3	9.2	73.5	6.5	92.8	8.6	74.5	10.7	88.8	12.8	90.6	12.0	89.6	9.2	79.4	6.5	94.3	7.1
13	92.5	5.4	61.7	3.4	79.8	5.2	75.4	8.0	67.2	6.6	91.4	9.4	82.3	13.0	87.1	13.2	83.5	10.7	87.6	8.2	86.6	5.8	85.4	9.5
14	96.0	5.0	68.3	3.9	92.0	6.9	73.0	7.8	70.7	8.4	87.7	9.3	81.3	11.5	89.1	14.2	93.0	12.5	97.5	13.0	81.5	8.7	91.7	8.9
15	75.7	3.7	83.7	4.9	98.7	9.2	52.5	6.1	64.1	8.8	76.0	8.8	83.8	11.2	96.0	15.7	78.6	9.5	82.3	9.3	78.4	8.2	90.0	8.8
16	80.8	4.7	80.2	4.2	96.4	9.8	63.3	7.8	76.5	10.6	70.4	8.6	86.1	13.2	76.5	11.5	80.7	10.2	78.7	9.7	72.1	5.5	88.7	8.8
17	83.8	4.4	83.9	4.6	98.6	9.6	57.0	7.0	80.7	10.8	78.3	9.2	74.1	10.6	93.2	13.6	81.3	10.9	94.1	12.8	80.9	5.7	94.0	9.5
18	96.0	5.6	85.0	5.0	91.0	9.4	73.1	7.5	87.5	11.1	86.0	10.8	72.6	10.5	86.6	13.3	87.4	11.2	91.7	14.1	89.4	6.6	96.7	9.0
19	92.3	4.9	80.2	4.0	96.3	6.7	82.3	8.7	87.3	10.4	76.4	10.4	79.5	11.8	90.6	13.6	82.5	10.2	97.1	13.6	90.7	6.9	90.9	7.9
20	91.8	4.2	71.1	3.5	97.5	7.2	81.1	8.1	77.5	9.0	83.2	13.8	84.5	13.2	89.7	12.9	92.2	12.1	88.0	10.5	81.2	5.9	93.1	8.6
21	85.3	3.6	85.0	4.3	88.2	8.0	72.1	6.7	66.7	8.6	95.1	14.1	83.8	13.1	93.5	13.6	93.6	12.2	87.8	9.9	73.9	4.4	91.6	10.3
22	94.4	3.8	84.0	4.2	80.6	6.7	73.8	7.0	83.7	9.3	83.8	13.9	92.8	14.4	95.5	14.3	83.2	9.9	82.0	11.2	82.5	4.3	86.2	8.5
23	96.0	6.1	64.5	3.3	78.9	6.7	85.5	7.2	80.0	8.6	74.3	10.9	83.0	12.1	85.4	11.9	84.5	8.8	83.0	9.0	86.2	7.6	93.9	9.2
24	88.1	6.4	88.5	4.3	78.5	6.8	68.2	5.1	78.5	9.1	78.0	10.5	87.0	12.9	86.7	12.6	85.7	8.3	87.0	7.9	80.8	8.2	92.5	8.7
25	78.5	5.8	83.5	4.4	72.7	6.6	62.5	5.3	88.3	9.0	73.7	10.7	83.5	11.0	92.6	15.3	85.1	7.2	88.5	7.7	75.9	6.9	94.3	7.3
26	84.0	4.2	89.9	3.6	75.0	5.6	65.4	5.6	84.3	8.5	74.5	10.2	79.0	10.4	88.4	16.6	71.7	6.3	86.5	7.3	79.1	6.2	96.8	8.9
27	88.1	5.1	94.5	5.1	93.6	6.6	61.5	5.8	83.6	9.6	78.5	11.7	70.0	10.3	84.0	14.6	84.0	7.3	93.6	8.1	85.5	7.1	91.3	7.4
28	90.8	6.1	90.5	5.6	82.3	5.2	63.3	5.6	85.5	10.0	83.7	13.6	82.3	10.2	83.9	16.6	81.2	9.7	89.8	7.9	78.9	5.6	90.0	8.0
29	90.6	5.6	88.8	5.7	78.8	5.7	52.9	4.7	88.3	9.7	77.6	12.7	80.7	12.0	94.7	13.5	83.5	10.5	83.3	7.8	84.6	6.8	63.7	4.8
30	90.6	5.4	97.5	8.9	49.0	5.0	76.6	8.9	69.2	10.1	80.5	11.0	89.7	12.1	82.8	10.0	72.3	6.1	79.8	5.4	71.4	4.2		
31	86.8	4.7			95.2	10.0			68.4	7.9			82.9	11.7	95.7	14.6			73.8	5.7			78.4	6.0
Mean*	88.1	5.5	83.4	4.7	87.6	6.5	74.1	7.1	74.0	8.2	79.7	10.8	80.9	11.8	88.0	13.5	84.9	10.8	86.8	9.5	84.0	6.7	89.2	7.9

* Mean of the column

RELATIVE HUMIDITY

Monthly and annual means of values at exact hours, G.M.T.

85 ESKDALEMUIR: $h_t = 0.9$ m.

1942

	Hour G.M.T.																								Mean*	
	0	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23		24
	<i>per cent</i>																									
Jan.	87.8	88.3	88.4	88.9	88.0	88.5	89.1	89.4	89.7	89.3	87.4	87.0	86.1	84.8	85.3	86.2	87.3	88.1	88.3	88.2	89.8	89.8	89.7	89.1	87.9	88.1
Feb.	87.7	87.5	87.4	87.5	87.0	87.3	87.0	87.4	87.9	86.6	83.9	80.4	77.0	75.2	73.9	74.6	76.1	78.1	81.0	82.5	84.6	86.4	87.6	88.2	87.6	83.4
Mar.	91.9	92.2	92.9	93.6	93.2	93.5	92.5	93.6	91.9	88.2	83.9	82.4	80.4	80.0	79.9	79.2	80.3	82.3	84.5	86.8	88.0	89.5	90.7	91.4	91.8	87.6
Apr.	85.7	86.1	87.3	88.9	89.1	88.3	87.4	80.8	76.6	69.9	63.1	59.3	58.4	56.0	57.5	57.7	60.4	62.6	68.3	73.0	77.7	80.3	81.7	83.3	84.6	74.1
May	84.2	85.8	86.8	87.3	87.7	87.6	83.5	77.6	71.9	68.5	65.7	62.1	60.2	57.1	58.5	59.2	60.9	63.1	68.1	71.7	78.3	81.7	82.3	85.3	85.1	74.0
June	89.2	90.1	91.1	91.9	92.1	90.5	86.9	83.9	79.2	74.7	72.2	70.7	68.1	67.5	68.7	68.7	68.4	70.0	71.9	76.5	81.3	84.8	87.3	87.5	89.3	79.7
July	90.7	91.7	92.1	92.5	92.5	92.1	88.2	84.7	79.6	76.8	75.7	72.3	71.8	68.7	69.4	69.3	69.9	71.1	72.8	75.9	82.2	85.2	86.7	88.8	91.0	80.9
Aug.	93.5	93.2	94.3	93.9	93.7	93.2	92.8	91.6	89.5	85.5	82.9	81.7	79.7	79.3	79.2	79.8	81.4	83.0	86.2	89.1	91.4	91.7	92.9	92.2	93.5	88.0
Sept.	90.8	91.3	91.5	91.1	91.5	91.8	91.1	90.3	88.0	84.9	79.3	77.4	75.0	72.9	72.6	73.6	75.4	78.8	83.8	87.0	89.0	89.2	89.8	91.0	90.4	84.9
Oct.	90.8	90.5	89.2	89.2	89.3	90.1	90.0	89.9	89.4	86.7	86.5	82.9	79.4	77.9	78.7	79.8	82.0	84.8	86.8	88.5	90.1	90.3	89.7	89.8	90.9	86.8
Nov.	86.3	87.9	86.6	87.1	88.9	88.5	89.1	88.0	89.0	88.2	84.7	80.3	76.0	73.4	73.8	76.7	80.0	81.4	83.1	84.1	84.1	85.9	86.7	86.6	86.0	84.0
Dec.	90.0	90.4	90.5	89.6	89.7	89.9	90.1	89.5	90.1	88.7	89.9	89.4	88.1	86.3	85.1	86.5	87.4	87.8	89.4	89.6	90.4	90.8	90.7	90.5	90.0	89.2
Annual																										

RAINFALL

Amount in millimetres, duration in hours and maximum rate of fall for each day 0h. to 24h., G.M.T.

88 ESKDALEMUIR: h_r (height of receiving surface above M.S.L.) = height of station above M.S.L. + height of receiving surface above ground = 242.0 m. + 0.4 m.

1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate
	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.
1	4.8	3.6	9	27.0	24.0	0.5	0.4	7.9	8.0	2
2	1.4	2.7	1	12.8	10.8
3	35.0	17.8	27	13.7	12.2	...	0.9	3.0	...	12.2	12.9	14	0.7	2.9	...
4	25.9	16.7	20	1.1	1.0	...	12.3	10.1	...	6.5	8.4	3
5	0.3	5.2	19.8	...	7.9	7.9	9	0.1	0.7	...
6	1.5	3.0	...	14.5	12.1	...	20.0	7.8	36
7	0.2	0.2	...	0.8	2.1	...	19.5	11.7	26	0.4	0.1	17
8	0.3	0.9	...	10.1	8.5	...	5.1	7.1	12	0.5	0.5	...
9	0.6	0.6	...	1.0	3.3	7.0	8.3	17
10	0.7	0.5	...	4.7	3.1	10	1.1	1.1
11	2.2	7.5	...	0.6	0.5	2	0.6	3.6
12	7.3	11.6	...	3.4	3.4	7	0.3	1.0	3.6	6.1	5
13	7.0	9.9	2.7	8.7	2
14	2.1	9.6	...
15	14.7	17.5	14	4.3	5.3	2	0.8	2.4	...
16	9.9	12.7	9	9.0	5.2	18
17	10.5	12.8	16	9.6	9.6	26
18	1.2	5.0	...	0.1	1.9	2.1	12.6	11.3	14	0.1	0.2	...
19	10.4	9.0	8.7	2.1	81
20	5.9	7.3	1.6	3.8	2	0.1	1.0	1.8	...
21	6.0	10.3	...	0.2	0.4	8.7	6.6	12
22	12.6	13.7	...	0.2	3.2	3.7	12
23	25.2	17.7	...	0.1	0.7	3.4	...	7.7	8.3	10
24	11.4	6.0	8	0.3	0.3	2.8	4.1	15
25	7.1	9.5	5	0.4	0.3	27.3	13.4	27
26	0.2	0.3	1.0	2.6	10.5	7.2	45
27	19.1	7.4	...	9.1	6.0	...	2.1	6.4	11.7	7.7	37	0.1	0.1	...
28	5.5	7.9	...	8.1	6.7	10.8	7.5	33	0.4	2.0	...
29	6.2	5.4	18.4	9.4	38
30	3.1	4.8	12.1	15.7	15	0.6	0.4	9
31	0.7	0.6	20.8	12.5	41	0.1	0.1	1
Total	199.5	175.9	-	84.7	75.8	-	119.1	143.0	-	81.2	72.6	-	137.4	95.3	-	29.1	49.7	-

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER		
	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate
	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.
1	2.4	2.3	15	1.3	1.9	5	2.3	2.2	9
2	0.5	0.6	3	1.7	2.9	3
3	7.8	7.1	15	0.1	0.2	...	17.1	7.7	33	7.2	10.8	8	2.7	2.6	4
4	8.2	3.0	21	11.9	4.9	18	8.9	14.0	5	9.6	5.1	7
5	0.5	0.4	2	58.2	10.1	38	5.3	4.1	10	13.4	7.6	22
6	5.1	1.4	53	0.8	1.0	16	15.1	5.8	12	9.1	6.1	99
7	2.4	1.5	22	2.0	4.5	5	14.4	10.8	15	0.2	0.5	...	0.8	0.2	18	11.4	12.9	19
8	3.5	3.3	15	21.6	12.2	17	5.1	11.9	7	5.5	4.3	17	0.6	0.8	...	12.7	7.3	23
9	3.7	3.3	26	2.3	1.2	30	0.7	0.9	7	28.1	18.0	50	0.2	0.3	...	19.5	15.3	20
10	0.3	0.6	...	21.5	15.5	33	9.5	4.4	24	2.1	3.9	3	39.9	13.1	13
11	7.9	7.7	15	0.4	0.3	7	2.7	2.6	2
12	0.1	0.3	...	2.8	4.3	10	0.1	0.3	...	7.6	7.7	32	6.3	4.5	8	0.1	0.2	...
13	4.5	4.0	21	0.8	1.3	8	0.2	0.6	4.7	4.0	11
14	4.6	2.7	56	1.4	2.4	4	4.5	2.7	17	17.0	13.0	59	0.7	0.8	...
15	2.9	6.6	2	14.1	11.2	13	4.3	3.1	25	10.9	8.8	28	4.8	3.1	18
16	3.6	4.7	14	0.1	0.1	...	5.7	6.4	12	4.1	3.6	16	10.7	4.8	7
17	2.2	2.3	20	0.5	4.4	...	0.2	6.7	12.8	7	12.6	9.2	19
18	0.6	1.7	...	4.4	3.3	11	0.9	1.1	1.1	1.0	5
19	2.4	3.6	8	0.1	0.1	...	0.5	1.9	...	0.4	8.3	6.0	13
20	5.2	5.4	36	26.9	11.7	50	1.3	3.1	...	0.2	0.2	...	14.1	7.9	10
21	1.5	2.8	3	9.6	8.4	25	6.0	4.1	11	2.0	3.1	5	10.9	6.1	13
22	11.7	15.6	11	7.8	4.6	21	1.1	1.3	7	4.0	8.1	2.0	3.1	4
23	2.1	4.1	3	4.0	2.5	28	0.2	0.1	3.7	6.2	1
24	18.0	10.9	15	0.9	0.5	8	1.1	1.1	9	12.2	5.8	30	3.6	3.4	15
25	5.9	1.9	55	21.3	7.8	73	4.3	4.5	5	12.4	6.8	6	0.8	1.3	1
26	4.6	0.9	38	1.5	1.1	19	5.6	5.9	3	6.7	8.5	2
27	18.7	16.5	13	4.0	5.1	5
28	5.7	5.1	7	0.3	0.4	...	0.1	0.1	...	0.1	0.1	...	7.2	5.7	22
29	3.1	1.6	20	4.1	4.1	5	0.6	0.7	...	0.3	0.5
30	11.3	4.1	33	4.5	2.4	7	12.8	6.3	5
31	1.3	1.1	12	0.3	0.3	...
Total	102.0	84.1	-	137.1	103.3	-	178.2	95.8	-	171.0	157.7	-	35.4	24.5	-	229.7	155.2	-

RAINFALL

Monthly and annual totals of amounts in sixty-minute periods between exact hours, G.M.T.

89 ESKDALEMUIR: $h_p = 242.0$ m. + 0.4 m.

1942

	Hour G.M.T.																						0-24		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
	<i>millimetres</i>																								
Jan.	5.1	3.9	3.4	4.3	6.9	7.7	12.0	10.4	11.9	10.5	8.1	8.8	14.9	13.4	11.1	11.0	8.7	7.1	6.9	4.0	5.3	9.5	7.9	6.7	199.5
Feb.	3.9	4.0	3.8	6.1	4.0	2.9	2.9	0.9	0.8	1.6	2.5	3.1	4.0	1.0	3.5	5.1	4.0	6.0	5.5	4.9	3.7	4.8	3.5	2.2	84.7
Mar.	4.0	2.4	7.6	7.6	8.6	7.1	5.3	3.4	4.3	4.0	2.6	4.1	7.6	6.5	7.0	5.4	4.4	3.2	2.9	1.0	2.6	7.9	6.9	2.7	119.1
Apr.	1.0	2.2	1.9	3.7	2.5	6.5	6.1	10.3	6.5	3.1	1.5	4.4	0.4	2.4	2.1	4.3	4.5	4.6	5.2	2.4	1.2	1.7	1.8	0.9	81.2
May	8.8	9.3	10.4	6.6	7.5	8.8	4.0	3.2	7.0	6.8	6.6	2.6	3.5	4.0	7.8	0.9	4.4	5.5	3.5	3.1	4.6	5.3	6.4	6.8	137.4
June	0.9	1.1	0.4	1.0	2.1	4.5	2.7	2.0	1.6	1.7	1.1	1.1	1.0	0.6	1.1	0.2	0.2	0.5	1.1	0.5	0.7	1.1	0.9	1.0	29.1
July	4.4	4.3	3.0	3.0	3.8	3.1	7.4	5.1	5.9	6.0	4.3	4.4	1.7	3.8	8.2	3.1	2.7	4.3	4.0	3.2	3.2	3.8	4.1	5.2	102.0
Aug.	2.9	3.4	3.4	6.2	11.8	7.0	11.5	8.3	4.8	2.2	4.6	3.0	5.0	7.4	7.7	5.3	3.9	3.0	16.5	8.7	5.6	2.4	0.9	1.6	137.1
Sept.	8.7	8.4	14.1	12.6	9.2	8.2	4.1	7.9	12.6	8.2	4.4	3.7	3.1	3.7	6.6	11.6	6.0	2.7	8.1	4.9	6.9	5.6	7.6	9.3	178.2
Oct.	7.1	7.2	6.2	7.4	5.9	5.5	4.3	8.1	3.9	3.3	4.3	5.9	8.6	3.9	5.5	9.8	8.2	7.2	10.0	8.3	10.6	8.3	9.5	12.0	171.0
Nov.	2.6	0.8	2.6	3.0	1.1	0.0	0.4	0.5	0.1	0.3	0.1	0.0	0.4	0.3	0.3	0.6	0.8	2.6	2.3	4.2	6.0	1.8	1.1	3.5	35.4
Dec.	12.1	9.9	3.2	2.6	3.9	2.1	1.3	0.9	2.2	4.9	15.3	10.5	14.4	8.9	7.2	8.4	8.2	14.3	20.7	18.1	17.2	17.2	15.7	10.5	229.7
Annual	61.5	56.9	60.0	64.1	67.3	63.4	62.0	61.0	61.6	52.6	55.4	51.6	64.6	55.9	68.1	65.7	56.0	51.0	86.7	63.3	67.6	69.4	66.3	62.4	1504.4

RAINFALL

Monthly and annual totals of durations in sixty-minute periods between exact hours, G.M.T.

90 ESKDALEMUIR: $h_p = 242.0$ m. + 0.4 m.

1942

	Hour G.M.T.																						0-24		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
	<i>hours</i>																								
Jan.	5.9	6.2	6.9	7.0	8.6	8.9	8.3	9.8	7.8	5.4	6.2	7.0	6.0	6.8	6.7	8.3	10.5	9.0	8.1	5.7	6.3	7.7	6.9	5.9	175.9
Feb.	2.9	2.9	2.4	2.0	2.5	2.2	2.5	2.0	2.3	3.3	4.1	3.2	4.0	1.7	4.8	4.7	4.1	4.6	5.9	4.2	2.3	2.1	2.9	2.2	75.8
Mar.	6.1	5.4	6.7	6.8	6.8	7.2	7.1	6.5	8.0	6.4	5.7	4.9	4.9	5.5	5.6	6.4	7.1	4.0	4.5	3.8	5.2	6.1	6.5	5.8	143.0
Apr.	1.2	1.9	0.8	2.6	3.7	4.2	4.3	6.3	4.7	3.1	1.6	2.7	1.1	1.7	3.1	3.1	4.2	5.1	5.1	4.1	2.8	1.4	1.7	2.1	72.6
May	5.4	4.7	5.4	6.0	5.6	5.6	3.4	2.3	4.4	4.1	4.0	2.4	1.9	2.5	2.4	0.8	4.2	3.8	3.3	4.0	4.3	5.1	4.4	5.3	95.3
June	2.5	3.4	1.5	1.5	2.3	3.5	4.5	3.4	1.7	1.8	1.0	1.0	1.0	1.2	2.0	0.6	0.7	1.3	2.3	1.6	2.5	3.4	2.7	2.3	49.7
July	3.2	3.5	3.8	3.0	1.6	2.9	4.1	4.9	5.6	3.6	1.8	3.4	2.2	2.4	4.0	2.8	3.3	4.2	3.8	3.1	4.4	4.5	4.4	3.6	84.1
Aug.	3.0	3.2	7.0	7.4	5.8	5.8	7.4	7.3	5.8	3.2	4.0	3.8	3.4	3.8	4.1	5.7	4.6	2.6	2.9	3.2	2.8	1.9	2.4	2.2	103.3
Sept.	4.4	3.8	3.2	4.2	3.6	3.6	2.5	4.1	4.5	2.6	3.3	4.5	3.4	3.6	3.7	5.2	3.0	2.3	4.7	3.4	4.3	5.7	5.7	6.5	95.8
Oct.	6.5	6.4	5.9	7.1	5.5	7.7	5.3	7.7	7.4	6.7	6.7	7.2	5.6	5.2	4.1	5.9	6.5	6.3	7.8	7.3	8.9	6.2	6.0	6.8	157.7
Nov.	1.9	1.2	1.3	2.6	1.6	0.0	0.8	0.2	0.2	0.5	0.1	0.0	0.7	0.2	0.7	1.1	0.3	1.0	1.1	1.7	2.7	1.0	1.2	2.4	24.5
Dec.	7.9	5.0	4.3	3.5	5.1	3.7	2.5	1.3	3.7	4.7	9.2	7.9	7.3	5.3	4.2	4.5	7.4	9.0	10.1	10.7	10.9	10.1	9.2	7.7	155.2
Annual	50.9	47.6	49.2	53.7	52.7	55.3	53.7	55.8	56.1	45.4	47.7	48.0	41.5	39.9	45.4	49.1	55.9	53.2	59.6	52.8	57.4	55.2	54.0	52.8	1232.9

NOTES ON RAINFALL

91 ESKDALEMUIR

1942

Dry Periods

The following definitions are adopted by the British Rainfall Organization

An "absolute drought" is a period of at least 15 consecutive days to none of which is credited 0.2 mm. of rain or more

A "partial drought" is a period of at least 29 consecutive days, the mean daily rainfall of which does not exceed 0.2 mm.

A "dry spell" is a period of at least 15 consecutive days to none of which is credited 1.0 mm. of rain or more

"Absolute drought": April 24-May 14

"Partial drought": April 10-May 14

"Dry spell": April 11-May 14; November 13-29

Wet Periods

The following definitions are adopted by the British Rainfall Organization

A "rain spell" is a period of at least 15 consecutive days to each of which is credited 0.2 mm. of rain or more

A "wet spell" is a period of at least 15 consecutive days to each of which is credited 1.0 mm. of rain or more

"Rain spell": January 18-February 12; October 12-27; December 13-28

"Wet spell": No occasions

Rainfall Duration

Hours	0.1-1.0	1.1-2.0	2.1-6.0	6.1-12.0	>12.0
Number of days	49	18	77	59	26

There were 136 days on which no duration of rainfall was registered

The day with the greatest duration was February 1, when the duration was 24 hr., the precipitation being in the form of snow, the rainfall equivalent being 27.0 mm.

Notable Falls of the Year

The greatest amount in a 60-min. period was 14.4 mm. between 18h. and 19h. on August 25, of which 10 mm. fell in approximately 24 min.

Falls of 5 mm. in 1 hr. or less occurred on 16 days.

Details of the greatest continuous falls are as follows

	January 3	January 31-February 2	February 2-3	October 9-10
Amount (mm.)	31.5	27.8	25.5	27.5
Duration of rainfall (hr.)	14.9	25.3	21.6	16.8

Rate of Rainfall (Jardi recorder)

The highest instantaneous rate of rainfall recorded was at least 99 mm./hr. at 20h. 5m. on December 6. The maximum rate exceeded 50 mm./hr. on May 19, July 6, 14 and 25, August 25 and October 14.

DURATION OF BRIGHT SUNSHINE AND PERCENTAGE OF POSSIBLE FOR EACH DAY

92 ESKDALEMUIR: h_s (height of recorder above ground) = 1.5 m.

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		
	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	Dura- tion	Per cent. of pos- sible	
1	hr.	%	hr.	%	hr.	%	hr.	%	hr.	%	hr.	%	hr.	%	hr.	%	hr.	%	hr.	%	hr.	%	hr.	%	
2	2.8	22	13.6	90	9.4	54	7.2	45	3.9	28	0.1	1	2.1	23	1.3	17	
3	0.2	2	10.4	80	13.2	87	0.1	1	10.9	63	0.5	3	6.4	47	0.4	3	6.6	89	
4	0.4	5	5.7	53	12.8	84	10.3	61	0.4	2	2.3	15	1.7	12	0.5	5	3.6	49	
5	6.2	86	3.1	35	1.7	16	1.9	14	11.9	77	10.7	63	3.0	17	1.7	11	5.6	41	3.9	43	
6	2.5	19	11.3	66	5.4	31	2.3	15	4.7	35	8.5	76	1.7	19	1.4	19	
7	2.3	32	11.5	74	11.7	68	6.2	36	1.6	10	6.5	48	2.4	21	
8	4.8	66	4.8	53	4.2	38	0.4	3	3.4	22	9.1	53	6.9	40	0.3	3	4.9	55	
9	3.8	52	1.5	13	6.4	47	12.6	81	8.6	50	2.5	15	4.0	36	1.6	18	
10	6.0	82	0.8	9	9.3	83	1.4	10	13.9	88	1.6	9	5.5	32	3.1	20	9.9	75	0.1	1	
11	5.1	69	0.2	2	8.6	76	8.2	60	9.5	60	3.5	20	5.5	32	5.7	43	1.9	17	
12	0.1	1	8.6	75	0.5	4	10.1	59	6.1	36	5.5	42	4.8	44	1.5	17	
13	6.2	45	0.3	2	9.5	56	5.7	67	2.8	39	
14	1.3	17	6.9	73	4.4	38	1.3	9	11.9	75	2.5	15	0.7	5	2.6	20	4.6	43	5.5	65	
15	3.9	41	0.4	3	9.9	71	9.2	57	0.1	1	2.2	13	5.2	34	4.4	52	0.2	3	
16	4.1	54	0.2	2	13.0	93	3.4	21	0.2	1	2.3	14	6.9	54	1.4	13	2.7	32	0.3	4	
17	8.4	87	11.7	83	8.2	51	5.6	32	1.1	7	8.0	54	2.2	17	3.1	30	3.3	40	
18	0.5	6	0.1	1	12.8	90	4.0	25	2.0	12	2.8	17	2.1	17	4.4	54	
19	0.9	9	2.5	21	9.1	64	1.2	7	2.6	15	5.4	32	0.5	3	4.3	34	5.5	68	
20	6.6	67	7.9	55	4.2	26	7.1	41	10.0	60	2.7	18	4.5	36	0.7	9	
21	4.7	47	4.9	30	1.7	10	2.5	15	2.1	14	5.3	66	
22	1.7	17	0.3	2	11.2	77	8.9	54	3.7	22	1.4	10	0.1	1	1.8	18	5.0	63	
23	2.2	22	8.6	70	1.9	13	2.9	18	6.3	36	0.5	3	2.3	19	2.9	29	2.8	35	1.3	19	
24	4.5	44	9.0	73	1.2	8	1.3	8	13.4	77	2.8	17	3.2	26	1.8	18	0.5	6	
25	1.0	12	2.4	24	9.6	77	1.2	8	7.4	45	2.7	16	4.4	27	0.6	4	5.7	47	0.6	6	
26	6.8	66	9.3	75	12.2	83	2.6	16	10.7	62	5.8	35	2.9	24	1.3	13	3.3	47	
27	0.1	1	2.1	20	5.2	42	12.5	84	3.1	19	7.7	44	8.2	50	2.8	20	9.5	80	3.2	42	
28	0.1	1	12.1	81	5.8	35	3.1	18	10.0	62	6.6	47	8.0	68	3.8	50	4.9	70	
29	0.5	6	11.8	79	3.9	23	9.4	54	1.9	12	8.4	60	5.5	47	5.7	60	2.4	31	0.1	1	
30	1.2	14	1.0	8	12.5	83	1.7	10	7.0	40	8.0	50	6.2	53	3.2	34	3.9	56	
31	13.6	90	8.4	50	14.4	83	2.6	16	2.6	22	6.3	57	1.5	20	
31	1.6	19	10.7	63	5.0	31	0.2	1	7.2	77	3.6	51	
Mean	1.24	-	2.16	-	2.92	-	6.55	-	6.66	-	5.70	-	4.92	-	1.88	-	3.95	-	2.01	-	2.43	-	1.07	-	
											Annual mean		3.46	-											

DURATION OF BRIGHT SUNSHINE

Monthly and annual totals between exact hours, local apparent time

93 ESKDALEMUIR: h_s = 1.5 m.

1942

	Hour L. A. T.		5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	Total	Per cent. of possible
	3-4	4-5																		
Jan.	-	-	-	-	...	1.6	6.9	5.9	6.4	7.0	5.2	5.4	0.1	...	-	-	-	-	38.5	16
Feb.	-	-	-	...	0.6	3.5	6.3	8.6	8.7	7.7	9.6	8.7	5.7	1.2	...	-	-	-	60.6	23
Mar.	-	-	...	0.3	4.8	8.5	9.7	12.2	11.7	11.4	9.6	7.6	7.1	6.6	0.9	...	-	-	90.4	25
Apr.	-	...	2.3	10.8	15.3	16.3	16.3	16.7	17.4	18.3	18.4	16.3	17.0	14.4	12.9	4.2	...	-	196.6	47
May	...	0.1	8.3	12.0	13.4	14.8	17.6	18.3	17.9	18.1	16.6	15.6	15.0	15.1	16.3	7.0	0.3	...	206.4	39
June	...	0.8	6.0	8.3	9.7	12.7	13.2	15.2	14.6	13.2	14.8	12.8	13.4	13.1	10.8	9.4	3.0	...	171.0	33
July	...	0.5	4.1	10.8	11.6	10.7	12.1	10.2	11.6	12.0	10.8	11.6	11.7	13.5	13.2	7.2	0.9	...	152.5	29
Aug.	-	...	0.2	2.1	3.3	5.7	6.0	5.7	6.5	5.3	5.4	6.0	5.7	3.1	2.7	0.7	...	-	58.4	13
Sept.	-	-	...	1.2	4.4	8.2	10.4	13.8	13.5	14.1	14.2	14.3	12.0	9.9	2.5	-	-	-	118.5	31
Oct.	-	-	-	...	1.3	7.6	9.8	9.4	9.6	9.5	6.2	4.7	3.4	0.8	...	-	-	-	62.3	19
Nov.	-	-	-	-	0.1	1.8	7.2	13.4	12.6	14.5	11.2	9.6	2.6	...	-	-	-	-	73.0	29
Dec.	-	-	-	-	-	0.7	3.9	4.9	6.0	6.8	6.6	4.3	0.1	-	-	-	-	-	33.3	15
Annual	...	1.4	20.9	45.5	64.5	92.1	119.4	134.3	136.5	137.9	128.6	116.9	93.8	77.7	59.3	28.5	4.2	...	1261.5	28

WIND

Mean speed and highest instantaneous speed recorded each day (0h. to 24h., G.M.T.) by the pressure-tube anemograph

94 ESKDALEMUIR: h_a (height of anemograph above M.S.L.) = height of ground above M.S.L. + height of anemograph above ground = 235 m. + 15 m.

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust
	<i>metres per second</i>																							
1	4.7	14	2.3	8	5.0	13	7.7	18	2.5	12	5.7	18	1.7	8	0.9	8	6.2	14	4.9	12	1.4	7	3.1	16
2	4.6	17	2.4	6	3.4	16	7.7	23	2.7	13	8.5	17	3.0	11	2.9	11	4.0	13	2.1	9	0.2	3	1.1	7
3	8.6	19	2.9	14	3.6	15	2.9	12	2.3	10	5.8	15	6.9	19	5.5	18	7.3	18	2.9	16	0.5	4	0.1	2
4	8.8	25	5.0	14	8.1	20	4.0	15	2.7	15	2.7	12	5.8	20	1.6	7	9.9	27	7.3	19	0.4	7	1.5	13
5	5.6	13	3.7	13	10.4	17	8.8	19	6.3	15	1.5	8	5.3	17	2.0	10	9.7	23	8.0	27	0.5	4	5.9	20
6	1.4	13	1.3	9	7.5	15	10.8	23	9.2	24	3.8	13	7.6	16	2.8	9	5.7	18	2.6	10	5.2	25	5.0	23
7	2.7	15	1.9	13	1.5	12	5.2	19	4.8	18	6.7	21	7.3	17	4.2	10	7.3	18	6.0	19	5.5	15	12.7	25
8	3.0	14	1.3	8	7.0	19	8.6	21	3.0	11	6.4	20	6.1	18	6.2	25	7.7	18	6.0	20	3.4	12	8.6	24
9	6.8	25	1.8	10	1.1	6	4.0	18	3.8	15	2.5	14	3.6	13	4.7	14	4.6	16	10.4	26	5.0	13	13.3	31
10	1.3	12	5.1	17	0.7	5	5.4	19	7.1	19	1.8	10	2.3	8	8.8	17	5.6	19	7.6	22	5.9	16	9.5	34
11	0.1	4	6.0	17	1.3	9	2.8	11	7.7	22	2.3	13	2.4	9	8.6	23	3.5	11	3.4	14	3.1	12	5.2	25
12	4.9	14	7.5	22	3.2	12	4.3	16	7.6	20	3.9	11	3.1	11	6.4	18	3.7	11	3.6	15	3.5	19	2.0	10
13	1.6	10	5.9	17	2.2	9	4.1	13	5.8	17	4.6	12	4.1	13	4.0	15	1.2	6	2.4	10	1.0	7	11.7	29
14	0.4	5	1.2	11	1.2	5	3.3	11	2.0	9	4.4	15	3.7	15	2.2	11	5.5	20	10.2	25	4.7	20	4.6	19
15	4.9	18	0.0	1	3.1	11	1.2	7	3.8	15	2.0	8	5.1	14	5.9	18	9.0	27	11.9	29	5.6	23	4.8	15
16	6.4	19	0.3	5	3.0	11	0.7	8	6.2	17	1.9	11	4.9	14	6.4	19	5.7	20	9.4	24	1.8	10	7.2	23
17	0.9	6	2.5	11	3.3	13	3.1	13	4.3	15	4.2	15	6.6	19	11.1	22	4.4	21	5.7	17	2.7	20	3.8	13
18	0.5	6	3.5	11	0.7	7	4.9	13	4.9	17	2.9	13	5.4	19	6.0	17	4.9	18	4.6	16	0.5	13	1.6	5
19	5.0	16	1.2	7	2.5	11	1.9	9	3.7	15	2.4	12	2.4	13	5.4	15	2.1	12	3.9	11	1.6	19	3.9	16
20	1.1	7	0.9	9	0.3	4	1.3	10	1.0	11	2.4	10	3.1	17	8.1	19	3.5	13	3.1	10	3.1	14	7.4	22
21	3.4	9	5.4	14	0.4	5	2.0	11	2.1	9	2.7	9	5.7	17	7.2	17	4.2	15	4.6	17	2.5	11	11.9	23
22	4.5	10	3.9	7	0.4	5	1.5	9	1.5	10	4.6	18	8.4	24	4.9	14	6.2	19	9.4	24	1.6	13	9.4	24
23	2.4	12	1.2	7	0.9	9	5.5	15	4.1	16	2.4	11	4.2	17	3.7	13	5.6	19	6.3	23	2.0	14	9.1	22
24	2.4	15	0.2	4	2.6	11	6.3	15	6.6	19	1.7	11	6.7	21	2.2	8	2.6	13	6.7	19	1.2	7	7.0	23
25	9.9	27	0.4	6	3.6	16	7.5	22	8.5	22	2.7	11	6.9	23	2.2	9	4.0	17	4.4	16	0.6	4	0.9	10
26	3.4	21	0.4	5	3.1	9	7.3	22	6.3	16	3.1	15	2.5	13	0.9	7	1.8	9	3.5	16	0.8	6	5.7	14
27	6.7	29	4.7	19	3.3	12	6.5	21	9.5	23	4.0	16	2.3	12	0.7	7	2.2	12	3.4	14	1.4	8	1.0	14
28	6.5	17	3.6	15	3.5	12	8.7	23	9.0	25	5.1	18	1.9	9	1.0	6	3.1	11	1.6	8	2.8	20	9.2	22
29	3.4	15			0.9	7	8.3	23	3.9	15	3.5	13	4.1	14	5.8	16	2.2	17	6.3	19	3.6	20	10.2	23
30	2.8	10			3.5	15	3.5	13	2.8	12	1.1	9	1.7	7	5.2	17	2.1	10	6.6	21	3.7	15	6.1	19
31	1.5	13			6.5	20			3.4	14			2.3	9	3.3	15			3.7	14			7.7	24

WIND

Monthly and annual means of mean wind speed between exact hours, G.M.T.

95 ESKDALEMUIR: $h_a = 235$ m. + 15 m.

1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
	<i>metres per second</i>																								
Jan.	3.8	3.5	3.5	3.4	3.4	3.5	3.1	3.2	3.2	3.7	4.3	4.4	4.2	4.5	4.7	4.5	4.4	4.3	4.3	4.1	3.8	3.8	4.0	3.7	3.9
Feb.	2.2	2.0	2.3	2.4	2.8	2.4	2.6	2.4	2.2	2.7	2.8	3.0	3.2	3.3	3.3	3.5	3.1	3.0	3.4	3.0	2.6	2.4	2.3	2.5	2.7
Mar.	2.5	2.5	2.4	2.2	2.2	2.3	2.4	2.5	2.8	2.9	3.5	3.8	4.1	4.2	4.3	4.3	4.1	3.8	3.5	3.4	3.4	3.2	2.9	2.5	3.1
Apr.	3.9	3.8	3.9	3.7	3.8	3.8	4.2	4.9	5.8	5.5	6.7	7.1	7.0	7.0	6.8	6.9	6.3	5.5	4.4	3.7	3.5	3.5	3.4	3.6	5.0
May	3.2	3.1	3.0	3.1	2.6	2.8	3.8	4.8	5.9	6.6	6.9	6.9	6.8	6.9	6.6	6.7	6.6	6.2	5.2	4.2	3.3	3.3	3.7	3.3	4.8
June	2.2	2.3	1.8	1.8	1.9	2.3	3.0	3.7	4.4	4.7	5.1	5.2	5.2	5.3	5.0	5.0	4.9	4.6	3.9	3.7	3.0	2.4	2.1	2.1	3.6
July	3.4	3.6	3.2	3.0	3.2	3.4	3.8	4.4	4.8	5.4	5.6	5.7	5.6	5.6	5.7	5.6	5.5	5.5	4.9	4.3	3.7	3.5	3.2	3.6	4.4
Aug.	3.5	3.6	3.8	3.8	3.7	3.6	3.9	4.6	4.8	5.2	5.6	5.6	5.6	5.8	6.1	5.8	5.6	5.2	4.4	4.1	3.8	3.6	3.7	3.5	4.5
Sept.	4.1	4.0	4.3	4.2	4.3	4.3	4.4	4.7	4.9	5.4	5.9	6.2	6.0	6.5	6.6	6.2	5.8	5.1	4.1	3.9	3.9	3.7	4.0	4.0	4.9
Oct.	4.8	4.5	4.8	4.7	5.2	5.3	5.1	5.7	5.9	6.3	6.6	7.2	7.2	7.4	7.0	6.4	5.6	5.2	5.0	4.7	4.8	4.8	4.9	4.6	5.6
Nov.	2.3	2.4	2.5	2.5	2.2	2.0	2.1	2.0	2.0	2.1	2.4	2.6	3.2	3.5	2.9	3.0	2.7	2.4	2.7	2.6	2.8	2.8	2.4	2.5	
Dec.	6.9	6.5	6.1	6.0	5.9	5.6	5.3	5.5	5.6	6.1	6.4	6.6	6.3	6.5	6.5	6.3	5.7	6.1	6.0	6.3	6.0	6.3	6.9	6.8	6.3
Annual	3.6	3.5	3.5	3.4	3.5	3.4	3.7	4.1	4.4	4.8	5.2	5.4	5.4	5.6	5.5	5.4	5.0	4.8	4.3	4.0	3.7	3.6	3.7	3.5	4.3

DISTRIBUTION OF WIND SPEED, EXTREME VELOCITIES AS RECORDED BY PRESSURE-TUBE ANEMOGRAPH

96 ESKDALEMUIR: $h_a = 235$ m. + 15 m.

1942

	DISTRIBUTION OF WIND SPEED								EXTREME VELOCITIES				
	More than 17.1 m./sec.		10.8 to 17.1 m./sec.		5.5 to 10.7 m./sec.	1.6 to 5.4 m./sec.	Less than 1.6 m./sec.	No record	Highest hourly wind			Highest gust	
	Dates of occurrence	Duration	No. of days	Duration	Duration	Duration	Duration	Duration	Veer from N.	Speed	Hour ended	Speed	Date
		hr.		hr.	hr.	hr.	hr.	hr.	°	m./sec.	day h.	m./sec.	day h. m.
Jan.	-	0	6	33	199	246	266	0	290	14	25 23	29	27 23 35
Feb.	-	0	2	4	124	235	309	0	280	13	12 13	22	12 13 5
Mar.	-	0	2	11	152	270	311	0	80	13	5 14	20	4 17 45
Apr.	-	0	11	63	226	282	149	0	210	14	6 10	23	6 9 25
May	-	0	6	36	279	269	160	0	220	16	6 15	25	28 11 15
June	-	0	2	2	164	362	192	0	230	11	2		

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	30 cm. 122 cm.	
	<i>degrees Absolute</i>																							
1	76.6	80.1	75.5	78.4	74.8	77.6	78.2	77.9	81.4	79.6	83.0	81.1	86.3	82.7	86.3	84.1	86.7	84.8	84.0	84.1	80.9	83.0	78.2	81.1
2	76.6	80.0	75.3	78.4	74.8	77.7	78.3	78.1	80.9	79.7	83.0	81.1	87.0	82.9	87.0	84.1	86.8	84.8	84.0	84.1	80.3	82.8	78.0	80.9
3	77.2	80.1	75.3	78.4	74.9	77.6	78.0	78.0	81.1	79.6	83.1	81.1	87.0	82.8	86.9	84.1	86.8	84.8	83.9	84.1	80.1	82.8	77.3	80.8
4	78.1	80.0	75.5	78.3	74.7	77.4	78.0	78.1	81.2	79.5	84.0	81.2	86.9	83.1	86.6	84.1	86.7	84.8	83.7	84.0	80.0	82.6	77.0	80.7
5	78.1	80.0	75.5	78.3	74.1	77.2	78.2	78.2	81.6	79.6	84.6	81.2	86.8	83.1	86.5	84.1	86.7	84.8	84.0	84.1	79.8	82.4	76.9	80.6
6	77.5	80.0	75.3	78.6	74.3	77.3	78.5	78.1	81.6	79.7	85.4	81.3	86.6	83.2	86.3	84.1	86.4	84.8	83.9	84.0	79.7	82.3	76.7	80.4
7	77.0	79.9	75.3	78.1	74.8	77.3	78.7	78.1	81.7	79.7	85.7	81.2	86.4	83.2	86.3	84.1	86.0	84.8	83.5	84.0	79.8	82.2	77.2	80.5
8	76.8	79.9	75.3	78.1	74.6	77.1	78.8	78.1	81.5	79.9	85.2	81.5	86.3	83.3	86.3	84.1	86.0	84.7	83.5	84.0	79.9	82.1	78.0	80.5
9	76.7	79.8	75.3	78.1	74.8	77.4	78.7	78.1	81.2	79.9	84.8	81.7	86.3	83.4	86.6	84.1	86.0	84.8	83.5	84.0	80.0	82.1	78.4	80.5
10	76.5	79.8	75.3	78.1	74.7	77.2	78.8	78.1	81.2	80.1	84.2	81.9	86.1	83.4	86.4	84.1	85.8	84.7	83.0	84.0	80.0	82.2	79.0	80.3
11	76.1	79.4	75.2	78.1	74.7	77.1	79.0	78.2	81.1	80.1	84.0	81.8	86.0	83.4	86.4	84.1	85.8	84.7	82.9	84.0	80.5	82.1	79.5	80.3
12	76.2	79.4	75.2	78.1	74.7	77.1	79.3	78.4	80.9	80.1	84.0	82.1	86.1	83.7	85.1	84.1	86.0	84.7	82.7	83.9	80.6	82.1	79.4	80.3
13	76.1	79.4	75.2	78.1	74.7	77.1	79.8	78.4	80.8	80.1	83.7	82.0	86.1	83.3	86.0	84.2	85.9	84.5	82.4	83.8	80.2	82.3	79.0	80.2
14	76.0	79.2	75.1	78.1	74.9	77.1	80.0	78.6	80.9	80.1	83.5	82.1	86.1	83.3	86.0	84.2	86.3	84.8	82.7	83.6	79.8	82.1	79.2	80.2
15	76.0	79.1	75.1	78.1	74.9	77.1	80.1	78.7	81.5	80.2	83.2	82.0	86.0	83.4	86.2	84.2	85.7	84.8	82.7	83.7	80.0	82.0	79.2	80.2
16	76.0	79.1	75.1	78.0	75.0	77.1	80.9	78.8	82.0	80.2	83.5	82.0	86.0	83.4	86.4	84.3	85.3	84.8	83.0	83.6	80.0	81.8	79.2	80.3
17	76.0	79.1	75.0	78.0	75.3	77.1	81.0	78.8	82.7	80.1	83.7	82.0	86.0	83.5	86.5	84.3	85.2	84.8	82.8	83.6	79.3	81.7	79.2	80.2
18	76.0	79.1	75.0	78.0	75.0	77.1	81.0	78.8	82.8	80.1	83.9	82.1	86.0	83.5	86.4	84.4	85.2	84.8	83.1	83.5	79.0	81.6	79.3	80.2
19	75.9	79.1	75.0	78.0	77.0	77.1	81.1	79.1	82.7	80.2	84.0	82.1	86.0	83.6	86.4	84.5	85.2	84.7	83.6	83.2	79.0	81.5	79.4	80.2
20	75.8	79.1	75.0	78.0	77.0	77.1	81.2	79.1	82.5	80.3	84.5	82.1	86.5	83.7	86.4	84.6	85.0	84.7	83.8	83.1	79.0	81.5	79.3	80.3
21	75.8	79.1	75.0	77.9	77.0	77.2	81.0	79.1	83.0	80.4	85.0	82.1	86.5	83.7	86.3	84.5	85.0	84.4	83.5	83.3	79.0	81.4	79.5	80.1
22	75.6	79.0	74.9	77.6	77.2	77.2	81.0	79.1	83.0	80.4	84.7	82.2	86.3	83.8	86.2	84.5	85.0	84.4	83.4	83.1	78.7	81.6	79.8	80.2
23	75.8	79.0	75.0	77.9	77.5	77.2	81.0	79.1	82.8	80.6	85.4	82.2	86.2	83.8	86.2	84.6	84.8	84.3	83.2	83.2	78.3	81.3	79.6	80.3
24	76.0	79.0	74.9	77.7	77.6	77.4	80.5	79.2	82.6	80.6	85.8	82.2	86.0	83.8	86.1	84.4	84.4	84.4	83.0	83.1	78.3	81.4	79.6	80.3
25	75.8	78.6	74.9	77.7	77.9	77.4	80.0	79.3	82.9	80.8	85.7	82.3	86.0	83.8	86.1	84.3	84.0	84.3	82.3	83.5	78.3	81.3	79.5	80.3
26	75.9	78.6	74.7	77.6	78.0	77.6	80.0	79.4	82.7	80.8	86.0	82.4	86.0	84.0	86.3	84.4	83.6	84.4	82.3	83.4	78.7	81.4	79.5	80.3
27	75.4	78.5	74.7	77.4	77.8	77.5	79.9	79.6	82.5	80.7	86.0	82.4	86.0	83.9	86.7	84.5	83.5	84.6	81.9	83.3	78.6	81.4	79.5	80.4
28	75.5	78.8	74.8	77.7	77.8	77.8	80.0	79.6	82.6	80.6	85.9	82.8	86.0	83.9	87.0	84.5	83.4	84.5	81.6	83.4	78.8	81.5	79.0	80.2
29	75.5	78.4			77.4	77.8	80.0	79.7	82.7	81.0	86.0	82.6	86.0	83.9	87.4	84.5	83.2	84.4	81.6	83.4	78.7	81.2	79.0	80.2
30	75.3	78.3			77.4	77.9	80.0	79.7	82.7	81.0	86.2	82.7	86.0	83.9	87.0	84.6	83.7	84.3	81.7	83.3	78.4	81.1	78.0	80.2
31	75.3	78.4			77.8	77.9			83.1	81.1			86.0	84.0	86.6	84.8			81.3	83.1			77.7	80.2
Mean	76.2	79.3	75.1	78.0	75.9	77.3	79.7	78.7	82.0	80.2	84.6	81.9	86.2	83.5	86.4	84.3	85.3	84.6	83.0	83.6	79.5	81.9	78.7	80.4
													Year		81.1 81.1									

MINIMUM TEMPERATURE "ON THE GRASS" DURING THE INTERVAL 18h. TO 7h., G.M.T.

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	<i>degrees Absolute</i>																							
1	71.2	68.1	72.0	74.5	69.3	68.8	73.5	76.1	84.7	78.6	69.3	74.9												
2	76.6	72.3	70.2	74.0	69.6	83.0	79.4	82.8	78.4	72.3	64.7	62.8												
3	79.2	67.7	69.4	69.2	66.1	82.5	85.3	82.9	80.7	72.0	75.0	59.6												
4	79.2	72.8	74.0	73.1	66.6	75.2	84.3	78.7	80.8	82.5	65.3	59.3												
5	69.4	67.5	69.4	77.4	76.0	77.3	81.2	74.1	80.3	81.5	68.2	74.9												
6	61.8	67.5	67.8	77.0	72.4	81.9	82.4	76.1	78.6	71.1	71.2	72.2												
7	68.1	72.0	68.5	77.8	80.0	76.8	83.3	83.4	79.7	71.0	72.8	76.8												
8	65.0	63.7	62.5	75.7	67.7	76.3	80.1	86.7	84.9	77.8	71.8	78.3												
9	70.9	72.4	67.8	72.0	64.9	77.5	80.0	80.5	78.8	73.3	74.3	80.7												
10	65.7	71.3	62.9	76.4	71.4	76.2	72.9	85.0	72.8	78.9	78.3	74.2												
11	62.7	63.3	63.0	75.1	75.5	69.1	78.0	85.0	81.5	73.7	73.9	74.7												
12	71.3	73.0	62.8	76.9	76.2	73.9	71.6	83.4	79.9	72.1	76.3	68.3												
13	72.3	65.9	69.6	75.0	74.5	78.2	82.3	83.9	81.3	70.9	63.2	74.2												
14	65.6	65.0	70.7	75.9	74.7	77.6	77.4	83.9	76.3	76.7	73.6	77.5												
15	66.1	65.4	73.9	69.1	74.5	78.0	76.0	80.3	78.3	79.5	75.4	73.8												
16	67.8	63.9	76.8	68.8	82.2	77.4	81.6	82.7	78.3	80.1	70.1	75.2												
17	66.8	63.8	77.5	72.9	81.6	69.7	82.7	82.9	82.0	80.6	64.6	77.1												
18	70.8	69.8	77.4	73.0	81.7	81.1	82.0	80.6	77.3	85.0	72.0	77.7												
19	71.0	68.8	73.9	76.5	74.5	73.9	74.6	79.6	75.4	85.0	65.8	77.4												
20	70.4	59.4	72.5	75.4	71.5	79.9	79.4	81.7	*	83.1	77.5	72.5												
21	64.5	70.7	75.1	66.8	78.8	84.2	80.5	82.6	81.1	73.5	69.1	78.5												
22	67.3	66.7	68.1	66.5	73.1	83.9	84.2	83.9	78.2	82.1	60.5	81.3												
23	67.2	67.8	65.9	77.0	68.5	73.0	83.4	83.5	78.3	78.0	68.6	72.2												
24	73.4	59.3	65.4	72.8	78.4	73.7	80.9	80.7	71.5	75.7	76.3	79.9												
25	72.9	64.8	69.9	71.8	80.3	77.5	80.3	84.1	71.1	74.4	76.8	72.7												
26	69.4	59.2	68.1	70.8	75.6	72.2	77.0	86.5	68.7	76.4	74.7	74.1												
27	68.0	60.6	72.5	70.9	77.8	81.9	75.6	79.9	66.2	70.6	70.2	70.6												
28	72.8	70.8	71.4	72.8	79.5	83.9	72.0	80.8	71.2	71.8	69.0	76.0												
29	73.0		64.7	70.8	79.0	85.1	81.1	83.6	76.7	75.0	70.6	71.0												
30	65.3		74.3	65.2	75.9	73.5	76.2	82.9	74.7	75.4	68.4	68.6												
31	69.0		78.1		76.1		74.5	78.3		71.5		72.2												
Mean	69.5	66.9	70.2	73.0	74.6	77.4	79.2	81.8	77.5	76.5	70.9	73.5												
													Year		74.3									

* Thermometer not put out.

POTENTIAL GRADIENT (reduced to level surface)
 Mean values for periods of sixty minutes between exact hours, G.M.T.

99 ESKDALEMUIR

1942

	JANUARY, factor 4.52				FEBRUARY, factor 4.62				MARCH, factor 4.66			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	225	260	Z-	135	290	235	120	-15	185	140	195	245
2	215	310	230	65	215	80	150	270	Z+	165	250	155
3	0	Z-	Z-	Z-	-80	150	255	255	235	435	435	(-375)
4	Z-	Z-	Z+	Z+	405	105	125	175	315	305	(660)	Z+
5	205	345	325	425	120	265	490	235	450	350	495	375
6	260	225	325	325	415	0	475	-340	-245	-225	560	500
7	370	225	470	370	-85	310	365	390	50	70	170	330
8	180	265	195	250	210	330	355	550	Z-	Z-	150	125
9	115	125	320	Z±	365	365	Z+	315	245	275	170	580
10	205	345	285	270	125	(-140)	-180	325	220	280	125	235
11	275	40	Z±	20	280	180	315	170	110	460	175	335
12	70	150	180	60	Z-	145	(-130)	350	135	215	260	80
13	105	610	425	Z+	185	330	225	310	95	310	475	550
14	510	250	335	300	175	530	275	435	315	165	405	355
15	225	525	590	Z+	365	375	215	340	Z±	325	90	395
16	505	510	170	320	180	395	265	430	250	365	165	-5
17	305	310	205	200	330	245	245	180	Z-	290	375	190
18	170	70	280	Z+	110	120	120	125	70	110	(415)	140
19	310	230	165	-315	90	160	265	280	120	250	50	-20
20	Z-	-15	-70	-35	155	545	290	40	70	265	Z-	385
21	300	-55	-85	60	105	85	135	155	440	305	70	320
22	125	105	-10	-35	120	80	145	325	460	(560)	120	230
23	-70	-395	Z-	(585)	135	90	160	265	140	265	210	310
24	180	185	Z±	(145)	360	205	280	350	230	215	200	255
25	10	(-290)	90	145	125	65	190	130	190	95	135	245
26	35	25	140	295	135	175	295	355	270	80	175	55
27	275	-15	Z±	330	170	90	Z-	350	40	180	70	20
28	Z-	175	150	215	265	315	(540)	325	30	20	125	200
29	(-415)	250	165	390					145	120	120	115
30	210	190	335	385					-40	175	220	380
31	(450)	145	445	(500)					120	155	Z±	120
(a)	224	245	277	268	218	221	266	286	197	243	244	268
(b)	214	196	220	228	190	209	249	242	173	221	231	227
Mean	(a) 253 (b) 215				(a) 248 (b) 223				(a) 238 (b) 213			

	APRIL, factor 4.65				MAY, factor 4.56				JUNE, factor 4.54			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	35	140	(-25)	145	120	245	125	125	130	-280	180	50
2	100	175	150	195	60	150	125	95	(200)	165	55	200
3	140	Z-	Z-	Z-	60	95	105	90	355	380	175	130
4	405	160	200	Z-	70	150	160	305	-	235	160	225
5	135	Z-	Z-	110	150	100	85	185	300	185	250	240
6	Z±	Z-	Z+	165	205	200	90	110	140	200	100	190
7	Z+	Z-	Z±	95	80	45	115	235	145	135	145	195
8	Z-	90	Z-	210	90	175	190	160	150	140	175	205
9	345	Z-	145	-75	155	165	200	155	110	165	60	130
10	Z-	110	140	165	100	140	175	170	70	75	90	175
11	135	145	370	155	75	45	70	45	85	235	140	235
12	150	190	200	365	45	15	120	135	20	-15	90	80
13	220	265	305	325	105	135	190	130	145	120	-245	-155
14	190	180	195	460	90	190	130	125	-235	60	5	30
15	310	175	210	325	120	150	70	90	-55	160	105	150
16	235	270	145	140	Z-	210	210	180	70	130	130	200
17	465	230	325	325	130	205	175	-30	100	195	125	105
18	240	190	240	175	Z-	395	130	270	110	45	115	230
19	210	120	120	-55	170	335	Z-	155	75	140	140	320
20	260	(70)	70	200	110	60	80	145	50	265	125	110
21	135	160	105	190	240	125	95	175	210	(205)	(190)	60
22	105	250	135	170	105	Z-	Z-	290	-	90	140	255
23	75	Z-	Z-	120	115	140	-70	Z-	130	125	145	150
24	60	100	115	115	70	110	Z-	95	100	95	130	175
25	150	160	150	220	Z-	Z-	Z±	140	165	110	125	155
26	145	160	150	200	Z±	185	Z±	Z-	180	220	90	115
27	105	170	175	180	Z+	Z+	145	Z±	165	140	140	165
28	135	125	140	195	Z-	Z±	185	105	150	165	195	140
29	50	210	170	195	(220)	Z-	Z±	130	85	160	235	325
30	75	160	125	335	430	140	Z±	190	105	160	160	225
31					(20)	(40)	Z+	180				
(a)	178	167	177	211	125	152	135	156	137	161	135	171
(b)	168	174	170	217	111	133	128	136	117	139	120	155
Mean	(a) 183 (b) 182				(a) 142 (b) 127				(a) 151 (b) 133			

The potential gradient is reckoned as positive if the potential increases upwards. For indeterminate potential gradient the following notation is used: Z+, indeterminate, positive value; Z-, indeterminate, negative value; Z±, indeterminate, in magnitude and sign.

(a) Mean of all positive readings.

(b) Mean from all complete days using both positive and negative readings.

99 ESKDALEMUIR

1942

	JULY, factor 4.73				AUGUST, factor 4.88				SEPTEMBER, factor 4.97			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	165	165	155	200	95	90	110	105	175	160	175	(Z-)
2	110	165	135	120	95	155	170	210	80	135	195	310
3	55	145	(140)	130	80	40	150	165	70	Z±	155	(40)
4	120	120	215	190	265	185	125	135	-	-	185	20
5	140	220	Z±	200	130	155	135	155	Z-	Z-	145	265
6	120	140	125	125	165	165	150	300	170	135	155	215
7	150	(-20)	145	190	70	185	110	145	(50)	(115)	Z-	150
8	210	185	Z-	195	110	Z-	140	70	210	310	265	245
9	180	150	125	240	30	205	135	65	185	225	145	200
10	215	145	150	(-30)	(-20)	(55)	-	-	95	265	175	565
11	120	190	140	220	-	100	50	165	385	300	(215)	-
12	125	170	145	190	60	180	-55	295	-	-	-5	(55)
13	235	Z-	100	175	250	250	160	350	-	-	205	395
14	140	120	Z±	250	300	295	185	180	60	105	60	255
15	240	165	170	200	(155)	225	135	235	185	Z+	180	50
16	130	90	120	150	130	125	145	195	125	165	235	Z-
17	160	-20	Z-	195	60	75	35	125	165	105	290	360
18	120	155	165	105	230	190	200	155	445	175	215	350
19	30	165	210	340	135	210	(40)	(65)	275	230	185	265
20	85	125	165	275	-	-	(55)	0	210	Z-	-20	Z±
21	185	140	60	85	80	-	70	265	70	125	Z-	240
22	115	Z-	Z±	Z-	220	320	120	245	165	155	235	(15)
23	45	220	55	340	75	125	85	145	85	100	Z-	220
24	60	165	140	165	130	100	75	-30	225	215	165	175
25	85	55	Z±	165	40	245	70	65	Z+	130	125	215
26	195	120	135	300	65	180	140	(-)	135	155	115	(60)
27	200	185	170	335	(-)	(590)	215	220	-	-	-	-
28	30	180	180	Z-	185	175	180	320	-	-	190	165
29	375	Z-	215	375	(140)	(-)	(110)	0	-20	165	120	30
30	70	160	140	205	30	40	45	Z-	185	190	165	115
31	190	305	305	290	125	245	85	300				
(a)	142	159	152	213	128	182	118	173	170	174	179	199
(b)	132	153	150	198	137	179	115	178	170	183	177	226
Mean	(a) 167		(b) 158		(a) 150		(b) 152		(a) 181		(b) 189	

	OCTOBER, factor 5.01				NOVEMBER, factor 4.74				DECEMBER, factor 4.74* 4.87†			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	-75	Z-	75	(45)	235	145	105	210	190	80	270	455
2	-	-	135	210	105	45	130	95	180	130	250	350
3	120	70	190	150	155	75	140	70	350	345	340	290
4	75	110	185	250	165	360	395	245	80	190	260	Z-
5	-55	90	155	210	255	365	145	430	-325	125	205	410
6	95	85	145	-	190	395	95	Z-	210	420	225	Z-
7	-	-	110	230	125	295	145	270	60	75	40	-20
8	10	140	Z±	115	345	145	95	305	120	135	335	40
9	60	210	Z-	-275	395	185	180	170	80	155	35	Z-
10	75	85	Z-	Z-	75	155	80	50	75	295	Z-	Z-
11	130	145	280	490	120	270	195	300	95	230	425	425
12	285	Z-	Z-	470	Z-	145	430	320	450	485	620	455
13	265	350	330	520	155	270	325	400	0	140	195	215
14	45	140	-	-	270	200	340	270	225	275	325	515
15	55	(5)	Z-	Z-	130	125	215	320	70	-65	220	(40)
16	Z-	-	45	Z-	230	415	180	265	(50)	-	-170	375
17	55	230	85	60	125	175	305	235	230	Z-	Z-	315
18	75	110	145	75	130	215	190	465	500	480	-10	145
19	370	295	255	345	570	405	160	190	75	195	Z-	335
20	120	150	130	295	90	110	165	335	345	165	280	Z-
21	175	260	305	175	45	75	215	165	Z-	115	200	185
22	130	235	180	100	100	145	190	295	10	100	165	130
23	95	220	175	260	105	175	560	545	455	245	125	65
24	205	40	Z±	Z-	85	285	265	450	100	80	65	290
25	120	80	75	Z-	205	445	165	230	110	65	245	500
26	Z-	Z-	Z-	470	125	160	180	305	155	195	115	520
27	110	Z-	Z-	Z-	310	270	200	Z+	75	165	295	240
28	280	535	(360)	750	145	70	280	340	195	260	-10	Z+
29	400	75	130	Z-	120	40	60	170	80	140	150	245
30	85	125	175	185	150	610	660	Z-	95	210	485	30
31	260	230	185	260					90	140	325	295
(a)	148	167	175	270	181	226	226	276	164	201	248	286
(b)	145	210	209	276.	177	206	208	274	147	180	247	268
Mean	(a) 190		(b) 210		(a) 227		(b) 216		(a) 225		(b) 211	

The factor used for converting the potential at the collector to potential gradient in volts per metre in the open is given for each month.

Annual means	(a)	168	191	194	231
	(b)	157	182	185	219
		(a) 196		(b) 186	

POTENTIAL GRADIENT(reduced to level surface): DIURNAL INEQUALITIES
The departures from the mean of the day are adjusted for non-cyclic change†

100 ESKDALEMUIR																										1942		
	Hour G.M.T.																								Non-cyclic change†	No. of days used	Mean	
	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 6	6 to 7	7 to 8	8 to 9	9 to 10	10 to 11	11 to 12	12 to 13	13 to 14	14 to 15	15 to 16	16 to 17	17 to 18	18 to 19	19 to 20	20 to 21	21 to 22	22 to 23	23 to 24				
volts per metre																											v./m.	
0a days only*																												
Jan.	+7	-56	-24	-44	-102	-99	-93	-68	-23	-80	-25	-33	+16	+33	+62	+37	+99	+91	+73	+58	+84	+20	+31	+28	-52	5	275	
Feb.	-4	-46	-66	-42	-35	-5	-19	-12	-18	-26	-6	+3	+3	-1	0	+12	+34	+36	+27	+18	+37	+52	+35	+19	-3	12	273	
Mar.	-21	-18	-58	-48	-50	-49	-33	+26	+72	+55	+35	-20	-22	-62	-78	-69	-39	+24	+76	+68	+59	+73	+58	+12	33	7	285	
Apr.	0	+2	-19	-17	-23	-10	+3	-4	-11	-8	-13	-25	-26	-25	-21	-16	-1	+9	+19	+52	+54	+44	+34	+4	-1	17	190	
May	+4	-9	-32	-35	-22	-4	-3	+3	+9	-3	+3	-3	-6	-6	-1	+7	+2	+7	+13	+19	+17	+15	+13	+3	-22	12	144	
June	-7	-18	-22	-31	-32	-31	-13	+19	+18	+15	+17	+4	-3	-6	-16	-5	-5	-5	-11	+24	+34	+45	+28	+10	+25	16	145	
July	-19	-29	-38	-37	-7	+3	+19	+6	+18	+15	-4	-9	-14	-15	-1	-13	-29	-13	-5	+20	+66	+53	+29	-8	+28	7	178	
Aug.	+16	-17	-14	-10	-14	-33	+2	-12	-13	+10	-34	-28	-2	-2	-12	+11	+17	+37	+40	+39	+24	+5	+1	-7	-34	6	164	
Sept.	-6	-12	+6	+11	-29	-5	+42	+14	+38	+35	-19	-48	-28	-11	-15	-57	-46	-33	-18	+34	+65	+21	+44	+12	+97	5	203	
Oct.	+20	-14	-19	-57	-38	-44	-23	+20	-1	-61	-28	-16	-15	-56	-14	-30	+9	+49	+71	+46	+128	+103	-2	-36	-93	3	280	
Nov.	-17	-43	-43	-47	-53	-17	-6	-6	+38	-9	-33	-43	-46	-38	-16	+28	-11	+24	+83	+107	+72	+51	+17	+13	-40	11	243	
Dec.	-6	-29	-19	-63	-57	-44	-32	-15	-31	-34	-28	-9	+10	-15	+9	+43	+2	+28	+61	+13	+29	+93	+68	+25	-51	5	228	
Year	-3	-24	-29	-35	-39	-28	-13	-2	+8	-8	-11	-19	-11	-17	-9	-4	+3	+21	+36	+41	+56	+48	+30	+6	-	-	217	
Winter	-5	-43	-38	-49	-62	-41	-37	-25	-9	-37	-23	-21	-4	-5	+14	+30	+31	+45	+61	+49	+55	+54	+38	+21	-	-	255	
Equinox	-2	-11	-23	-28	-35	-27	-3	+14	+25	+5	-6	-27	-23	-39	-32	-43	-19	+12	+37	+50	+77	+61	+33	-2	-	-	239	
Summer	-1	-18	-27	-28	-19	-16	+1	+4	+8	+9	-5	-9	-6	-7	-7	0	-4	+7	+9	+25	+35	+29	+18	-1	-	-	158	

1a and 2a days only*																											
Jan.	-64	-113	+48	+94	-25	+5	+16	-120	+83	-81	-28	-53	-7	+3	+23	+19	+15	+54	+49	+80	+53	+84	-22	-116	-222	1	-9
Feb.	+19	+23	-56	-70	-72	-44	-57	-35	+5	+19	+25	+49	+31	+18	-11	+21	+43	+23	-24	+8	-15	+30	+33	+40	+43	7	217
Mar.	+32	+23	+5	-22	-34	-6	-9	-10	-12	-41	-46	-42	-31	+7	+2	-17	+21	+37	+30	+34	+20	+10	+29	+27	-25	10	159
Apr.	+46	-6	0	-9	-42	-28	-53	-18	-44	-20	+25	+4	+17	+50	+48	+57	+43	+34	+55	+27	-102	-47	-35	+2	0	3	195
May	+24	-5	-17	-51	-21	-30	-5	-20	-54	-37	-15	-9	-8	+1	-3	-3	+10	+1	+56	+38	+38	+29	+41	+40	+12	4	98
June	+48	+6	-29	-18	-24	-21	+2	+32	-38	-24	+18	-4	-28	-37	-12	-53	+6	-7	+17	+15	+43	+13	+37	+51	-44	3	115
July	-15	-27	-30	-18	-23	-18	-17	+8	+7	+13	-25	-24	-25	-24	-22	-12	+17	+56	+53	+36	+46	+30	+25	-18	-25	6	150
Aug.	+11	-30	-22	-25	-52	-5	0	+8	+18	0	-9	+4	+15	-17	-48	-50	-32	+25	+43	+49	+46	+36	+24	+17	-15	9	145
Sept.	-62	-72	-16	-3	-50	-55	-15	+3	+9	+2	-7	-19	-58	+3	+24	+23	+27	+80	+85	+87	+42	+1	-5	-28	+22	4	151
Oct.	-59	-58	-58	-39	-26	-9	-4	+48	+17	-2	-13	-23	-22	-20	+4	+5	+14	+44	+40	+38	+51	+47	+27	-7	+58	9	197
Nov.	-29	-12	-24	-75	-113	-69	-71	-102	-65	-74	-63	-37	-61	-13	+28	+61	+36	+94	+154	+129	+97	+85	+67	+45	+20	9	202
Dec.	+11	+3	-22	-76	-150	-88	-76	-53	-58	-63	-54	-15	+6	-3	-34	+15	+86	+132	+142	+165	+137	+43	-32	-16	+173	4	203
Year	-3	-22	-18	-26	-53	-31	-24	-22	-11	-26	-16	-14	-14	-3	0	+5	+24	+48	+58	+59	+38	+30	+16	+3	-	-	152
Winter	-16	-25	-13	-32	-90	-49	-47	-77	-9	-50	-30	-14	-8	+1	+1	+29	+45	+76	+80	+95	+68	+61	+11	-12	-	-	153
Equinox	-11	-28	-17	-18	-38	-25	-20	+6	-7	-15	-10	-20	-23	+10	+19	+17	+26	+49	+53	+47	+3	+3	+4	-1	-	-	175
Summer	+17	-14	-25	-28	-30	-19	-5	+7	-17	-12	-8	-8	-11	-19	-21	-29	0	+19	+42	+35	+43	+27	+32	+23	-	-	127

Winter: January, February, November, December

Equinox: March, April, September, October

Summer: May to August.

* For explanation of 0a, 1a, 2a days see p. 90, *Observatories' Year Book*, 1938.

† See p. 10, *Observatories' Year Book*, 1938.

101 ESKDALEMUIR

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE	
	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient
1	1b	hr. 2.7	2b	hr. 4.4	0a	hr. ...	2b	hr. 2.6	0a	hr. ...	2b	hr. 6.7
2	1b	1.2	2b	3.4	0a	...	0a	...	0a	...	0a	...
3	2c	13.8	2c	9.7	2b	3.8	2c	14.7	0a	...	0a	...
4	2c	9.4	1a	0.2	2c	4.6	2c	8.3	0a	...	0a	...
5	0a	...	0a	...	1b	0.2	2c	9.6	0a	...	1b	0.9
6	0a	...	1b	2.5	2b	10.1	2c	6.0	0a	...	0a	...
7	0a	...	1a	0.8	1a	0.1	2c	8.9	1a	0.5	1b	0.4
8	1b	0.3	0a	...	2c	6.6	2c	8.1	0a	...	1b	0.8
9	1b	0.1	1b	0.5	0a	...	2b	4.7	0a	...	0a	...
10	1b	0.1	2c	6.7	0a	...	2b	3.0	0a	...	0a	...
11	2b	4.9	0a	...	0a	...	1a	0.1	1a	1.8	0a	...
12	2b	4.3	2c	4.4	1a	0.1	0a	...	1a	0.4	1a	3.7
13	1a	0.1	1a	0.1	0a	...	0a	...	0a	...	2c	14.1
14	0a	...	0a	...	1a	0.1	0a	...	0a	...	2c	10.0
15	0a	...	0a	...	2b	4.7	0a	...	2b	3.5	1b	2.1
16	0a	...	0a	...	2b	6.1	0a	...	2b	3.8	0a	...
17	0a	...	0a	...	2b	5.7	0a	...	2c	6.1	0a	...
18	1b	0.5	0a	...	1b	2.6	1a	0.1	2b	4.6	1a	0.1
19	2b	6.5	0a	...	1a	2.8	1a	0.6	2c	6.3	0a	...
20	2b	14.2	1a	0.2	2b	3.8	0a	...	1a	0.8	0a	...
21	2b	18.0	1a	0.3	1a	0.3	0a	...	0a	...	1b	1.9
22	2a	14.2	1a	0.5	0a	...	0a	...	2b	3.1	1b	0.3
23	2c	12.4	0a	...	0a	...	2c	9.0	2c	9.3	0a	...
24	2c	3.4	0a	...	0a	...	0a	...	2b	4.5	0a	...
25	2b	5.6	1a	0.1	1a	0.2	0a	...	2c	13.4	0a	...
26	1b	1.1	0a	...	1a	0.1	0a	...	2c	6.3	1a	0.2
27	2c	6.8	2c	3.3	1a	1.9	0a	...	2c	6.6	0a	...
28	1b	2.4	0a	...	1a	0.3	0a	...	2c	7.2	0a	...
29	1b	2.9			1a	0.3	0a	...	2c	8.7	0a	...
30	0a	...			2b	5.9	0a	...	1b	2.0	0a	...
31	1a	0.6			2c	7.2			1b	0.5		
Total	-	125.5	-	37.1	-	67.5	-	75.7	-	89.4	-	41.2
No. of days used	-	31	-	28	-	31	-	30	-	31	-	30
Mean	-	4.0	-	1.3	-	2.2	-	2.5	-	2.9	-	1.4

	JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient
1		hr. ...	0a	hr. ...	1b	hr. 0.9	2b	hr. 3.5	0a	hr. ...	1b	hr. 2.9
2	0a	...	0a	...	0a	...	(0a)	(...)	1b	2.3	0a	...
3	1b	1.5	1a	0.2	1b	2.5	1a	0.8	1b	2.7	0a	...
4	1b	1.6	0a	...	2b	3.5	2b	3.2	0a	...	2b	6.1
5	1b	0.6	0a	...	2c	9.3	1a	2.2	0a	...	2c	6.9
6	1b	1.6	0a	...	1a	0.9	(1a)	(0.3)	2b	5.7	1b	2.2
7	1b	3.0	1a	0.5	2c	6.1	(1a)	(0.6)	1b	0.6	2b	4.5
8	2c	3.5	2c	7.1	0a	...	2c	4.4	1a	0.8	2b	4.5
9	1b	1.5	1b	-	1a	0.1	2c	12.6	1a	0.1	2b	6.9
10	1b	1.9	(2c)	-	0a	...	2c	4.1	1b	1.9	2c	12.6
11	0a	...	(2c)	-	(0a)	(...)	1a	0.2	1b	1.7	2b	3.0
12	0a	...	1a	1.4	(2a)	4.9	2c	5.3	2b	4.2	1b	0.6
13	1b	1.7	1a	0.1	(0a)	(...)	0a	...	1a	0.1	2b	3.3
14	1b	1.4	1a	0.1	1b	1.0	1b	(1.8)	0a	...	1b	0.5
15	1a	0.9	1b	1.0	1b	2.2	(2b)	(7.6)	1a	0.1	2b	5.3
16	1b	1.7	1a	0.1	1b	2.1	2b	(3.1)	0a	...	2b	5.3
17	2b	4.5	1a	1.8	1a	0.1	1a	0.6	0a	...	2c	7.7
18	1a	0.1	0a	...	1b	2.1	1b	1.1	0a	...	1b	2.0
19	0a	...	1a	0.9	0a	...	0a	...	0a	...	2c	5.3
20	1a	0.1	(1b)	1.9	2c	5.9	1a	0.1	1a	0.4	2b	5.4
21	1a	0.4	1b	2.0	2b	3.9	1a	0.1	1a	0.9	2b	3.4
22	2c	7.7	1b	0.8	1b	1.3	1a	0.4	0a	...	1b	2.3
23	1a	0.7	1a	0.1	2c	4.6	1b	1.1	1a	0.1	0a	...
24	2b	3.9	1a	1.1	1b	2.4	2c	7.1	0a	...	1a	0.6
25	1b	2.3	2b	3.5	2c	5.3	2c	7.7	0a	...	1a	2.4
26	1b	1.7	1b	0.2	0a	...	2c	15.9	1b	1.0	1a	0.1
27	0a	...	0a	...	0a	...	2c	15.9	1b	0.7	0a	...
28	2b	5.3	0a	...	1a	0.3	(1a)	(0.1)	1a	0.5	2c	3.6
29	1b	1.3	2a	3.4	2a	3.2	2b	5.8	1a	2.0	0a	...
30	0a	...	2b	6.0	0a	...	1a	1.3	2b	3.2	1b	1.8
31	0a	...	1b	0.4			0a	...			1a	0.1
Total	-	49.5	-	32.6	-	62.6	-	106.9	-	29.0	-	99.3
No. of days used	-	31	-	28	-	30	-	31	-	30	-	31
Mean	-	1.6	-	1.2	-	2.1	-	3.4	-	1.0	-	3.2

Annual values: Character frequency 0 1 2
No. of days used 121 139 105Duration: Total 816.3 hr.
No. of days 362
Mean 2.25 hr.

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

102 ESKDALEMUIR (H)											16,000γ (0.16 C.G.S. unit) +											JANUARY 1942				
	Hour G.M.T.											12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11														11-12	
1 q	518	518	519	519	523	527	530	529	528	526	525	518	520	523	528	530	535	531	530	523	522	526	522	525		
2	524	527	527	531	538	542	549	542	539	530	530	523	520	520	519	519	508	504	514	495	485	487	495	503		
3 d	509	515	510	507	514	518	521	514	509	506	502	493	502	506	506	488	513	509	502	493	492	491	496	494		
4 d	501	502	501	513	546	522	527	527	514	511	509	504	503	505	486	501	502	499	499	480	486	470	470	503		
5 d	500	491	506	488	514	514	514	502	495	479	478	498	508	506	509	498	497	492	521	494	502	505	503	502		
6	502	502	505	509	513	518	510	511	506	504	495	506	506	509	510	505	506	502	515	507	507	511	542	515		
7	515	498	502	507	516	506	521	521	519	513	502	493	494	510	514	513	517	513	510	519	520	513	510	511		
8	517	514	515	517	518	520	518	518	517	513	509	506	507	511	511	507	510	514	518	520	518	518	518	529		
9	523	522	518	527	528	527	525	521	522	513	509	506	507	514	519	521	515	514	518	521	520	518	518	516		
10	530	512	513	520	522	522	520	525	522	517	514	511	517	515	510	514	502	502	514	516	514	515	523	512		
11	513	517	515	518	521	526	520	522	510	511	508	507	498	511	517	514	511	506	506	509	516	518	515	517		
12	518	514	518	517	521	522	523	523	517	502	502	507	513	518	518	514	513	506	513	510	513	513	519	514		
13	517	515	515	515	518	525	526	522	517	511	507	499	498	507	511	519	515	514	512	511	517	521	518	519		
14	521	522	522	525	525	529	530	532	525	518	513	513	516	521	522	523	526	529	529	525	529	518	534	523		
15	514	511	514	515	517	517	529	529	524	513	516	516	518	521	514	503	509	516	518	518	513	513	511	509		
16	503	513	513	514	518	522	525	525	523	514	505	498	501	504	504	499	497	487	491	483	486	503	507	502		
17 d	497	515	505	516	521	533	525	502	479	477	466	484	500	510	505	499	505	513	517	520	519	517	518	517		
18 d	513	507	477	507	502	510	521	520	502	509	504	505	504	509	504	512	515	522	522	522	506	514	499	480		
19	491	498	502	510	520	527	521	516	509	503	497	495	506	509	510	511	514	516	517	514	510	507	507	510		
20	508	511	507	512	517	518	517	513	509	505	501	498	506	509	513	513	510	513	513	514	514	510	518	513		
21 q	514	514	514	517	518	521	521	518	518	518	521	518	515	521	518	518	518	524	511	514	509	509	510	515		
22	516	517	514	516	526	529	527	530	525	514	511	506	507	491	492	493	497	495	491	491	495	498	498	509		
23	506	502	509	517	516	520	527	526	525	515	507	503	522	529	503	502	507	514	520	518	520	517	513	514		
24 q	511	510	513	517	518	521	522	522	524	522	510	506	506	517	522	522	525	526	526	529	527	523	515	511		
25	513	517	518	521	522	525	525	526	518	510	506	502	506	518	534	531	534	525	525	511	510	519	515	514		
26 q	513	515	510	510	514	518	522	519	518	506	501	500	509	517	522	522	525	522	522	522	517	513	516	518		
27	518	518	518	518	522	525	525	522	517	505	510	511	517	524	525	522	521	514	517	521	513	517	509	507		
28	509	513	514	525	522	525	514	530	522	513	495	503	506	500	509	507	509	512	514	512	510	506	514	514		
29	513	514	514	514	517	518	521	518	518	514	500	500	512	516	522	528	520	516	516	500	494	501	503	507		
30	506	506	511	514	514	525	526	525	522	521	519	521	521	525	529	530	533	529	529	529	526	520	519	520		
31 q	521	519	518	522	522	525	529	530	529	522	517	516	516	518	520	526	526	527	527	527	527	529	526	523		
Mean	512	512	511	515	520	523	524	522	517	511	506	505	509	513	514	513	514	513	515	512	511	511	512	513		

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

103 ESKDALEMUIR (D)											12° +											JANUARY 1942				
	Hour G.M.T.											12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11														11-12	
1 q	44.2	44.2	44.2	44.2	44.2	44.4	44.2	43.7	43.9	43.8	44.9	45.9	46.8	46.6	46.0	45.1	44.9	45.0	44.8	44.5	43.7	43.6	43.6	44.1		
2	44.4	44.5	44.5	45.0	46.2	44.8	44.5	44.6	44.8	45.1	45.4	45.5	46.5	50.3	51.5	52.4	56.7	56.0	48.7	42.3	39.5	39.8	38.8	40.4		
3 d	43.1	46.3	45.2	44.8	43.9	43.7	44.6	44.6	45.7	46.5	47.2	46.6	46.0	47.6	48.8	50.1	47.5	47.5	46.6	45.1	43.8	42.1	41.2	39.9		
4 d	41.3	42.1	43.1	40.5	36.8	41.5	44.5	45.2	43.1	43.9	45.1	46.0	48.9	48.7	45.9	46.0	49.0	45.9	44.7	43.0	40.8	33.1	32.0	37.8		
5 d	42.5	42.3	42.5	44.9	45.0	45.1	45.8	45.8	46.7	49.4	48.1	45.9	47.5	48.1	46.9	45.2	44.9	46.0	41.2	38.0	42.6	43.2	41.2	43.4		
6	43.2	43.1	44.0	44.3	44.4	44.2	43.4	44.1	44.2	45.0	44.9	44.2	46.1	46.9	46.9	45.0	47.0	44.9	33.4	42.8	43.5	39.4	37.0	39.7		
7	39.8	41.2	40.4	44.5	42.3	43.2	43.4	43.8	44.1	44.7	44.4	44.4	45.9	46.3	45.8	44.1	43.5	44.2	44.0	41.2	41.6	43.3	43.2	43.3		
8	43.7	44.1	43.5	43.6	44.0	44.1	44.1	43.9	43.3	43.5	44.2	44.9	46.2	46.3	46.1	44.9	45.1	44.8	44.8	44.5	43.9	43.3	43.2	43.4		
9	42.1	42.6	43.3	44.5	43.0	42.5	43.3	43.4	43.4	43.5	44.1	44.9	46.0	46.2	45.7	45.0	45.2	45.2	45.7	45.1	44.8	43.4	43.1	39.5		
10	35.9	40.4	42.3	43.2	43.4	44.2	43.7	44.3	44.1	44.4	45.5	46.2	47.7	46.9	45.9	45.6	43.4	43.4	45.2	44.5	43.2	40.0	38.6	43.9		
11	44.4	47.2	43.3	42.5	43.3	43.4	43.9	44.2	44.4	45.3	46.3	47.6	47.7	48.0	45.8	45.0	44.9	45.1	44.8	42.2	40.0	40.5	42.4	43.6		
12	43.9	44.6	43.1	43.9	42.6	42.7	43.2	43.2	43.2	43.8	45.2	46.3	47.0	47.1	45.8	45.9	45.0	44.4	44.1	44.2	35.8	40.5	43.3	43.4		
13	44.3	44.2	44.0	44.0	44.1	43.6	43.6	43.7	43.4	42.4	43.9	45.5	47.5	48.1	46.7	45.0	44.3	44.2	43.0	44.0	43.2	43.4	43.3	44.0		
14	44.1	44.5	44.2	44.0	44.2	44.2	44.0	43.5	42.6	43.1	43.4	45.1	46.8	46.8	46.0	45.3	45.1	45.8	45.3	45.1	44.9	43.4	39.9	39.4		
15	42.5	42.7	43.0	42.5	42.5	42.4	42.5	42.3	42.3	43.5	44.9	47.5	49.1	49.8	51.3	52.7	47.7	45.2	44.9	44.7	43.9	42.4	42.3	44.5		
16	42.6	41.4	40.2	40.7	41.7	42.5	42.3	43.0	43.3	44.3	45.8	48.0	50.6	51.2	50.2	52.3	52.4	52.4	45.8	41.2	36.6	41.7	43.5	42.4		
17 d	42.6	39.7	41.4	42.7	44.4	43.3	46.7	48.6	52.5	49.1	53.3	50.5	49.0	49.4	47.0	45.7	44.9	44.9	44.0	43.4	43.2	42.7	43.3	43.4		
18 d	43.3	41.3	42.0	35.0	40.4	42.1	43.4	44.4	45.0	45.8	43.4	44.9	46.7	46.2	45.0	43.9	44.3	44.9	45.1	45.1	43.4	36.8	28.7	36.9		
19	43.2	45.9	45.0	41.5	45.7	51.2	47.3	44.1	44.0	45.3	44.2	44.9	46.1	46.1	44.2	43.3	43.9	44.2	44.0	43.3	42.5	42.4	41.4	39.4		
20	43.5	45.1	43.2	43.9	43.4	43.4	43.3	43.1	43.0	43.8	44.9	46.7	47.6	47.4	45.8	44.3	44.1	43.4	44.0	43.3	43.2	41.6	43.4	43.3		
21 q	43.4	43.6	43.8	43.7	43.7	43.4	43.2	43.2	43.6	44.3	45.2	45.6	45.1	45.0	44.2	44.0	44.1	44.0	44.3	44.1	42.9	40.7	42.2	43.1		
22	43.3																									

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

104 ESKDALEMUIR (V)		44,000γ (0.44 C.G.S. unit) +																				JANUARY 1942			
	Hour G.M.T.		2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2																							
1 q	1062	1062	1061	1061	1058	1056	1056	1055	1056	1056	1056	1057	1057	1057	1057	1057	1058	1058	1057	1058	1060	1061	1059	1060	1059
2	1058	1057	1057	1055	1053	1051	1047	1049	1050	1052	1052	1055	1055	1055	1060	1068	1074	1085	1088	1097	1103	1096	1094	1085	1067
3 d	1078	1070	1068	1068	1065	1057	1043	1037	1037	1044	1049	1054	1054	1053	1059	1068	1079	1076	1071	1075	1085	1090	1092	1085	1078
4 d	1069	1067	1062	1051	1033	1037	1044	1045	1050	1055	1057	1061	1058	1058	1063	1083	1088	1081	1080	1081	1104	1105	1098	1093	1075
5 d	1067	1065	1048	1043	1043	1051	1055	1055	1056	1057	1061	1067	1066	1067	1074	1081	1082	1085	1091	1073	1070	1067	1067	1052	1065
6	1056	1061	1062	1059	1055	1051	1055	1055	1055	1061	1063	1061	1058	1062	1067	1070	1071	1076	1078	1067	1064	1067	1055	1046	1061
7	1045	1052	1057	1056	1056	1058	1057	1056	1054	1054	1056	1055	1056	1058	1066	1070	1068	1067	1064	1064	1061	1060	1061	1061	1059
8	1057	1057	1057	1060	1061	1060	1060	1058	1056	1057	1059	1060	1061	1061	1063	1064	1063	1062	1061	1060	1060	1060	1058	1058	1056
9	1056	1055	1056	1054	1052	1053	1054	1055	1055	1060	1061	1060	1059	1061	1063	1063	1063	1062	1062	1062	1061	1062	1061	1061	1059
10	1053	1051	1054	1055	1055	1055	1055	1055	1055	1058	1059	1060	1057	1056	1061	1064	1069	1073	1067	1064	1064	1064	1060	1056	1059
11	1055	1046	1048	1052	1055	1055	1055	1055	1055	1055	1054	1053	1055	1057	1061	1061	1062	1063	1067	1068	1064	1062	1061	1057	1057
12	1055	1055	1053	1054	1054	1054	1055	1055	1056	1056	1060	1057	1057	1058	1060	1061	1062	1063	1063	1066	1072	1064	1058	1057	1059
13	1055	1055	1055	1056	1056	1056	1056	1056	1056	1056	1062	1063	1063	1061	1057	1057	1059	1058	1060	1062	1063	1063	1061	1060	1059
14	1056	1054	1052	1052	1052	1051	1052	1051	1055	1056	1056	1055	1052	1055	1056	1054	1054	1052	1055	1055	1056	1061	1057	1054	1054
15	1055	1056	1057	1057	1056	1056	1051	1049	1050	1051	1051	1055	1055	1060	1063	1066	1067	1067	1064	1062	1063	1065	1067	1062	1059
16	1061	1061	1061	1058	1055	1053	1051	1050	1050	1053	1055	1056	1058	1063	1067	1072	1079	1090	1100	1102	1102	1084	1072	1068	1068
17 d	1064	1049	1055	1052	1054	1051	1046	1046	1048	1057	1064	1067	1068	1071	1070	1073	1069	1063	1062	1061	1061	1061	1061	1061	1060
18 d	1054	1050	1047	1040	1048	1049	1049	1046	1049	1047	1049	1048	1050	1054	1057	1056	1055	1054	1054	1053	1059	1055	1050	1045	1051
19	1033	1023	1024	1039	1035	1008	1017	1029	1036	1039	1044	1048	1051	1056	1059	1059	1059	1056	1054	1054	1054	1054	1054	1046	1043
20	1047	1039	1047	1050	1051	1051	1051	1051	1052	1055	1054	1055	1056	1054	1056	1057	1058	1059	1056	1054	1054	1054	1048	1049	1052
21 q	1051	1052	1053	1053	1054	1053	1051	1050	1048	1050	1048	1050	1051	1052	1054	1053	1053	1053	1054	1054	1055	1060	1056	1054	1053
22	1049	1050	1050	1049	1044	1042	1043	1043	1044	1048	1048	1050	1051	1060	1063	1071	1073	1075	1079	1081	1078	1073	1066	1054	1058
23	1047	1046	1045	1045	1048	1048	1047	1047	1046	1044	1047	1051	1053	1054	1057	1057	1058	1057	1055	1055	1054	1055	1054	1054	1051
24 q	1051	1051	1050	1050	1050	1051	1051	1050	1048	1044	1047	1050	1049	1044	1043	1048	1049	1049	1049	1049	1049	1050	1053	1054	1049
25	1049	1049	1049	1049	1049	1048	1047	1045	1045	1045	1044	1046	1045	1044	1044	1047	1049	1050	1051	1057	1062	1060	1056	1055	1049
26 q	1055	1051	1049	1051	1050	1050	1049	1050	1053	1055	1052	1053	1053	1054	1051	1050	1050	1050	1051	1052	1054	1056	1055	1054	1052
27	1053	1050	1049	1049	1048	1048	1048	1048	1049	1050	1048	1049	1047	1046	1048	1050	1053	1054	1055	1055	1057	1060	1060	1060	1051
28	1056	1053	1048	1038	1038	1039	1042	1037	1044	1048	1048	1045	1045	1047	1053	1056	1059	1056	1053	1053	1057	1059	1055	1054	1049
29	1052	1050	1050	1049	1048	1047	1045	1045	1048	1046	1045	1045	1042	1044	1047	1050	1051	1050	1051	1059	1072	1073	1066	1061	1051
30	1056	1054	1053	1051	1048	1044	1043	1043	1043	1043	1047	1044	1044	1043	1045	1047	1050	1049	1051	1053	1054	1057	1059	1056	1049
31 q	1053	1050	1049	1048	1047	1045	1044	1043	1042	1043	1043	1041	1037	1042	1047	1048	1048	1045	1045	1045	1045	1044	1045	1045	1045
Mean	1055	1053	1053	1052	1051	1049	1049	1049	1050	1052	1053	1054	1053	1055	1059	1061	1062	1062	1063	1064	1065	1064	1061	1057	1056

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

105 ESKDALEMUIR		TERRESTRIAL MAGNETIC ELEMENTS										3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 + °A
	Horizontal force			Declination			Vertical force								
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range						
1 q	h. m. γ	γ h. m.	γ	h. m.	h. m.	γ	h. m.	γ	h. m.	γ	0, 1, 0, 1, 1, 1, 1, 1	6	0	84.1	
2	17 18 538	514 11 54	24	12 34	47.3	5.0	0 1 1063	1055 7 20	8	1	1, 2, 2, 2, 3, 3, 4, 3	20	1	84.3	
3 d	6 12 553	457 20 2	96	16 56	58.7	25.4	20 5 1114	1046 6 55	68	61	3, 3, 2, 2, 2, 3, 2, 3	20	1	84.1	
4 d	5 54 550	479 21 7	71	15 8	52.1	14.4	21 13 1097	1036 8 18	61	81	2, 4, 2, 2, 4, 3, 3, 4	24	1	84.2	
5 d	4 11 564	440 22 9	124	16 36	52.6	24.7	19 42 1110	1029 4 45	81	66	2, 3, 3, 4, 3, 3, 5, 4	27	1	84.1	
6	18 38 584	449 19 4	135	3 56	50.6	17.3	18 18 1104	1038 4 10	66	40	1, 2, 2, 2, 2, 3, 4, 3	19	1	84.1	
7	22 17 557	470 18 8	87	16 52	49.5	22.4	18 15 1084	1044 24 0	30	41	2, 2, 1, 3, 3, 2, 2, 1	16	1	84.0	
8	20 42 530	471 12 3	59	12 54	47.4	8.9	16 4 1073	1042 0 8	31	10	1, 0, 1, 0, 1, 1, 0, 2	6	0	84.0	
9	23 11 544	503 15 31	41	14 12	46.9	4.5	15 58 1065	1055 23 15	10	13	1, 2, 1, 0, 1, 2, 2, 3	12	0	84.0	
10	3 43 534	506 12 19	28	13 30	46.6	13.0	16 52 1064	1051 3 46	13	29	3, 2, 2, 1, 2, 3, 2, 3	18	1	84.0	
11	19 50 534	483 17 10	63	12 29	49.4	16.1	17 21 1075	1046 0 53	29	29	2, 1, 2, 2, 2, 2, 3, 2	16	0	84.0	
12	20 19 530	487 12 30	43	1 19	49.4	11.4	19 40 1069	1040 1 40	29	25	2, 2, 1, 2, 2, 2, 4, 2	17	1	84.0	
13	20 45 536	487 20 22	49	12 33	47.7	20.7	20 33 1075	1050 2 28	25	12	1, 1, 1, 2, 2, 2, 2, 1	12	0	83.9	
14	6 57 528	495 12 30	33	13 6	48.7	7.2	19 33 1065	1053 1 15	12	13	1, 1, 1, 0, 0, 1, 2, 3	9	0	83.8	
15	22 16 549	511 10 55	38	13 21	47.0	11.9	22 4 1063	1050 12 30	13	22	1, 0, 2, 2, 3, 2, 2	14	0	83.8	
16	6 42 541	495 16 4	46	15 13	53.9	12.6	16 32 1069	1047 7 10	22	16	2, 1, 1, 2, 2, 3, 3, 2	16	1	83.7	
17 d	6 53 529	467 20 8	62												

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

106 ESKDALEMUIR (H)		16,000γ (0.16 C.G.S. unit) +																				FEBRUARY 1942			
	Hour G.M.T.		2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2																							
1	526	528	528	528	530	533	534	535	535	530	530	532	538	530	530	527	532	536	534	531	525	519	526	520	530
2	520	522	523	527	537	541	530	529	514	499	502	507	506	502	491	501	502	509	517	521	518	518	517	523	516
3	512	520	513	519	526	523	516	525	518	510	506	503	506	511	513	518	521	522	522	519	519	519	521	520	517
4	518	521	523	523	525	526	527	527	522	514	509	509	512	516	523	518	525	522	525	523	529	530	534	530	522
5 d	525	526	527	529	517	522	542	529	529	521	498	481	500	507	495	493	491	494	521	493	509	506	507	509	511
6 d	509	513	507	506	512	514	517	510	498	495	482	451	477	482	491	475	471	482	475	486	503	472	465	506	492
7	499	519	507	500	506	507	508	514	511	511	495	507	516	517	514	510	508	513	516	518	516	515	511	514	511
8 q	513	510	510	516	520	520	521	522	522	520	512	506	508	513	513	516	513	517	520	521	521	518	520	514	516
9 q	509	509	513	513	518	521	524	521	517	518	517	518	517	519	522	517	519	521	521	522	524	524	524	523	519
10	524	521	522	520	520	521	521	520	522	528	526	520	510	501	522	521	514	515	520	504	508	513	513	529	518
11	502	505	510	513	517	516	511	520	520	517	517	516	517	519	524	519	508	502	504	485	494	486	491	507	509
12 q	510	508	512	509	516	517	518	517	513	510	508	512	512	516	519	520	520	520	523	526	524	525	524	522	517
13	521	513	506	526	531	533	536	529	524	517	512	509	513	510	516	524	528	529	530	529	524	521	522	522	522
14	524	524	526	529	532	532	534	536	525	524	520	521	521	528	529	511	518	521	525	526	520	520	506	520	524
15	489	506	512	512	515	521	527	547	536	521	512	510	489	504	513	522	523	518	483	502	518	517	517	529	514
16	516	528	521	526	525	523	529	522	514	516	517	513	520	514	510	508	517	523	525	522	520	512	515	513	519
17	517	517	528	515	508	520	520	521	517	520	513	519	521	520	521	520	517	517	521	525	517	520	520	521	519
18 q	517	516	517	517	518	520	525	524	513	508	507	508	508	513	518	520	520	522	524	524	524	522	523	522	518
19 q	524	524	524	525	525	526	525	524	520	516	514	517	526	534	531	529	529	528	531	536	536	531	529	524	526
20	525	525	525	528	524	529	525	522	513	500	503	505	511	516	528	519	513	520	516	525	517	520	517	532	519
21	515	515	512	513	503	513	524	519	513	505	505	501	502	490	501	512	515	520	518	524	521	517	516	513	512
22	513	515	521	520	519	520	521	521	517	514	515	517	518	519	525	525	528	520	521	517	510	505	516	514	518
23 d	529	505	502	512	520	520	520	521	513	515	510	504	510	529	533	505	559	548	548	505	462	478	455	467	511
24 d	473	443	466	477	482	500	503	497	465	481	509	509	506	508	514	508	502	503	512	512	520	513	522	509	497
25	517	514	489	488	496	502	502	503	503	505	501	505	510	522	522	512	517	501	518	513	541	306	506	531	509
26	500	503	508	509	513	519	516	512	509	510	505	505	505	510	511	512	517	517	519	510	512	513	524	516	511
27	510	509	509	510	515	518	517	518	517	512	508	508	510	512	514	535	525	527	512	528	504	503	511	533	515
28 d	509	501	504	512	509	513	516	509	497	513	504	498	442	520	549	510	536	489	506	513	513	509	495	503	507
Mean	513	513	513	515	517	520	522	521	515	513	509	507	508	514	518	515	517	516	518	517	516	513	512	517	515

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

107 ESKDALEMUIR (D)		12° +																				FEBRUARY 1942			
	Hour G.M.T.		2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2																							
1	43.4	43.5	43.7	44.0	44.3	43.7	43.6	43.3	43.0	42.2	43.1	44.6	46.5	46.9	46.6	46.1	46.1	45.8	44.7	44.3	44.1	43.5	42.9	42.2	44.3
2	42.9	43.8	44.8	43.2	43.0	43.0	44.2	45.6	44.9	46.3	46.7	44.5	47.3	48.7	48.7	45.7	41.9	44.9	43.9	42.9	42.5	42.9	43.0	41.3	44.4
3	42.3	43.4	44.8	44.9	43.2	42.5	43.2	42.6	42.6	43.0	43.3	44.7	45.9	46.6	46.0	45.4	44.3	43.2	43.1	43.4	43.0	42.2	42.3	43.1	43.7
4	43.2	43.9	44.0	43.5	43.2	43.1	42.4	42.2	41.6	41.9	43.5	44.8	46.8	47.4	47.7	46.3	45.8	45.2	45.0	44.9	44.9	43.7	43.4	43.1	44.2
5 d	41.1	42.2	43.2	42.3	41.7	45.3	43.5	45.8	47.6	46.3	45.7	49.3	52.0	52.0	51.0	47.6	46.6	41.9	26.5	44.7	44.4	43.1	43.3	42.2	44.6
6 d	42.4	41.2	29.0	37.5	37.6	41.1	41.3	43.0	43.1	45.6	46.6	48.6	50.7	49.4	48.8	42.2	34.9	43.5	39.7	36.6	30.6	30.8	35.3	45.7	41.1
7	45.0	46.0	44.8	41.3	42.7	42.9	43.5	42.9	42.2	42.5	44.7	43.2	43.7	44.6	42.7	41.5	42.1	43.0	43.1	43.0	42.8	42.3	41.7	42.2	43.1
8 q	42.6	42.4	43.3	43.8	43.1	42.4	42.3	42.4	43.0	43.5	44.1	45.2	45.9	45.9	44.7	43.5	43.4	43.7	44.0	43.9	43.5	42.8	42.2	39.6	43.4
9 q	41.9	42.6	42.5	42.5	42.5	42.4	42.3	42.4	42.2	43.9	45.7	47.3	46.9	46.4	45.2	44.0	43.7	43.4	43.4	43.3	43.1	43.1	43.0	43.0	43.6
10	43.1	43.1	43.0	42.8	42.9	43.0	42.2	42.5	43.3	44.1	45.8	46.1	47.0	47.4	47.5	44.7	45.0	39.9	45.2	45.1	43.3	43.3	43.1	40.4	43.9
11	40.4	41.0	40.1	41.5	41.1	40.7	42.5	42.4	43.2	44.4	45.6	46.8	48.6	48.5	47.0	45.9	47.1	46.6	46.5	45.9	41.4	37.5	39.6	41.9	43.6
12 q	43.6	43.0	43.8	44.3	43.1	42.0	41.8	41.7	42.1	43.1	43.7	45.0	45.3	45.4	45.0	43.8	43.5	44.0	43.6	43.5	43.2	43.1	43.2	43.2	43.5
13	43.0	42.6	47.7	45.2	42.3	42.4	42.2	41.6	41.5	42.4	44.0	45.1	46.9	46.2	46.2	44.5	43.4	43.3	43.3	43.4	43.3	43.1	43.1	43.2	43.7
14	44.0	43.9	43.7	43.4	43.3	43.1	42.7	42.4	42.2	43.4	45.8	47.3	46.3	46.2	46.3	45.7	44.0	43.7	43.2	42.6	42.4	40.1	37.1	37.0	43.3
15	35.2	38.9	41.4	40.8	39.7	41.1	44.8	41.3	42.7	42.1	44.2	47.4	48.5	47.9	46.2	44.8	43.6	43.3	41.3	40.6	42.4	42.2	41.8	41.3	42.6
16	40.6	44.3	43.2	41.6	42.1	42.5	41.8	42.3	42.7	44.8	46.8	45.8	45.4	45.5	45.8	43.5	43.3	43.9	43.6	43.8	43.1	40.6	35.3	42.5	43.1
17	42.4	42.5	42.4	35.7	37.3	39.0	41.3	42.3	43.0	44.9	45.1	46.6	47.0	46.7	45.1	43.2	42.3	43.1	43.3	43.3	42.8	41.7	42.7	43.2	42.8
18 q	43.1	43.1	45.6	42.7	42.3	41.7	40.4	40.4	42.3	43.3	44.9	46.2	46.2	45.7	44.4	43.5	43.0	43.4	43.5	43.3	43.1	42.6	42.5	42.4	43.3
19 q	42.4	42.9	43.1	43.2	43.2	43.1	42.6	42.4	42.4	42.7	44.3	46.2	46.9	47.3	45.1	43.9	43.5	44.1	44.9	44.5	44.1	43.2	41.6	41.3	43.7
20	42.1	42.4	42.4	41.7	42.2	41.3	41.4	40.6	40.6	42.0	44.2	47.8	49.6	48.1	49.4	47.7	46.3	43.2	45.1	43.9	43.7	42.5	42.3	41.5	43.8
21	37.2	40.3	38.2	35.5	32.9	36.1	40.3	40.1	41.3	42.4	43.2	44.3	45.9	48.9	48.8	45.8	44.1	43.3	42.5	43.4	43.3	42.6	40.6	40.7	41.7
22	42.8	41.6	39.7	40.1	38.0	39.4	39.5	40.3	41.2	42.1	44.0	45.8	47.9	47.0	47.6	46.7									

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

108 ESKDALEMUIR (V)		44,000γ (0.44 C.G.S. unit) +												FEBRUARY 1942											
	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
1	1045	1044	1045	1044	1044	1043	1042	1042	1039	1038	1045	1044	1038	1043	1046	1045	1044	1044	1046	1045	1048	1050	1049	1048	1044
2	1044	1044	1042	1042	1039	1038	1037	1036	1037	1042	1044	1044	1045	1050	1057	1067	1073	1066	1059	1055	1054	1053	1051	1050	1049
3	1049	1047	1048	1046	1045	1048	1047	1044	1044	1043	1044	1044	1045	1048	1053	1052	1051	1053	1053	1050	1049	1048	1048	1048	1048
4	1048	1048	1048	1048	1048	1048	1048	1045	1044	1044	1048	1045	1047	1048	1050	1054	1054	1050	1050	1049	1048	1048	1045	1047	1048
5 d	1049	1049	1049	1048	1048	1048	1041	1030	1026	1027	1035	1039	1048	1050	1055	1066	1078	1083	1094	1096	1072	1062	1061	1057	1054
6 d	1051	1048	1037	1030	1029	1038	1040	1043	1044	1042	1044	1056	1065	1065	1068	1085	1108	1096	1110	1114	1068	1049	1039	1025	1058
7	1023	1024	1020	1038	1048	1054	1054	1054	1055	1043	1044	1048	1049	1054	1057	1057	1056	1054	1055	1055	1055	1055	1055	1051	1048
8 q	1050	1051	1051	1050	1049	1049	1049	1046	1042	1044	1047	1048	1048	1049	1050	1053	1054	1050	1051	1051	1053	1053	1051	1050	1050
9 q	1050	1049	1050	1049	1049	1049	1048	1049	1048	1049	1048	1043	1044	1044	1048	1053	1053	1053	1051	1050	1051	1050	1049	1049	1049
10 q	1049	1049	1048	1048	1048	1047	1047	1044	1041	1037	1039	1043	1047	1050	1048	1049	1056	1065	1059	1065	1063	1062	1060	1054	1051
11	1054	1055	1055	1055	1053	1051	1049	1044	1043	1043	1043	1044	1047	1048	1050	1055	1059	1066	1074	1086	1081	1074	1068	1060	1057
12 q	1055	1055	1054	1054	1052	1051	1050	1050	1050	1053	1054	1055	1056	1055	1054	1051	1048	1048	1049	1049	1050	1049	1049	1049	1049
13	1049	1050	1048	1041	1044	1044	1043	1044	1044	1047	1047	1047	1045	1047	1048	1048	1045	1043	1044	1044	1047	1049	1049	1049	1046
14	1048	1048	1048	1046	1044	1044	1043	1042	1043	1043	1043	1043	1048	1049	1051	1056	1053	1048	1048	1048	1049	1053	1055	1044	1047
15	1034	1033	1038	1044	1045	1043	1036	1028	1029	1030	1030	1032	1039	1044	1048	1048	1048	1050	1072	1072	1059	1054	1051	1048	1044
16	1047	1032	1038	1041	1042	1041	1037	1037	1036	1036	1032	1037	1042	1048	1054	1059	1054	1047	1045	1044	1045	1051	1055	1049	1044
17	1048	1048	1036	1031	1031	1035	1037	1037	1037	1037	1038	1041	1045	1049	1050	1051	1050	1049	1048	1048	1049	1050	1049	1048	1043
18 q	1048	1049	1047	1047	1048	1044	1043	1041	1041	1042	1042	1044	1047	1048	1050	1051	1049	1048	1048	1048	1047	1048	1048	1048	1047
19 q	1048	1048	1048	1048	1047	1047	1045	1044	1047	1047	1044	1042	1044	1044	1049	1051	1051	1050	1048	1047	1044	1047	1047	1048	1049
20	1048	1048	1048	1048	1047	1045	1047	1048	1050	1048	1044	1041	1042	1043	1050	1057	1059	1061	1060	1059	1060	1060	1059	1053	1051
21	1044	1044	1048	1044	1044	1044	1042	1042	1038	1044	1048	1046	1043	1045	1043	1048	1051	1054	1054	1054	1052	1054	1054	1051	1047
22	1044	1033	1036	1041	1042	1041	1040	1039	1040	1038	1036	1035	1037	1042	1043	1049	1054	1055	1059	1067	1075	1081	1069	1062	1048
23 d	1059	1045	1048	1048	1039	1042	1043	1041	1042	1039	1041	1043	1042	1045	1064	1112	1207	1208	1208	1204	1162	1099	1044	1049	1082
24 d	1061	999	999	1032	1049	1053	1054	1054	1054	1056	1051	1047	1050	1054	1057	1064	1067	1072	1065	1066	1062	1067	1069	1057	1052
25	1037	1020	1027	1037	1045	1048	1049	1049	1050	1050	1050	1047	1050	1050	1054	1059	1062	1065	1061	1063	1068	1054	1057	1051	1050
26	1038	1045	1049	1050	1048	1047	1048	1050	1054	1055	1054	1050	1050	1050	1051	1053	1054	1054	1055	1060	1061	1061	1054	1045	1051
27	1048	1050	1054	1053	1049	1049	1049	1048	1047	1044	1039	1038	1040	1045	1049	1053	1056	1060	1074	1078	1074	1095	1090	1067	1056
28 d	1040	1051	1056	1048	1048	1050	1049	1049	1050	1044	1037	1039	1032	1043	1082	1120	1155	1147	1096	1080	1070	1064	1063	1059	1065
Mean	1047	1043	1043	1045	1045	1045	1044	1043	1043	1043	1043	1044	1046	1049	1053	1060	1066	1066	1065	1065	1061	1059	1055	1051	1051

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

109 ESKDALEMUIR		TERRESTRIAL MAGNETIC ELEMENTS										3-hr. range indices K		Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 +
	Horizontal force			Declination			Vertical force			3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 +			
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range							
1	h. m. γ	γ h. m.	γ	h. m.	h. m.	h. m.	h. m. γ	γ h. m.	γ	1, 1, 1, 1, 2, 1, 1, 1	9	0	83.7			
2	12 50 553	513 23 28	40	12 52 49.4	41.3 23 25	8.1	21 52 1051	1035 12 52	16	2, 2, 2, 3, 4, 3, 1, 2	20	1	83.8			
3	5 11 548	468 14 38	80	12 39 53.5	37.7 16 10	15.8	16 20 1075	1032 7 47	43	2, 2, 2, 1, 1, 1, 1, 1	11	0	83.7			
4	7 40 533	502 2 3	31	3 5 47.7	40.9 18 4	6.8	18 26 1054	1042 7 40	12	0, 0, 1, 0, 1, 0, 1, 2	5	0	83.6			
5 d	22 54 541	502 10 58	39	13 3 48.6	41.2 8 46	7.4	15 15 1056	1043 7 25	13	1, 3, 2, 3, 3, 3, 5, 2	22	1	83.6			
6 d	18 32 565	469 18 6	96	12 37 62.6	14.0 18 25	48.6	18 26 1111	1026 7 24	85	4, 3, 2, 4, 3, 4, 5, 4	29	1	83.6			
7	19 58 553	432 11 50	121	12 34 53.3	20.8 19 51	32.5	19 22 1122	1015 23 43	107	3, 2, 1, 2, 2, 1, 1, 2	14	1	83.4			
8 q	1 47 540	490 10 49	50	1 58 53.0	39.7 3 17	13.3	14 50 1060	1013 2 10	47	1, 1, 1, 1, 1, 1, 0, 2	8	0	83.3			
9 q	22 41 528	503 11 56	25	12 48 46.0	38.7 23 18	7.3	16 0 1055	1044 9 5	11	2, 1, 0, 2, 0, 0, 1	6	0	83.2			
10	22 3 532	505 0 1	27	12 10 48.1	40.4 0 1	7.7	15 54 1059	1040 13 30	19	0, 0, 1, 2, 3, 3, 3	15	1	83.2			
11	23 23 540	485 13 1	55	13 37 48.7	36.1 17 12	12.6	17 19 1068	1036 9 40	32	2, 1, 2, 1, 1, 2, 3, 3	15	1	83.1			
12 q	14 10 528	470 19 41	58	12 42 49.9	34.3 21 20	15.6	19 46 1090	1042 8 40	48	1, 1, 1, 2, 0, 0, 1, 0	6	0	83.0			
13	19 44 532	505 3 13	27	13 40 45.8	41.5 7 29	4.3	0 1 1058	1047 17 33	11	3, 2, 1, 1, 2, 1, 1, 1	12	0	83.1			
14	6 59 540	497 2 26	43	2 46 50.1	41.3 7 23	8.8	2 23 1053	1042 17 10	11	0, 0, 1, 2, 2, 1, 1, 3	10	0	83.0			
15	14 18 540	489 24 0	51	11 23 48.5	32.9 23 38	15.6	15 43 1059	1039 24 0	20	3, 2, 3, 2, 3, 2, 3, 3	21	1	83.0			
16	23 40 559	468 18 40	91	11 52 49.5	34.1 0 34	15.4	19 0 1085	1026 8 6	59	3, 1, 2, 2, 3, 2, 2, 4	19	1	82.9			
17	1 5 558	497 15 2	61	1 9 48.6	28.6 22 5	20.0	22 2 1060	1030 1 20	30	3, 3, 2, 1, 1, 1, 1, 1	13	0	83.0			
18 q	3 1 540	505 4 20	35	12 12 47.4	34.7 3 20	12.7	15 49 1053	1030 3 11	23	2, 2, 1, 1, 1, 1, 1, 1	8	0	83.0			
19 q	6 51 532	505 10 19	27	2 32 47.6	39.7 7 1	7.9	15 36 1053	1038 7 42	15	0, 0, 0, 1, 2, 1, 2, 1	7	0	83.0			
20	19 30 544	513 10 30	31	13 19 48.9	40.3 22 56	8.6	14 52 1053	1042 11 30	11	1, 2, 1, 2, 2, 2, 3	15	0	83.0			
21	23 47 559	495 9 44	63	12 22 50.3	39.8											

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

110 ESKDALEMUIR (H) 16,000γ (0.16 C.G.S. unit) + MARCH 1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
1 d	502	497	499	502	504	505	505	396	283	501	579	493	571	567	579	531	522	520	533	486	521	540	524	422	503
2 d	372	363	446	450	447	466	470	475	458	470	485	485	486	524	531	520	551	514	526	512	494	504	509	509	482
3 d	497	504	486	475	481	494	489	438	420	415	438	477	481	489	512	520	536	532	478	494	501	493	505	487	485
4	489	490	475	477	486	491	489	476	484	463	476	478	490	494	505	506	510	509	512	512	536	520	512	517	496
5 d	502	501	505	506	517	492	516	513	502	490	490	494	482	497	509	536	528	506	517	481	466	450	485	486	499
6	482	478	475	466	501	482	494	490	490	459	462	481	494	490	489	513	510	508	509	512	512	514	524	517	494
7	517	510	513	516	517	520	524	521	517	513	504	481	490	501	503	513	515	525	532	536	536	526	521	524	516
8 d	519	508	454	496	489	497	489	505	501	501	494	496	498	505	505	497	521	505	533	516	544	495	481	489	502
9	489	508	450	419	466	485	485	484	508	508	496	486	500	505	517	525	512	485	503	500	494	498	536	493	494
10	497	505	502	502	508	499	509	514	512	506	502	496	507	520	521	517	529	502	516	540	531	532	524	524	513
11	517	522	505	518	492	517	536	529	516	509	501	495	501	509	513	513	513	514	517	518	520	520	526	529	515
12 q	522	521	517	518	522	527	532	530	524	515	512	511	513	513	518	526	528	526	528	528	528	529	524	532	523
13	540	533	506	508	527	520	524	524	517	481	482	478	486	466	501	508	510	512	498	509	517	532	555	512	510
14	516	521	526	509	514	526	520	473	489	509	501	478	464	485	495	490	512	516	517	520	520	518	521	529	507
15	510	513	517	519	522	519	517	514	509	501	494	500	512	497	506	524	525	521	501	520	522	521	521	522	514
16 q	528	521	520	520	521	525	526	521	517	505	497	494	502	505	510	513	521	520	522	524	520	524	520	517	516
17	517	518	519	512	524	533	526	513	512	505	497	501	508	510	513	517	525	525	527	526	540	517	517	521	518
18	517	517	517	517	520	520	524	525	524	513	513	508	513	513	509	528	492	500	508	529	522	516	548	532	518
19	514	516	517	521	517	518	514	518	513	517	506	513	520	513	529	533	537	494	516	494	494	497	512	478	513
20	458	494	476	512	518	505	516	498	487	488	485	489	499	504	514	517	514	516	517	520	521	525	524	525	505
21	529	528	527	539	536	538	510	489	480	481	494	494	501	498	508	509	508	535	508	517	524	506	505	515	512
22	493	489	482	512	499	508	501	493	496	489	470	470	479	490	508	520	517	521	532	532	528	520	514	520	503
23	517	508	509	512	516	521	520	516	507	498	491	489	494	508	519	526	514	519	515	527	551	524	517	515	514
24	514	510	513	512	516	524	522	520	513	497	489	489	491	487	502	500	514	525	532	531	529	528	525	523	513
25 q	524	524	517	520	524	525	530	529	521	506	497	494	494	494	506	518	508	522	528	530	529	529	527	526	518
26	528	527	528	529	529	531	536	546	531	489	459	478	524	506	473	501	517	524	532	536	528	526	524	528	518
27 q	521	525	525	529	530	518	517	513	505	490	479	478	485	497	505	515	520	521	524	528	526	524	517	519	513
28 q	521	524	521	523	520	521	521	518	515	499	490	489	491	491	508	517	524	526	529	536	536	536	534	532	518
29	533	540	540	538	529	546	540	534	536	512	497	493	490	506	489	497	515	529	528	529	525	524	529	533	522
30	526	528	529	520	521	529	534	535	529	506	495	490	490	506	493	497	524	520	516	513	515	519	519	521	516
31	520	518	518	521	526	525	525	528	525	504	497	483	480	490	505	519	525	529	536	535	529	516	521	532	517
Mean	507	508	504	507	511	514	515	506	498	495	493	490	498	503	509	515	519	517	519	519	521	517	520	514	509

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

111 ESKDALEMUIR (D) 12° + MARCH 1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
1 d	44.9	45.1	42.5	42.0	40.9	40.6	40.1	68.4	64.8	14.4	38.4	23.9	38.7	43.8	51.1	45.9	48.7	50.6	44.1	27.2	37.8	46.8	42.4	50.5	43.1
2 d	49.7	27.0	27.9	37.5	41.1	44.5	43.4	40.0	38.5	38.1	40.2	40.2	39.4	39.6	40.7	39.6	37.9	39.4	38.1	40.4	43.0	43.4	44.7	45.5	40.0
3 d	45.7	48.6	51.3	48.6	50.9	44.0	45.9	49.8	53.4	42.3	41.3	46.6	44.8	43.5	38.4	34.9	34.5	33.2	41.5	42.5	41.8	41.6	42.3	39.5	43.6
4	42.9	41.2	40.4	40.8	41.2	39.6	40.6	42.5	45.2	44.8	44.9	47.0	47.0	47.9	47.0	46.8	45.8	35.7	41.2	43.5	40.1	39.8	39.7	39.7	42.7
5 d	40.6	41.5	41.4	41.4	42.9	49.4	50.6	49.1	46.9	44.4	46.6	47.8	49.0	48.6	47.7	48.1	47.5	35.3	38.7	44.6	38.8	33.3	30.8	40.8	43.6
6	42.3	46.4	43.3	46.8	48.4	41.5	43.8	46.0	45.9	44.9	46.3	45.9	47.7	48.4	47.0	40.8	42.6	41.6	42.5	42.2	42.2	41.7	41.6	40.5	44.2
7	40.5	39.9	40.1	37.9	38.0	38.0	39.7	42.3	43.2	43.5	44.0	45.0	45.2	46.8	49.4	45.0	40.5	39.7	41.3	41.6	44.2	44.1	40.9	40.1	42.1
8 d	39.0	31.5	37.9	43.0	37.1	37.3	41.5	42.4	41.4	39.7	41.2	43.0	44.9	46.1	46.9	46.7	45.1	43.3	40.5	43.8	36.2	36.0	38.9	38.7	40.9
9	40.7	39.7	27.1	30.5	28.6	38.8	39.6	38.9	39.6	41.6	44.2	45.7	47.3	48.5	47.7	47.9	46.9	41.1	40.5	38.1	39.5	38.5	38.7	34.6	40.2
10	39.3	41.2	40.6	39.5	38.6	40.0	40.8	40.6	40.5	41.4	43.4	47.1	46.9	48.5	48.5	47.8	47.2	45.2	43.8	44.8	44.5	43.3	42.3	41.1	43.2
11	39.6	45.7	38.6	36.8	36.6	43.1	39.6	40.5	40.4	41.6	42.4	44.6	45.8	45.9	45.9	44.3	43.1	42.3	41.7	41.5	42.2	42.2	42.1	43.3	42.1
12 q	41.7	43.1	41.8	40.4	40.4	40.4	40.6	40.8	40.5	41.3	43.1	45.2	46.7	47.0	46.3	45.3	44.2	43.4	43.1	43.2	43.1	43.2	42.5	38.4	42.7
13	35.7	36.0	34.4	39.8	41.3	37.8	38.9	39.7	39.6	44.1	46.2	50.3	52.1	55.0	51.4	51.5	48.6	45.1	44.8	42.7	42.7	37.9	34.3	40.4	42.9
14	41.2	43.2	42.2	39.6	41.3	40.8	41.5	49.6	58.5	47.5	44.4	47.8	47.6	46.3	48.8	44.2	43.0	42.4	40.9	40.7	41.3	40.8	41.4	45.0	44.2
15	37.0	41.6	40.5	40.5	40.4	40.4	39.9	40.5	39.7	40.6	43.1	45.9	49.2	49.7	45.3	45.6	43.7	42.3	40.1	42.5	42.5	42.3	40.7	41.5	42.3
16 q	43.7	41.7	41.3	41.4	41.4	41.4	41.3	41.7	41.2	39.8	42.3	45.1	47.0	46.9	45.9	44.0	43.1	42.3	42.5	39.1	39.7	41.0	41.5	42.2	42.4
17	42.2	45.9	43.0	40.5	41.6	40.1	40.7	41.3	40.6	41.4	43.4	46.3	47.1	46.7	44.4	43.3	42.6	43.0	42.6	43.3	43.3	39.9	40.5	41.5	42.7
18	40.9	41.6	41.3	41.3	40.9	40.5	40.5	40.5	41.4	45.7	46.4	47.0	47.7	50.4	49.5	50.3	50.4	46.8	43.5	40.7	38.2	36.7	38.5	40.0	43.4
19	39.0	40.3	39.4	39.0	38.6	39.2	40.9	39.4	38.2	39.8	41.5	46.0	49.6	49.6	50.4	50.6	51.6	51.2	46.8	40.6	40.3	40.5	39.6	27.9	42.5
20	31.3	35.4	36.9	38.4	33.2	37.8	39.3	39.1	38.9	40.5	42.5	45.6	46.9	48.0	47.5	46.0	43.9	43.2	41.4	41.5	41.2	42			

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

112 ESKDALEMUIR (V)

44,000γ (0.44 C.G.S. unit) +

MARCH 1942

	Hour G.M.T.																						Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
1 d	1045	1048	1053	1054	1055	1056	1056	1056	1065	1148	1102	1102	1107	1120	1123	1118	1099	1090	1119	1122	1101	1108	1071	1007	1084
2 d	873	829	875	940	1011	1029	1042	1060	1066	1068	1067	1072	1083	1093	1098	1098	1096	1085	1077	1069	1066	1062	1061	1037	
3 d	1060	1048	1024	1026	1026	1033	1051	1057	1054	1074	1090	1086	1095	1114	1126	1157	1185	1146	1101	1083	1075	1069	1056	1055	1079
4	1061	1048	1041	1046	1039	1050	1055	1056	1054	1058	1055	1054	1060	1065	1075	1076	1078	1090	1080	1072	1067	1051	1054	1049	1060
5 d	1048	1054	1059	1060	1056	1043	1019	1021	1030	1042	1044	1047	1054	1059	1063	1065	1080	1175	1235	1178	1048	1066	1062	1056	1069
6	1063	1038	1005	985	982	1017	1033	1040	1047	1060	1062	1071	1074	1074	1081	1089	1082	1074	1066	1062	1062	1062	1060	1061	1052
7	1060	1059	1059	1057	1056	1055	1052	1049	1049	1047	1044	1048	1048	1050	1054	1066	1077	1075	1066	1060	1059	1067	1066	1060	1058
8 d	1054	1022	995	946	1018	1036	1034	1031	1034	1042	1045	1048	1053	1059	1066	1078	1090	1108	1115	1089	1071	1059	1053	1038	1049
9	1023	913	927	904	957	1024	1045	1032	1054	1050	1047	1045	1047	1051	1059	1072	1081	1104	1097	1097	1090	1075	1025	1018	1036
10	1041	1048	1048	1049	1048	1051	1054	1054	1055	1055	1054	1052	1051	1050	1053	1065	1071	1078	1071	1061	1060	1060	1060	1059	1056
11	1059	1029	1030	1030	1040	1029	1025	1034	1042	1044	1042	1044	1048	1051	1054	1060	1061	1060	1060	1059	1059	1055	1054	1051	1047
12 q	1050	1049	1048	1050	1049	1048	1045	1048	1048	1050	1048	1045	1047	1045	1048	1049	1053	1054	1054	1054	1054	1054	1054	1054	1050
13	1036	1008	1025	1017	994	1020	1032	1039	1042	1048	1042	1044	1053	1067	1081	1074	1072	1073	1084	1080	1074	1067	1033	1045	1048
14	1052	1044	1036	1044	1045	1044	1044	1044	1032	1036	1041	1046	1059	1060	1066	1078	1077	1069	1066	1062	1060	1060	1051	1023	1052
15	1033	1045	1051	1054	1053	1052	1051	1053	1051	1049	1047	1042	1042	1059	1066	1066	1057	1062	1072	1061	1057	1058	1059	1056	1054
16 q	1052	1053	1054	1054	1053	1050	1050	1054	1054	1049	1045	1042	1042	1048	1054	1057	1057	1057	1056	1059	1059	1055	1055	1055	1053
17	1055	1050	1041	1049	1049	1049	1047	1049	1050	1049	1044	1042	1043	1050	1056	1060	1060	1059	1057	1057	1051	1045	1051	1053	1051
18	1055	1055	1055	1054	1054	1053	1052	1051	1046	1039	1034	1033	1036	1045	1056	1066	1088	1098	1095	1080	1072	1066	1047	1039	1057
19	1048	1051	1054	1054	1054	1050	1047	1049	1049	1043	1036	1029	1032	1039	1051	1065	1089	1110	1104	1107	1092	1071	1051	1041	1059
20	1001	999	1006	999	1018	1030	1038	1047	1051	1051	1048	1046	1039	1041	1051	1060	1060	1062	1062	1061	1060	1058	1056	1055	1042
21	1054	1054	1048	1026	1024	1028	1032	1035	1035	1033	1038	1041	1045	1054	1060	1069	1084	1108	1097	1090	1065	1049	1055	1054	1053
22	1048	1019	1012	1030	1029	1026	1038	1050	1054	1054	1049	1047	1041	1045	1057	1064	1068	1068	1068	1061	1056	1060	1060	1052	1048
23	1044	1048	1047	1043	1044	1048	1053	1050	1053	1047	1045	1041	1037	1039	1051	1063	1079	1077	1078	1073	1065	1048	1055	1050	1053
24	1050	1052	1054	1054	1047	1035	1036	1043	1045	1044	1041	1036	1035	1039	1050	1060	1062	1060	1059	1056	1055	1054	1054	1054	1049
25 q	1051	1048	1050	1052	1053	1053	1054	1054	1054	1049	1045	1037	1034	1038	1045	1055	1059	1057	1054	1054	1054	1054	1054	1052	1050
26	1051	1051	1050	1049	1048	1049	1050	1048	1045	1042	1040	1036	1036	1051	1059	1057	1066	1076	1069	1063	1061	1060	1059	1056	1053
27 q	1055	1054	1053	1041	1033	1038	1048	1054	1055	1051	1045	1039	1036	1039	1048	1056	1057	1057	1057	1060	1060	1059	1055	1053	1050
28 q	1050	1049	1051	1051	1051	1049	1050	1052	1053	1053	1047	1041	1041	1045	1050	1052	1051	1051	1053	1051	1051	1051	1052	1052	1050
29	1051	1049	1048	1047	1044	1033	1038	1041	1041	1043	1038	1031	1033	1047	1066	1072	1068	1061	1056	1056	1058	1059	1055	1053	1049
30	1054	1053	1050	1050	1049	1049	1048	1048	1049	1049	1045	1039	1033	1033	1051	1057	1068	1090	1091	1081	1070	1061	1059	1055	1055
31	1055	1055	1055	1055	1053	1049	1050	1050	1049	1051	1050	1043	1031	1038	1048	1054	1059	1059	1054	1056	1059	1060	1057	1054	1052
Mean	1043	1033	1032	1031	1037	1041	1044	1047	1049	1052	1049	1047	1049	1055	1063	1070	1075	1081	1080	1074	1064	1061	1055	1049	1053

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

113 ESKDALEMUIR

MARCH 1942

	TERRESTRIAL MAGNETIC ELEMENTS									3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 + °A.				
	Horizontal force			Declination			Vertical force										
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range								
1 d	h. m. 10 0	γ 751	γ h. m. 95 8 15	γ 656	h. m. 7 46	h. m. 107.2	-16.3	9 29	123.5	h. m. 9 27	γ 1179	γ h. m. 934 24 0	245	2, 2, 7, 8, 7, 5, 5, 6	42	2	83.0
2 d	16 37	584	282 1 43	302	0 28	60.3	14.8	2 24	45.5	16 47	1102	787 1 53	315	6, 5, 3, 3, 4, 4, 3, 2	30	2	83.0
3 d	17 7	614	388 9 40	226	8 2	56.7	19.7	17 5	37.0	16 32	1206	1017 2 49	189	3, 3, 4, 4, 4, 5, 3, 4	30	2	83.0
4	20 41	563	455 9 9	108	13 55	49.3	31.1	17 25	18.2	17 37	1097	1033 2 13	64	3, 2, 3, 3, 2, 4, 4, 3	24	1	83.0
5 d	15 23	594	393 20 9	201	19 48	64.0	18.0	17 46	46.0	18 19	1276	1014 6 32	262	1, 3, 3, 2, 3, 5, 6, 4	27	2	83.0
6	22 51	533	423 3 55	110	4 31	52.3	38.9	15 23	13.4	15 24	1091	976 4 39	115	4, 4, 3, 3, 3, 3, 1, 2	23	1	83.0
7	20 35	565	458 11 21	107	14 52	50.1	36.8	23 57	13.3	17 1	1080	1044 10 30	36	2, 1, 2, 4, 3, 3, 3, 3	21	1	83.0
8 d	20 8	599	381 2 48	218	2 58	53.5	21.7	20 3	31.8	18 22	1121	918 3 11	203	5, 5, 3, 2, 3, 3, 5, 4	30	2	82.9
9	1 20	572	392 1 0	180	13 6	49.5	17.9	2 38	31.6	17 35	1106	891 3 29	215	6, 5, 3, 3, 3, 4, 3, 5	32	2	83.0
10	16 52 19 21	544	474 11 35	70	14 10	49.5	34.4	0 1	15.1	17 9	1079	1031 0 1	48	2, 2, 2, 3, 2, 4, 4, 1	20	1	83.0
11	23 20	548	481 4 50	67	1 3	50.0	33.3	3 49 4 3	16.7	16 23	1062	1018 1 55	44	3, 3, 2, 2, 1, 2, 1, 3	17	1	83.0
12 q	24 0	546	508 12 0	38	13 17	47.7	36.0	23 56	11.7	23 3	1057	1044 13 18	13	2, 1, 2, 2, 2, 2, 1, 3	15	0	83.0
13	22 23	613	450 13 30	163	13 20	57.8	27.9	21 51	29.9	18 14	1087	1018 4 26	69	3, 3, 2, 3, 4, 3, 3, 5	26	1	82.9
14	23 10	569	435 8 2	134	8 26	61.2	38.9	3 11	22.3	15 47	1084	1016 23 28	68	2, 2, 4, 4, 3, 4, 2, 4	25	1	82.9
15	17 6	533	478 13 34	55	13 18	51.3	35.5	0 26	15.8	18 17	1075	1024 0 1	51	3, 2, 1, 3, 3, 3, 3, 1	19	1	82.8
16 q	0 18	533	493 11 3	40	12 57	47.4	37.7	19 32	9.7	19 38	1061	1039 12 2	22	2, 1, 1, 1, 2, 2, 2, 1	12	0	82.8
17	20 30	566	495 11 9	71	1 53	50.2	38.6	21 31	11.6	17 12	1060	1037 21 5	23	3, 3, 3, 1, 2, 2, 3, 2	19	0	82.7
18	22 56	567	474 16 31	93	16 23	53.1	29.4	21 3	23.7	17 48	1102	1031 10 48	71	1, 0, 2,			

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with 25 columns (Hour G.M.T. 0-1 to 23-24) and 25 rows (1 to 30). Includes a 'Mean' row at the bottom. Values range from 480 to 533.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with 25 columns (Hour G.M.T. 0-1 to 23-24) and 25 rows (1 to 30). Includes a 'Mean' row at the bottom. Values range from 37.0 to 48.5.

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

116 ESKDALEMUIR (V) 44,000γ (0.44 C.G.S. unit) + APRIL 1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
1	1051	1052	1048	1043	1043	1038	1037	1036	1037	1039	1035	1030	1026	1025	1033	1044	1048	1052	1053	1049	1048	1047	1047	1046	1042
2	1047	1046	1048	1048	1044	1044	1044	1043	1040	1040	1037	1043	1053	1072	1087	1096	1125	1129	1136	1115	1078	1054	1047	1038	1065
3 d	1014	1038	1044	1039	1006	968	991	1000	1013	1023	1031	1037	1044	1053	1065	1075	1067	1061	1059	1054	1055	1061	1048	1039	1037
4 d	1039	1032	1026	1037	1047	1044	1035	1006	1016	1024	1032	1059	1055	1055	1060	1096	1187	1205	1171	1145	1013	1065	1068	1057	1066
5	1046	1050	1054	1057	1053	1050	1054	1054	1054	1055	1058	1056	1055	1061	1074	1072	1072	1076	1072	1068	1065	1059	1051	1045	1059
6	1047	1048	1053	1051	1046	1048	1054	1054	1055	1055	1053	1048	1044	1047	1051	1055	1057	1059	1060	1061	1061	1054	1054	1052	1053
7 q	1050	1051	1054	1054	1055	1055	1054	1055	1054	1054	1050	1046	1042	1043	1052	1056	1057	1058	1057	1057	1057	1057	1060	1057	1054
8	1053	1042	995	1000	1024	1036	1039	1041	1038	1041	1043	1038	1031	1036	1048	1060	1069	1100	1109	1097	1078	1069	1063	1057	1050
9	1053	1050	1054	1057	1058	1057	1056	1055	1054	1050	1047	1048	1044	1044	1056	1066	1065	1060	1057	1056	1057	1056	1049	1049	1054
10	1051	1054	1054	1054	1054	1055	1056	1056	1054	1050	1047	1043	1038	1041	1047	1050	1050	1050	1051	1051	1051	1054	1060	1061	1051
11 d	1048	1021	987	975	976	983	1012	1034	1039	1047	1054	1060	1060	1081	1110	1117	1102	1092	1084	1076	1071	1067	1062	1061	1051
12	1063	1062	1062	1062	1061	1060	1061	1061	1059	1056	1051	1047	1045	1051	1057	1066	1065	1069	1066	1065	1066	1062	1060	1056	1060
13	1041	1049	1054	1056	1056	1056	1057	1060	1061	1054	1047	1041	1040	1051	1074	1101	1111	1106	1096	1075	1072	1048	1002	967	1057
14	900	805	829	959	1026	1041	1048	1057	1056	1054	1054	1047	1042	1047	1054	1060	1060	1059	1060	1060	1057	1057	1057	1057	1023
15	1057	1059	1059	1058	1059	1060	1060	1060	1057	1054	1051	1050	1040	1042	1048	1054	1057	1059	1060	1061	1062	1062	1060	1057	1055
16	1057	1056	1051	1045	1041	1044	1042	1042	1044	1044	1048	1046	1043	1044	1050	1055	1060	1071	1086	1087	1078	1054	1029	1035	1052
17 d	1005	954	910	904	988	1035	1033	1023	1036	1041	1052	1065	1065	1062	1078	1106	1116	1118	1107	1096	1087	1079	1073	1059	1045
18 d	1053	1054	1048	1039	1048	1041	1033	1033	1031	1033	1036	1040	1050	1079	1101	1114	1105	1093	1083	1066	1069	1059	1035	1010	1056
19	1018	1028	1024	1020	1030	1038	1039	1047	1051	1050	1047	1037	1034	1045	1054	1060	1063	1071	1078	1083	1075	1066	1062	1056	1049
20	1047	1044	1038	1042	1050	1054	1057	1057	1056	1054	1047	1039	1042	1048	1053	1062	1078	1081	1072	1072	1067	1062	1058	1054	1056
21 q	1054	1055	1055	1056	1057	1059	1059	1056	1055	1051	1048	1041	1033	1036	1047	1057	1060	1061	1065	1066	1063	1061	1058	1057	1055
22 q	1056	1054	1053	1053	1054	1055	1055	1055	1054	1048	1037	1026	1024	1026	1031	1039	1046	1053	1054	1054	1053	1054	1054	1054	1048
23	1053	1051	1051	1051	1049	1049	1047	1043	1036	1028	1024	1024	1023	1039	1043	1065	1090	1107	1105	1090	1074	1065	1054	1026	1054
24	1011	981	997	1026	1044	1045	1049	1050	1047	1042	1045	1048	1043	1051	1061	1062	1065	1071	1071	1067	1060	1059	1057	1057	1046
25 q	1057	1057	1059	1060	1062	1063	1061	1059	1057	1048	1045	1038	1037	1041	1044	1048	1051	1056	1058	1055	1054	1055	1055	1054	1053
26 q	1054	1055	1055	1056	1054	1054	1054	1051	1046	1048	1044	1036	1036	1042	1048	1049	1049	1053	1054	1055	1054	1054	1054	1054	1050
27	1053	1053	1054	1054	1054	1056	1053	1048	1045	1041	1036	1034	1039	1041	1048	1059	1062	1080	1102	1111	1094	1073	1062	1037	1058
28	996	946	946	1014	1029	1041	1047	1050	1053	1056	1054	1047	1042	1048	1060	1066	1063	1060	1057	1059	1055	1057	1054	1050	1040
29	1054	1054	1054	1054	1054	1054	1051	1050	1044	1049	1048	1047	1045	1048	1051	1054	1055	1057	1056	1055	1054	1056	1055	1053	1052
30	1052	1055	1056	1056	1054	1051	1049	1044	1042	1039	1035	1032	1036	1038	1047	1057	1070	1076	1089	1081	1068	1064	1059	1057	1054
Mean	1039	1032	1029	1036	1043	1045	1046	1046	1046	1045	1043	1042	1042	1048	1058	1067	1074	1078	1078	1073	1063	1060	1054	1047	1051

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

117 ESKDALEMUIR

APRIL 1942

	TERRESTRIAL MAGNETIC ELEMENTS										3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 + °A.
	Horizontal force			Declination			Vertical force							
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range					
1	h. m. γ	γ h. m.	γ	h. m.	h. m.	h. m.	h. m.	γ	h. m.	γ	2, 3, 2, 2, 3, 2, 2, 1	17	1	82.6
2	23 54 572	451 14 8	121	13 9 56.5	28.6 21 32	27.9	18 10 1141	1012 24 0	129	2, 2, 3, 3, 4, 3, 4, 4	25	1	82.6	
3 d	22 24 595	464 4 31	131	4 46 60.2	17.4 22 18	42.8	15 23 1078	953 5 8	125	4, 4, 3, 2, 3, 2, 4, 4	26	1	82.6	
4 d	16 39 700	322 20 23	378	20 18 67.3	1.0 19 58	66.3	16 49 1248	942 20 18	306	3, 3, 5, 5, 4, 6, 7, 3	36	2	82.6	
5	22 0 539	455 13 28	84	13 10 48.5	37.2 8 29	11.3	17 34 1078	1042 0 26	36	3, 3, 1, 2, 3, 3, 1, 2	18	1	82.6	
6	21 8 552	469 11 8	83	13 30 47.8	37.0 8 46	10.8	19 10 1062	1044 4 58	18	2, 2, 1, 2, 2, 1, 1, 3	14	0	82.7	
7 q	21 8 532	471 12 21	61	13 35 48.6	36.9 23 10	11.7	22 10 1061	1039 12 35	22	1, 1, 1, 2, 2, 1, 1, 2	11	0	82.7	
8	16 55 586	473 17 15	113	13 58 54.0	22.5 3 30	31.5	17 55 1112	984 2 48	128	4, 4, 4, 3, 4, 5, 3, 2	29	1	82.7	
9	21 23 558	474 11 7	84	13 58 49.4	35.6 21 22	13.8	15 52 1068	1044 12 58	24	2, 2, 2, 2, 3, 2, 1, 3	17	1	82.7	
10	20 43 548	481 11 49	67	13 27 48.6	30.6 23 44	18.0	23 10 1067	1037 12 44	30	1, 1, 1, 2, 1, 2, 1, 3	12	0	82.8	
11 d	3 3 555	416 13 25	139	12 32 54.2	18.3 3 40	35.9	15 26 1121	960 2 46	161	4, 4, 4, 3, 4, 4, 3, 3	29	1	82.8	
12	23 44 536	474 11 6	62	15 7 49.7	35.1 8 18	14.6	17 25 1071	1044 12 0	27	1, 1, 1, 2, 3, 3, 2, 2	15	0	82.8	
13	20 53 582	443 23 54	139	14 10 55.8	26.3 20 49	29.5	16 25 1114	949 23 53	165	3, 1, 2, 3, 4, 3, 4, 5	25	2	82.8	
14	15 37 592	285 0 51	307	15 37 49.9	21.7 0 33	28.2	18 31 1062	780 1 9	282	6, 5, 3, 3, 3, 4, 2, 2	28	2	82.8	
15	18 20 540	477 11 12	63	13 39 48.5	36.8 7 29	11.7	20 55 1066	1038 12 40	28	1, 1, 1, 2, 2, 2, 2, 2	13	0	82.8	
16	18 40 559	462 12 12	97	13 11 51.5	28.8 24 0	22.7	19 57 1096	1022 22 42	74	2, 3, 3, 2, 3, 3, 3, 4	23	1	82.8	
17 d	23 0 572	329 2 14	243	14 43 54.0	4.8 1 58	49.2	16 46 1121	865 3 18	256	5, 5, 4, 4, 3, 3, 3, 4	31	2	82.7	
18 d	18 29 612	427 10 39	185	13 40 54.8	28.9 18 41	25.9	15 30 1118	1006 23 20	112	3, 3, 3, 3, 5, 4, 5, 3	29	1	82.7	
19	19 24 552	447 10 29	105	13 19 49.6	34.1 1 31	15.5	19 13 1084	1014 0 10	70	3, 2, 2, 3, 3, 3, 3, 2	21	1	82.7	
20	17 50 540	463 12 35	77	13 27 52.2	35.0 8 32	17.2	17 10 1087	1033 2 42	54	3, 2, 1, 2, 3, 3, 2, 1	17	1	82.8	
21 q	18 26 550	478 10 38	72	14 47 47.8	36.0 8 28	11.8	19 41 1066	1030 12 38	36	1, 1, 1, 0, 3, 2, 2, 1	11	0	82.8	
22 q	19 41 540	489 1 14	51	14 23 47.9	36.0 8 39	11.9	0 1 1057	1023 12 29	34	2, 1, 1, 1,				

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

118 ESKDALEMUIR (H)

16,000γ (0.16 C.G.S. unit) +

MAY 1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
1	532	526	540	524	531	546	524	493	502	492	478	480	489	501	513	521	536	540	533	533	531	528	528	528	519
2	529	525	524	521	524	516	502	494	496	490	466	467	489	509	515	533	545	538	533	536	528	524	517	517	514
3	515	522	517	520	522	512	506	508	505	495	497	497	504	510	517	523	529	533	538	544	538	533	545	541	520
4 d	530	525	523	529	528	528	525	520	517	513	505	506	515	529	551	572	552	551	572	560	517	496	470	489	526
5 d	495	532	520	512	528	529	514	505	499	486	478	492	498	505	504	516	532	537	544	543	535	547	535	522	517
6	523	521	524	518	521	523	529	526	517	510	506	505	501	512	518	519	528	529	540	545	539	537	536	533	523
7	529	528	524	526	521	524	525	533	525	515	513	508	510	513	523	532	540	547	548	543	544	545	541	544	529
8	537	535	529	525	532	537	536	532	525	517	513	506	509	517	534	535	538	547	552	551	556	557	552	545	534
9 q	540	540	540	540	539	538	536	536	533	527	513	505	503	511	520	526	533	540	544	540	539	539	542	539	532
10	540	533	538	531	533	533	532	529	528	525	525	526	525	521	523	529	537	545	545	547	552	563	567	565	537
11	553	556	547	543	545	544	535	528	522	522	516	520	524	526	532	534	535	541	539	538	540	541	540	537	536
12 q	536	536	533	536	536	536	536	533	525	516	505	503	512	520	529	533	553	551	542	537	541	538	533	530	531
13 q	526	527	526	527	530	530	528	524	517	505	500	498	504	512	516	520	535	544	545	543	542	545	547	556	527
14 d	554	555	560	566	559	539	508	541	515	499	509	512	499	501	501	515	531	551	547	546	534	529	528	530	530
15	529	528	533	531	532	526	527	517	511	511	504	500	498	507	525	539	539	549	552	543	540	525	528	520	526
16	519	520	523	520	523	527	520	516	511	505	501	504	503	518	521	539	545	564	564	552	540	535	530	532	526
17	527	534	531	529	531	527	520	514	509	505	505	512	519	523	532	547	550	547	550	555	541	534	534	531	529
18	535	535	532	536	532	528	524	514	511	507	497	498	507	511	524	543	546	555	554	553	547	537	537	532	529
19	528	528	530	524	528	528	527	519	509	508	505	504	504	512	518	536	547	558	551	551	546	543	537	535	528
20	537	536	535	534	533	527	526	523	525	524	517	514	508	514	528	543	567	558	546	559	557	555	551	538	536
21	538	530	526	532	536	534	536	533	524	513	502	493	507	523	531	523	545	554	559	551	540	543	536	532	531
22	531	533	538	532	536	535	526	493	504	518	515	507	505	511	516	535	551	570	563	546	517	515	523	531	527
23	528	528	527	527	532	530	526	519	508	500	505	505	504	511	519	528	539	568	562	551	556	533	531	535	529
24	535	534	534	532	539	532	534	527	519	504	495	496	504	518	524	538	532	552	555	543	544	539	535	532	529
25	538	531	532	531	532	527	521	519	519	519	509	515	519	520	524	529	540	545	548	546	546	543	538	535	530
26 q	532	531	532	535	532	528	521	512	505	504	506	512	512	516	527	532	539	547	551	550	548	543	540	540	529
27 d	543	542	540	543	543	540	537	531	531	528	527	507	524	562	544	573	586	563	555	590	543	539	535	532	544
28 d	527	528	525	525	512	485	477	489	489	486	486	492	505	504	531	531	544	543	547	540	550	532	537	539	518
29	523	518	515	520	519	511	516	509	501	494	498	497	494	507	522	532	554	555	553	544	542	535	535	534	522
30	535	536	541	528	528	523	514	503	501	496	505	505	507	519	528	531	534	541	544	541	543	536	535	528	525
31 q	531	527	531	531	531	527	519	511	502	505	504	508	516	531	535	535	545	550	546	544	546	543	540	538	529
Mean	531	532	531	530	531	528	523	518	513	508	503	503	507	516	524	534	543	549	549	547	541	537	535	533	528

MAGNETIC DECLINATION (WEST)

Mean values for periods of sixty minutes ending at exact hours, G.M.T.

119 ESKDALEMUIR (D)

12° +

MAY 1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
1	39.9	38.8	37.0	34.5	33.3	33.7	35.1	36.1	40.4	38.4	40.3	44.1	46.6	47.1	46.8	46.0	44.4	44.0	42.4	41.7	40.7	40.5	40.3	40.0	40.5
2	39.8	39.6	39.6	39.7	39.2	37.0	39.4	39.7	39.4	39.9	42.2	48.0	49.4	50.7	50.6	49.0	49.8	47.7	44.4	43.2	40.3	39.9	38.9	36.6	42.7
3	38.2	36.5	37.9	37.7	38.5	38.2	38.6	36.5	36.3	37.0	39.3	41.8	43.5	44.3	45.0	44.5	44.3	43.4	43.1	42.1	41.3	40.1	39.8	36.0	40.2
4 d	37.8	38.6	39.1	38.6	37.2	37.1	36.0	35.5	36.5	36.8	39.4	42.8	45.1	47.2	49.7	51.5	50.4	48.9	43.1	43.5	36.2	29.7	27.8	27.8	39.8
5 d	24.9	26.8	23.0	25.1	27.1	30.1	35.8	38.1	39.7	41.6	44.7	46.6	46.8	47.6	46.0	44.3	44.2	43.1	42.1	40.5	40.4	38.6	35.4	35.7	37.8
6	31.5	32.3	32.8	33.3	36.1	37.0	36.8	36.1	36.1	38.0	40.7	43.2	45.0	45.9	46.2	45.9	44.8	43.1	42.4	42.3	41.4	41.4	41.3	40.7	39.8
7	40.5	40.3	39.9	39.0	37.9	37.8	37.8	38.6	37.7	38.6	40.5	42.5	43.5	43.4	44.0	43.4	43.3	43.2	43.1	42.3	41.8	41.4	41.5	40.6	40.9
8	39.9	39.6	38.9	39.7	39.7	38.6	37.7	36.7	36.8	37.8	40.3	43.5	47.0	47.7	47.6	46.9	45.8	44.4	43.3	42.2	42.1	42.1	40.9	40.4	41.7
9 q	39.7	39.6	39.4	38.9	38.1	37.7	37.3	36.2	35.1	36.0	38.8	41.5	43.9	45.0	44.5	43.3	42.5	42.3	41.7	41.3	40.6	40.5	40.4	40.4	40.2
10	40.6	39.9	40.7	39.6	37.1	36.6	36.7	37.0	37.8	39.8	41.6	44.1	46.0	46.8	46.6	45.1	43.9	43.1	42.5	42.1	41.6	42.1	41.5	41.4	41.4
11	37.3	37.9	39.1	39.2	38.0	36.2	36.7	36.9	38.5	40.4	42.1	44.3	45.9	45.9	45.1	44.5	43.7	42.7	41.5	40.7	40.6	40.4	40.6	40.6	40.8
12 q	40.6	40.5	40.4	39.8	38.8	36.9	35.4	35.3	35.2	36.2	39.6	43.0	45.3	45.6	44.0	42.5	42.4	40.7	40.4	40.5	41.2	41.3	40.4	40.1	40.3
13 q	39.4	39.5	39.8	38.7	38.0	36.5	36.8	36.5	36.8	37.9	40.5	43.4	45.8	46.8	45.8	44.3	43.3	41.5	40.6	40.4	40.6	41.2	41.3	41.5	40.7
14 d	39.7	38.7	38.6	37.0	33.3	36.2	43.6	42.3	39.8	41.8	40.8	42.7	45.9	47.4	47.2	46.3	44.9	44.2	42.5	42.5	41.3	39.9	39.7	39.7	41.5
15	39.5	39.4	39.1	39.5	40.8	39.4	37.1	36.0	36.1	37.1	41.2	44.4	47.2	48.7	48.8	47.4	45.2	43.9	43.1	41.2	36.3	37.3	38.8	37.1	41.0
16	38.9	38.9	38.8	37.9	37.8	37.1	35.5	34.5	34.3	36.8	39.6	42.3	44.4	44.9	45.0	44.9	44.7	44.4	44.0	38.0	37.6	39.9	39.6	39.8	40.0
17	39.1	42.1	39.5	40.2	38.9	37.1	36.1	35.2	35.2	37.2	39.6	43.1	46.1	46.9	47.0	46.6	46.0	45.3	42.9	39.9	39.6	39.8	40.6	39.2	41.0
18	39.5	40.4	38.0	37.6	36.0	36.5	36.2	36.0	35.8	37.9	41.5	43.4	46.3	47.8	47.5	47.0	46.3	44.9	43.4	42.4	41.3	38.9	39.9	38.8	41.0
19	39.8	39.5	39.5	37.9	38.0	36.8	36.2	37.7	36.9	38.7	38.9	43.0	46.2	47.0	46.8	46.6	44.9	43.1	41.7	39.9	40.0	40.5	3		

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G. M. T.

120 ESKDALEMUIR (V)

44,000γ (0.44 C.G.S. unit) +

MAY 1942

	Hour G. M. T.																						Mean	
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1	1059	1057	1042	1036	1032	1021	1017	1017	1013	1033	1036	1037	1036	1039	1050	1059	1062	1063	1060	1058	1057	1057	1057	1057
2	1056	1057	1059	1057	1055	1056	1054	1049	1046	1042	1044	1042	1045	1056	1072	1087	1098	1096	1089	1080	1078	1073	1053	1051
3	1043	1045	1042	1047	1048	1051	1055	1054	1048	1043	1042	1042	1044	1044	1048	1051	1054	1056	1057	1057	1060	1060	1050	1045
4 d	1048	1051	1053	1048	1048	1048	1055	1044	1043	1040	1036	1033	1033	1039	1045	1054	1068	1081	1090	1084	1095	1067	1062	1060
5 d	1048	957	984	999	1008	1010	1018	1029	1033	1040	1039	1038	1045	1054	1056	1056	1055	1059	1062	1065	1065	1054	1045	1047
6	1038	1036	1037	1038	1039	1043	1043	1043	1042	1042	1041	1039	1041	1041	1047	1051	1056	1060	1060	1059	1056	1054	1054	1053
7	1054	1055	1056	1055	1055	1055	1054	1053	1053	1048	1041	1036	1036	1042	1046	1049	1053	1054	1055	1055	1055	1054	1054	1050
8	1050	1050	1051	1054	1050	1049	1049	1049	1045	1041	1033	1033	1036	1039	1042	1048	1050	1054	1055	1055	1054	1051	1051	1052
9 q	1054	1053	1051	1052	1053	1054	1051	1047	1043	1042	1036	1032	1033	1035	1035	1039	1044	1048	1050	1053	1054	1054	1051	1050
10	1050	1050	1045	1040	1040	1042	1041	1038	1036	1029	1026	1025	1024	1026	1035	1043	1045	1050	1049	1049	1048	1044	1043	1041
11	1036	1037	1041	1043	1042	1042	1044	1044	1043	1037	1029	1025	1027	1035	1041	1044	1046	1050	1054	1054	1054	1049	1048	1048
12 q	1049	1049	1050	1051	1054	1050	1048	1044	1039	1039	1032	1027	1024	1032	1038	1044	1051	1063	1068	1065	1060	1056	1054	1049
13 q	1047	1049	1050	1053	1055	1056	1055	1054	1050	1048	1039	1032	1036	1044	1045	1048	1051	1054	1054	1050	1048	1049	1048	1048
14 d	1045	1044	1045	1045	1046	1048	1042	1020	1023	1027	1027	1033	1035	1041	1055	1065	1066	1063	1062	1059	1059	1060	1057	1055
15	1055	1054	1054	1051	1042	1039	1038	1042	1042	1044	1043	1042	1042	1045	1048	1052	1059	1060	1060	1062	1069	1065	1059	1056
16	1055	1055	1055	1056	1054	1050	1049	1048	1045	1036	1030	1029	1032	1038	1044	1045	1051	1055	1062	1071	1069	1062	1060	1058
17	1054	1046	1046	1050	1050	1054	1053	1050	1048	1039	1033	1034	1038	1044	1044	1044	1048	1054	1066	1069	1066	1060	1056	1054
18	1048	1038	1035	1043	1045	1047	1044	1041	1036	1030	1027	1025	1026	1030	1034	1045	1051	1054	1056	1055	1056	1055	1041	1044
19	1045	1048	1045	1048	1048	1048	1045	1044	1040	1037	1034	1031	1036	1043	1048	1048	1051	1056	1060	1060	1057	1055	1054	1051
20	1050	1049	1049	1050	1053	1054	1051	1045	1035	1029	1022	1019	1024	1030	1030	1033	1042	1053	1057	1055	1055	1055	1044	1046
21	1047	1047	1020	1025	1041	1044	1044	1044	1044	1042	1036	1034	1035	1041	1048	1056	1060	1062	1060	1057	1056	1054	1053	1050
22	1048	1048	1048	1050	1052	1050	1050	1052	1042	1041	1036	1030	1030	1037	1044	1049	1063	1077	1094	1096	1074	1065	1061	1051
23	1038	1031	1044	1050	1055	1056	1055	1054	1051	1048	1041	1033	1033	1038	1045	1051	1055	1056	1060	1061	1060	1063	1060	1057
24	1053	1051	1050	1054	1051	1047	1049	1050	1049	1044	1042	1041	1037	1041	1044	1054	1057	1059	1061	1062	1062	1059	1054	1042
25	1027	1039	1047	1050	1050	1053	1053	1050	1043	1036	1032	1032	1030	1033	1042	1048	1049	1049	1050	1051	1052	1054	1053	1050
26 q	1050	1050	1051	1053	1055	1056	1054	1050	1045	1038	1030	1027	1027	1035	1041	1050	1054	1055	1057	1055	1054	1053	1050	1050
27 d	1049	1049	1050	1050	1051	1052	1048	1042	1038	1026	1021	1024	1019	1024	1042	1052	1072	1095	1090	1077	1059	1042	1030	1018
28 d	1027	1038	1047	1050	1045	1036	1024	1028	1041	1041	1036	1035	1036	1044	1053	1066	1069	1070	1068	1067	1063	1054	1053	1039
29	1044	1047	1048	1051	1052	1051	1051	1049	1048	1039	1038	1033	1036	1041	1047	1053	1056	1060	1059	1059	1056	1056	1055	1054
30	1052	1044	1027	1035	1044	1048	1048	1044	1042	1036	1032	1030	1035	1041	1047	1057	1060	1056	1057	1056	1059	1055	1052	1051
31 q	1050	1051	1053	1054	1055	1054	1053	1051	1051	1045	1042	1042	1041	1044	1048	1055	1058	1059	1060	1057	1054	1054	1052	1051
Mean	1047	1044	1044	1046	1047	1047	1046	1044	1042	1039	1035	1033	1034	1039	1045	1052	1057	1061	1063	1062	1060	1056	1052	1049

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

121 ESKDALEMUIR

MAY 1942

	TERRESTRIAL MAGNETIC ELEMENTS											3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 + °A.
	Horizontal force			Declination			Vertical force								
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range						
1	h. m. γ 2 11 } 552	γ h. m. γ 470 11 53	82	h. m. γ 14 0 47.7	h. m. γ 31.4 4 58	16.3	h. m. γ 16 41 1065	h. m. γ 1007 8 10	58	3,3,3,2,3,2,1,1	18	1	83.2		
2	16 17 563	459 10 29	104	14 42 52.1	35.0 23 41	17.1	16 40 1100	1039 9 55	61	1,2,2,2,3,3,2,3	18	1	83.1		
3	23 1 552	489 9 57	63	13 51 45.8	35.4 8 12	10.4	20 10 1061	1038 0 15	23	3,2,2,2,1,1,1,2	14	1	83.3		
4 d	18 38 602	455 22 19	147	16 21 54.1	24.4 24 0	29.7	20 13 1103	1031 11 50	72	2,1,2,1,3,4,4,3	20	1	83.3		
5 d	1 4 602	447 1 31	155	13 32 48.3	12.6 1 44	35.7	20 0 1066	920 1 30	146	5,3,3,2,2,2,1,4	22	1	83.3		
6	19 9 556	496 12 23	60	14 48 46.7	30.6 0 22	16.1	17 31 1062	1034 1 41	28	2,3,2,2,2,3,2,1	17	0	83.3		
7	17 28 554	499 11 57	55	12 3 44.1	37.0 8 33	7.1	19 52 1057	1033 12 6	24	1,2,2,2,2,2,2,1	14	0	83.3		
8	20 32 565	505 11 23	60	13 40 47.9	36.3 7 20	11.6	18 12 1056	1033 10 32	23	1,2,1,1,2,2,2,2	13	0	83.4		
9 q	18 13 551	499 11 43	52	13 50 45.1	34.3 8 13	10.8	20 9 1056	1031 11 23	25	1,1,2,3,1,1,1,2	12	0	83.4		
10	23 39 586	510 14 59	76	13 43 47.3	36.0 6 1	11.3	1 32 1051	1024 12 43	27	1,1,2,1,3,2,3,3	16	0	83.3		
11	0 13 587	513 10 46	74	12 48 46.3	34.5 0 26	11.8	19 0 1056	1024 11 58	32	3,1,2,1,2,2,1,1	13	0	83.3		
12 q	16 27 559	497 11 12	62	12 28 45.9	35.0 8 4	10.9	18 24 1069	1020 12 13	49	0,0,1,2,2,2,2,1	10	0	83.2		
13 q	23 40 559	497 11 6	62	13 24 46.9	36.1 5 22	10.8	5 13 1057	1030 11 27	27	1,1,1,1,1,2,1,2	10	0	83.1		
14 d	3 38 585	482 9 10	103	13 38 47.8	31.5 5 26	16.3	16 20 1066	1018 7 27	48	2,4,4,3,3,3,2,1	22	1	83.0		
15	18 42 558	489 11 22	69	14 8 49.6	34.1 20 31	15.5	20 30 1072	1037 6 15	35	1,2,1,2,2,2,3,2	15	0	83.0		
16	19 5 570	496 12 31	74	16 0 45.8	33.5 8 4	12.3	19 34 1074	1028 11 9	46	1,2,1,2,2,3,3,2	16	1	82.9		
17	19 35 563	501 10 5	62	14 9 47.6	34.9 8 11	12.7	19 5 1071	1031 10 42	40	2,1,1,2,1,3,2,1	13	0	82.8		
18	17 33 565	489 10 40	76	13 56 48.4	35.2 4 36	13.2	21 10 1060	1024 11 20	36	2,1,1,2,2,2,2,3	15	0	82.8		
19	17 25 567	500 12 19	67	13 27 47.5	36.0 6 9	11.5	18 20 1062	1030 11 33	32	1,1,1,1,1,2,1,1	9	0	82.8		
20	17 33 596	504 12 30	92	16 11 50.9	32.5 7 8	18.4	18 4 1060	1018 11 35	42	0,1,2,2,3,4,3,3	18	1	82.7		
21	18 24 567	489 11 35	78	2 13 48.8	35.1 8 34	13.7	17 5 1066	1010 2 47	56	3,2,2,2,3,3,3,2	20				

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

122 ESKDALEMUIR (H) 16,000γ (0.16 C.G.S. unit) + JUNE 1942

	Hour G.M.T.																						Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
1	540	535	534	533	537	535	532	527	523	513	503	505	514	520	533	539	549	543	551	556	558	552	551	547	535
2 q	543	544	543	543	543	539	532	523	519	512	509	513	523	525	530	539	547	555	559	558	551	546	543	543	537
3	543	543	542	544	547	544	539	529	515	508	515	524	523	535	528	555	547	568	567	563	546	550	532	527	539
4	528	532	527	532	531	527	519	512	509	509	505	511	527	536	539	546	555	557	558	548	547	547	543	541	533
5	540	532	527	544	543	543	538	518	500	495	497	500	511	523	539	551	551	551	555	558	558	555	552	548	535
6	547	543	534	528	534	535	529	531	531	525	506	504	504	512	524	536	542	547	547	547	544	546	546	548	533
7 q	547	544	539	532	528	530	535	531	527	527	528	524	519	520	523	536	539	542	546	548	548	547	546	540	535
8	542	538	539	544	540	535	531	527	523	523	517	525	527	516	528	546	558	554	552	550	544	543	541	540	537
9 q	542	541	539	539	539	536	527	523	519	511	514	515	521	528	538	543	550	547	548	547	547	544	544	546	535
10 q	544	542	543	543	540	532	526	520	519	521	520	520	524	528	542	554	553	551	551	555	558	558	555	556	540
11 d	566	560	560	559	552	548	537	535	543	535	516	509	513	527	539	547	590	574	582	563	535	523	528	534	545
12	512	514	507	512	505	505	509	512	496	492	485	512	511	527	525	539	546	555	551	543	545	536	541	535	521
13 d	528	526	535	527	527	520	516	503	493	493	501	527	533	536	535	558	570	547	575	571	539	529	546	532	532
14	528	528	530	519	505	507	504	519	512	492	488	494	495	493	516	528	544	558	539	557	540	539	527	532	521
15	532	532	528	530	524	522	505	501	497	497	503	501	504	511	520	527	536	543	552	549	546	544	539	533	524
16	538	534	530	533	532	532	533	524	515	504	501	500	510	523	520	540	543	553	543	548	548	543	547	543	531
17	548	547	545	544	537	544	536	521	511	502	500	505	500	523	516	544	543	545	559	566	562	553	550	548	535
18	551	550	527	546	539	535	526	519	510	497	499	508	516	532	535	544	546	551	551	548	544	544	543	534	534
19 d	544	548	537	539	542	540	530	525	519	516	516	521	539	546	527	585	622	618	563	543	542	520	528	528	543
20	535	532	538	532	536	539	527	511	496	495	498	493	493	499	523	527	536	553	543	543	546	533	532	535	525
21	539	538	536	535	524	519	532	524	516	508	503	511	519	528	536	543	544	548	550	547	544	541	537	536	532
22 q	535	535	535	536	539	540	539	529	520	511	509	512	516	528	534	543	545	544	550	550	547	551	537	548	535
23	546	544	544	546	547	544	542	535	537	529	523	515	516	521	532	546	559	571	555	548	550	545	544	538	541
24	543	539	539	532	527	520	520	524	521	519	516	512	515	518	523	525	543	544	551	550	550	548	550	564	533
25	544	535	532	539	536	534	516	511	511	509	506	505	509	523	534	536	534	550	552	555	552	540	532	531	530
26	533	538	539	535	530	534	524	520	519	516	516	514	523	528	534	538	544	551	555	547	550	539	539	536	533
27	531	528	527	532	529	532	523	515	509	512	513	516	523	519	535	536	543	555	558	555	550	547	543	543	532
28	543	544	543	543	541	539	536	521	500	512	517	514	525	539	564	543	553	574	567	558	555	552	546	527	540
29 d	546	528	528	525	527	527	516	507	505	497	500	505	512	535	547	562	573	571	572	551	557	554	546	535	534
30 d	550	532	531	515	511	539	531	521	499	485	486	495	503	531	534	539	551	552	551	551	537	537	546	543	528
Mean	540	537	535	535	533	533	527	521	514	509	507	510	516	525	532	543	552	556	555	553	548	543	542	540	534

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

123 ESKDALEMUIR (D) 12° + JUNE 1942

	Hour G.M.T.																						Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
1	41.9	39.6	38.7	37.0	35.3	33.7	33.7	34.4	34.3	36.2	39.9	43.4	45.9	46.2	46.1	45.1	44.9	43.4	42.7	42.5	40.1	40.1	40.5	39.9	40.2
2 q	39.5	39.5	38.9	38.6	37.3	35.5	35.2	35.0	35.0	37.6	40.0	42.5	44.3	46.0	46.8	46.7	45.9	45.0	43.9	42.5	41.8	41.3	40.5	39.9	40.8
3	40.0	39.9	38.5	38.0	36.7	35.0	34.5	35.2	37.0	39.5	41.8	43.9	46.3	48.5	48.6	50.3	47.6	44.2	44.4	43.2	41.8	39.3	36.6	39.5	41.3
4	40.2	39.7	38.6	38.2	37.3	36.4	36.2	35.9	35.4	36.9	39.1	41.4	43.5	44.9	45.1	43.5	43.1	43.4	43.4	40.5	41.5	41.5	40.7	38.8	40.2
5	38.0	36.8	36.0	36.2	34.4	33.0	33.8	35.0	36.2	37.9	40.0	42.6	43.3	45.9	46.4	46.0	45.6	45.1	44.0	43.3	42.3	42.0	41.5	40.6	40.3
6	40.6	39.0	37.5	38.3	37.5	37.2	37.1	36.3	36.6	39.6	41.5	44.0	44.9	45.9	46.7	44.5	43.1	41.7	42.3	42.2	41.3	40.8	40.6	40.0	40.8
7 q	38.9	38.3	37.7	37.6	37.1	36.8	37.7	36.6	35.9	36.7	39.1	41.8	43.2	43.2	43.2	42.6	42.3	41.6	41.3	40.7	40.6	41.2	40.5	39.8	39.8
8	39.5	39.4	42.1	38.3	36.6	34.9	34.7	35.1	36.1	38.9	42.3	44.4	45.8	45.7	44.9	43.4	42.4	40.9	41.2	41.3	40.5	40.6	40.5	39.8	40.4
9 q	39.7	39.6	38.9	37.9	36.6	35.1	34.6	35.9	37.3	39.7	41.6	44.7	45.6	45.6	45.0	43.9	43.1	43.2	42.4	42.7	42.4	41.4	40.6	40.7	40.8
10 q	39.8	39.7	39.5	39.5	37.9	36.8	35.5	35.2	35.4	37.8	41.3	45.4	48.5	48.6	47.8	45.9	43.5	42.2	41.4	41.3	41.4	41.9	42.1	41.7	41.3
11 d	40.3	39.6	39.6	37.9	34.6	32.7	30.9	32.6	30.6	34.2	38.9	44.0	48.0	50.6	52.0	51.7	51.2	48.6	44.0	38.5	33.3	38.0	35.9	32.5	40.0
12	35.4	37.9	33.4	35.1	36.5	36.9	36.0	37.1	35.9	37.9	42.2	43.4	45.7	48.5	48.9	47.4	44.7	42.4	42.5	42.1	41.6	40.6	40.5	39.1	40.5
13 d	40.4	43.6	40.5	33.4	34.9	35.2	35.4	36.1	37.8	38.0	41.4	43.5	44.3	45.2	45.8	45.9	43.2	42.3	44.5	41.4	35.9	39.7	42.0	37.1	40.3
14	32.7	36.7	34.4	35.1	35.2	37.3	37.8	36.8	36.1	37.8	40.9	43.6	46.0	44.5	44.2	45.1	42.4	42.3	41.5	38.4	40.0	40.3	39.0	40.4	39.5
15	39.9	40.9	40.6	40.0	36.1	33.8	32.4	33.4	33.3	34.5	37.9	41.5	44.1	44.2	44.8	44.3	43.1	41.6	40.4	39.6	39.9	39.7	39.6	39.6	39.4
16	41.0	40.6	38.7	37.1	36.8	35.8	34.9	33.6	34.3	36.3	40.5	43.6	45.8	46.2	46.3	45.2	44.0	43.5	43.1	39.1	39.2	40.5	40.5	39.7	40.3
17	40.4	39.8	39.5	38.8	36.8	35.5	34.4	34.5	37.0	39.9	43.4	43.2	46.0	45.9	44.3	43.9	43.6	42.8	43.1	42.5	41.5	41.7	41.2	41.2	40.9
18	42.5	40.3	34.0	33.7	33.7	34.4	35.3	35.7	35.4	38.6	40.4	42.0	43.4	44.4	45.0	44.9	44.0	43.6	43.0	42.3	41.7	41.3	40.7	40.0	40.0
19 d	41.2	39.5	36.9	36.2	34.5	33.2	32.3	33.5	34.4	34.9	37.3	41.4	45.7	46.8	49.2	50.7	47.1	41.3	42.7	42.6	42.3	38.0	37.6	38.8	39.9
20	39.2	37.9	39.7	39.4	39.0	36.8	34.8	34.1	36.1	37.6	38.9	41.5	44.0	44.2	44.0	44.3	43.1	42.5	42.3	41.7	40.1	40.0	39.9	40.0	40.0
21	39.5	40.																							

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

124 ESKDALEMUIR (V)		44,000γ (0.44 C.G.S. unit) +																				JUNE 1942			
	Hour G.M.T.																							Mean	
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23		23-24
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1	1045	1045	1048	1053	1054	1053	1048	1045	1039	1035	1028	1025	1026	1030	1035	1041	1047	1051	1050	1051	1051	1050	1049	1049	1044
2 q	1050	1050	1050	1050	1051	1053	1050	1051	1048	1037	1034	1033	1037	1044	1044	1042	1044	1053	1054	1055	1054	1051	1048	1048	1047
3	1048	1048	1050	1054	1054	1050	1045	1041	1039	1029	1021	1021	1029	1036	1042	1050	1062	1075	1074	1069	1066	1060	1054	1051	1049
4	1047	1041	1047	1051	1054	1054	1054	1049	1048	1043	1038	1032	1030	1030	1038	1042	1045	1051	1055	1060	1056	1050	1050	1048	1046
5	1039	1036	1040	1042	1045	1048	1044	1043	1038	1032	1031	1032	1036	1037	1042	1049	1056	1060	1057	1053	1048	1049	1048	1048	1044
6	1044	1043	1046	1051	1052	1052	1048	1044	1041	1031	1027	1029	1035	1041	1044	1047	1053	1051	1053	1055	1054	1050	1049	1047	1045
7 q	1044	1043	1047	1049	1049	1045	1038	1039	1039	1033	1035	1036	1039	1044	1047	1048	1049	1048	1048	1050	1050	1049	1048	1048	1044
8	1047	1045	1039	1042	1045	1045	1042	1041	1038	1042	1036	1033	1036	1042	1045	1046	1049	1049	1050	1050	1048	1048	1048	1048	1044
9 q	1048	1048	1048	1048	1048	1048	1047	1041	1038	1036	1029	1029	1029	1035	1041	1045	1047	1048	1049	1048	1048	1048	1048	1048	1049
10 q	1049	1049	1049	1050	1053	1054	1054	1053	1045	1035	1033	1033	1036	1042	1042	1045	1050	1054	1054	1048	1047	1047	1047	1045	1046
11 d	1045	1044	1044	1042	1042	1041	1040	1034	1028	1029	1021	1018	1015	1028	1041	1054	1084	1101	1106	1108	1090	1065	1053	1045	1051
12	1030	1010	1027	1041	1048	1049	1045	1043	1048	1045	1035	1033	1038	1050	1056	1059	1078	1085	1080	1071	1062	1059	1053	1048	1050
13 d	1050	1044	1026	1031	1042	1045	1047	1050	1048	1048	1036	1027	1024	1032	1042	1049	1066	1073	1067	1069	1068	1059	1036	1021	1046
14	1025	1026	1023	1030	1037	1039	1038	1038	1044	1042	1038	1033	1033	1045	1054	1059	1066	1071	1070	1068	1065	1059	1057	1054	1046
15	1053	1049	1022	1039	1042	1048	1053	1050	1047	1045	1042	1044	1045	1048	1049	1051	1050	1054	1055	1060	1060	1059	1056	1054	1050
16	1050	1045	1047	1048	1048	1050	1051	1053	1049	1048	1044	1039	1041	1043	1045	1045	1051	1056	1056	1063	1063	1059	1055	1054	1050
17	1050	1051	1053	1054	1053	1049	1049	1043	1043	1041	1042	1044	1048	1054	1056	1060	1068	1070	1067	1065	1062	1057	1055	1054	1054
18	1048	1024	1029	1036	1042	1047	1050	1049	1049	1048	1048	1045	1043	1043	1045	1050	1054	1054	1055	1054	1054	1053	1052	1051	1047
19 d	1050	1042	1047	1050	1054	1054	1051	1048	1041	1038	1035	1029	1030	1045	1060	1065	1090	1101	1110	1102	1087	1072	1059	1050	1059
20	1053	1055	1051	1044	1032	1033	1042	1047	1045	1043	1047	1054	1054	1054	1060	1066	1071	1068	1070	1071	1067	1065	1060	1059	1055
21	1055	1050	1044	1042	1041	1042	1043	1050	1051	1048	1048	1044	1045	1048	1051	1059	1062	1062	1060	1060	1058	1057	1056	1054	1051
22 q	1054	1054	1054	1055	1055	1053	1051	1051	1050	1051	1047	1042	1040	1041	1044	1047	1051	1054	1056	1056	1055	1055	1054	1054	1051
23	1051	1051	1051	1053	1052	1050	1048	1046	1039	1033	1037	1036	1033	1032	1034	1039	1048	1058	1077	1075	1072	1065	1060	1057	1050
24	1042	1014	1006	1014	1026	1036	1038	1037	1037	1041	1039	1033	1036	1044	1050	1057	1061	1061	1060	1059	1056	1053	1051	1036	1041
25	1029	1021	1012	1006	1014	1021	1026	1030	1035	1038	1040	1041	1043	1044	1044	1044	1053	1060	1061	1062	1062	1060	1057	1055	1040
26	1054	1054	1051	1050	1049	1044	1043	1043	1043	1042	1038	1036	1036	1039	1045	1048	1054	1060	1065	1060	1056	1055	1051	1051	1049
27	1053	1053	1054	1053	1051	1048	1045	1042	1042	1039	1042	1041	1037	1037	1038	1047	1051	1052	1051	1051	1052	1054	1053	1052	1047
28	1050	1049	1048	1049	1048	1044	1045	1050	1051	1039	1033	1027	1033	1043	1053	1068	1085	1087	1080	1077	1067	1062	1057	1053	1054
29 d	1041	1024	1018	1024	1032	1039	1039	1040	1039	1039	1042	1041	1041	1047	1047	1048	1050	1059	1078	1080	1072	1064	1059	1058	1047
30 d	1043	1027	1023	1025	1021	996	1011	1023	1035	1037	1033	1027	1030	1041	1053	1067	1073	1072	1073	1069	1060	1056	1053	1041	1041
Mean	1046	1041	1041	1043	1045	1044	1044	1044	1043	1040	1037	1035	1036	1041	1046	1051	1059	1063	1065	1064	1060	1056	1053	1049	1048

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

125 ESKDALEMUIR		TERRESTRIAL MAGNETIC ELEMENTS											3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 + °A.
	Horizontal force			Declination			Vertical force									
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range							
1	h. m. γ	γ h. m.	γ	h. m.	h. m.	h. m.	h. m.	γ	h. m.	γ	γ	2, 1, 1, 1, 2, 2, 2, 0	11	0	82.5	
2 q	18 48 567	497 10 51	70	13 30 46.7	32.4 5 48	14.3	4 40 1055	1024 12 23	31	0, 0, 0, 1, 2, 1, 1, 1	6	0	82.5			
3	15 50 583	492 12 59	91	15 45 51.3	34.3 5 48	17.0	18 21 1077	1019 11 20	58	1, 0, 2, 3, 4, 3, 3, 3	19	1	82.5			
4	18 41 563	502 10 43	61	14 20 45.8	34.6 8 5	11.2	19 31 1060	1030 12 0	30	2, 1, 1, 1, 2, 2, 2, 2	13	0	82.5			
5	16 3 585	492 9 27	93	16 6 47.9	31.7 5 35	16.2	17 51 1060	1030 10 20	30	3, 1, 2, 1, 3, 3, 1, 1	15	0	82.4			
6	23 30 554	496 11 15	58	14 10 46.8	35.9 7 47	10.9	19 15 1056	1026 11 3	30	2, 2, 2, 2, 2, 2, 0, 2	14	0	82.4			
7 q	21 2 553	515 13 38	38	13 57 43.4	35.4 8 0	8.0	20 39 1051	1032 10 0	19	1, 2, 2, 1, 2, 1, 1, 1	11	0	82.4			
8	16 15 566	502 13 18	64	12 19 46.0	34.2 6 23	11.8	16 30 1051	1033 11 40	18	2, 2, 2, 1, 3, 2, 2, 1	15	0	82.4			
9 q	16 20 552	508 9 39	44	13 2 45.8	32.6 6 32	13.2	5 20 1051	1026 12 3	25	1, 0, 2, 1, 1, 1, 0, 1	7	0	82.4			
10 q	19 47 563	516 11 13	47	13 9 48.7	35.0 7 59	13.7	17 53 1056	1032 10 0	24	1, 2, 1, 1, 1, 2, 2, 1	11	0	82.4			
11 d	16 14 634	472 13 32	162	16 11 53.9	28.0 8 19	25.9	19 49 1115	1012 12 11	103	2, 2, 3, 3, 4, 5, 4, 3	26	1	82.4			
12	17 53 576	476 10 22	100	14 5 50.0	31.5 1 56	18.5	17 17 1090	1007 1 20	83	3, 2, 2, 3, 3, 3, 2	21	1	82.4			
13 d	16 0 601	485 10 17	116	16 1 47.7	32.3 3 36	15.4	17 20 1075	1018 23 10	57	3, 2, 2, 3, 3, 4, 4, 3	24	1	82.4			
14	19 31 575	473 13 3	102	12 30 46.9	31.1 0 34	15.8	17 23 1072	1019 2 2	53	3, 3, 3, 2, 3, 3, 3, 2	22	1	82.5			
15	18 22 555	494 11 14	61	14 41 45.0	31.5 6 12	13.5	19 41 1062	1036 3 40	26	2, 2, 2, 1, 1, 2, 1, 1	12	0	82.4			
16	18 3 582	492 18 51	90	14 0 46.9	33.4 7 18	13.5	19 56 1067	1038 11 32	29	2, 1, 0, 2, 2, 3, 4, 1	15	1	82.4			
17	19 3 582	492 12 52	90	12 38 46.8	33.7 7 10	13.1	17 31 1072	1038 9 46	34	1, 2, 2, 2, 3, 3, 2, 2	17	1	82.6			
18	1 5 570	485 9 19	85	0 53 46.8	32.2 4 4	14.6	18 4 1056	1019 1 35	37	3, 2, 2, 3, 2, 2, 1, 1	16	1	82.6			
19 d	17 5 649	496 14 50	153	15 15 52.1	31.3 6 35	20.8	18 32 1113	1026 11 52	87	2, 1, 1, 3, 4, 4, 3, 3	21	1	82.5			
20	17 20 577	480 12 42	97	15 24 45.0	33.4 7 4	11.6	16 39 1072	1029 5 12	43	2, 3, 2, 2, 3, 3, 2, 2	19	1	82.6			
21	18 12 552	497 10 13	55	13 12 45.0	35.1 3 36	9.9	16 51 1062	1037 4 30	25	2, 3, 2, 2, 2, 2, 1, 0	14	0	82.6			
22 q	22 43 556	504 10 2	52	15 33 44.0	34.2 5 31	9.8	19 43 1057	1038 12 22	19	0, 1, 1, 1, 2, 2, 1, 1	9	0	82.6			
23	17 30 582	504 11 4	78	17 57 48.6	32.1 5 59	16.5	18 51 1079	1030 14 22	49	1, 1, 2, 2, 3, 3, 2, 2	16	1	82.6			
24	23 29 578	500 8 51	78	14 13 48.1	29											

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

126 ESKDALEMUIR (H) 16,000γ (0.16 C.G.S. unit) + JULY 1942

	Hour G.M.T.																						Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
1	535	520	526	529	540	519	496	508	501	484	467	492	499	510	516	535	550	565	558	549	549	538	528	527	523
2 q	527	527	527	529	530	527	526	516	507	500	497	503	512	512	527	535	531	538	549	552	553	549	535	533	527
3 q	532	530	531	537	537	531	524	517	512	507	503	506	506	515	534	534	542	542	549	546	546	539	538	538	529
4 q	537	534	532	531	531	531	530	526	520	508	500	498	504	510	517	530	516	545	547	547	545	539	539	536	527
5 q	535	538	542	545	545	545	538	531	521	511	511	523	511	516	512	536	549	554	562	566	562	550	548	543	537
6	538	534	536	539	538	534	534	526	515	511	515	512	515	524	532	554	562	546	550	554	551	545	538	539	535
7	530	531	531	530	530	526	516	515	514	504	500	504	520	518	534	533	531	547	553	558	554	554	543	536	530
8 d	529	551	546	531	546	519	518	530	489	472	472	480	529	491	512	522	533	546	561	550	549	531	533	527	524
9	523	534	499	522	520	522	515	512	503	495	493	500	510	523	524	534	553	570	544	541	546	539	531	524	524
10	523	519	523	514	512	511	510	511	508	506	508	511	513	509	519	533	538	543	545	543	549	529	537	565	524
11 d	543	542	515	542	549	510	456	500	452	480	486	483	500	522	554	561	526	514	537	544	547	530	529	531	519
12	531	524	526	513	507	508	501	499	499	491	457	485	511	528	522	519	523	527	538	550	536	536	530	527	516
13	547	524	520	523	534	519	504	501	501	504	499	498	506	515	518	534	519	542	543	543	538	531	529	524	521
14	523	527	527	531	533	524	523	522	515	506	511	504	508	510	526	521	529	553	559	561	546	547	545	527	528
15 d	528	534	532	531	519	529	526	512	483	486	516	510	504	492	507	536	576	596	569	573	538	535	527	523	528
16	527	526	519	522	512	519	515	511	495	483	490	502	506	503	517	533	534	542	542	549	543	539	530	527	520
17	523	518	531	533	525	507	519	508	500	503	506	492	504	505	518	523	533	542	558	546	543	535	534	533	522
18	531	527	526	526	527	526	521	508	500	506	500	498	512	517	526	533	534	544	547	550	545	540	536	536	526
19 q	535	534	524	530	531	530	523	518	515	504	492	485	494	511	518	535	543	550	547	547	544	547	546	546	527
20 d	538	534	535	538	539	544	527	542	543	519	499	504	496	533	516	528	545	550	554	555	549	538	514	530	532
21	506	492	533	527	519	521	521	511	492	486	491	503	515	520	527	529	527	543	547	545	543	536	531	534	521
22	526	524	526	524	527	526	520	512	511	510	495	504	499	523	530	534	545	546	542	539	545	539	546	539	526
23	538	529	527	530	527	526	519	517	519	511	511	518	520	531	526	545	537	563	562	547	538	531	537	539	531
24	531	545	533	524	538	537	523	526	524	515	511	513	511	517	524	535	530	547	561	565	538	531	523	519	530
25	515	520	522	533	538	539	515	518	507	498	491	483	498	495	495	514	517	543	554	547	532	531	544	550	521
26	522	522	522	521	518	514	516	519	516	514	511	511	508	507	522	529	536	547	554	562	563	534	529	522	526
27 d	513	532	516	514	499	523	508	503	503	479	481	503	485	519	537	551	538	534	558	551	552	536	534	529	521
28	534	513	511	511	504	484	507	512	504	495	495	504	503	519	522	527	545	523	537	565	560	538	535	526	520
29	523	523	528	519	526	514	506	503	494	494	494	498	505	511	517	526	531	526	531	539	535	530	534	537	519
30	543	522	519	519	526	524	515	507	488	485	511	511	526	503	534	535	538	539	547	534	549	539	543	532	525
31	519	519	527	530	529	529	526	517	502	485	484	483	484	499	519	530	543	548	540	536	538	542	535	540	521
Mean	529	527	526	527	528	523	516	515	505	499	497	501	507	513	523	533	537	546	550	550	546	538	535	533	525

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

127 ESKDALEMUIR (D) 12° JULY 1942

	Hour G.M.T.																						Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
1	37.2	35.7	37.1	37.6	38.1	39.4	43.4	45.5	41.0	37.3	38.8	42.3	43.2	45.9	46.1	45.1	43.8	44.4	43.0	40.7	40.8	39.3	39.6	39.0	41.0
2 q	37.9	37.9	37.6	37.7	38.0	36.8	35.9	34.4	35.2	35.5	37.1	39.7	43.1	44.1	44.1	44.0	43.0	43.2	43.1	41.5	38.5	38.6	37.9	39.0	39.3
3 q	38.6	38.0	39.5	37.6	36.3	35.5	36.3	37.1	36.3	37.0	39.0	40.4	42.4	45.3	46.3	44.9	43.4	42.2	41.4	40.7	40.5	39.7	39.5	39.5	39.9
4 q	39.6	38.9	39.0	37.9	37.1	36.0	35.8	36.0	35.3	36.9	39.0	41.1	42.4	43.1	43.2	42.4	42.1	40.7	39.9	39.7	40.2	40.0	39.5	39.0	39.4
5 q	38.7	38.5	37.9	37.7	36.2	35.1	34.7	35.1	36.1	39.1	40.7	43.8	45.9	47.4	46.6	44.7	44.3	44.2	43.2	42.5	42.2	39.8	41.0	41.2	40.7
6	40.5	37.0	36.4	36.2	35.2	34.9	34.7	35.0	35.9	37.3	38.7	40.8	42.9	44.5	45.0	44.3	43.5	42.1	42.4	42.7	42.3	41.5	41.8	37.8	39.7
7	33.9	35.7	36.2	36.1	35.4	34.5	34.1	35.2	35.5	36.1	39.0	42.3	44.8	46.0	46.0	44.9	43.2	43.2	43.3	43.1	43.1	42.1	39.6	36.2	39.6
8 d	37.9	35.3	30.8	33.3	31.8	29.9	36.3	37.9	37.7	38.1	42.7	44.0	47.8	50.2	49.4	45.3	44.3	43.3	43.1	40.4	38.6	36.4	38.5	40.0	39.7
9	39.4	38.8	36.2	37.2	34.6	34.0	33.9	35.2	35.8	36.2	37.0	39.1	42.5	44.2	44.3	43.1	42.4	39.4	41.4	42.4	42.0	39.8	37.2	36.1	38.8
10	34.9	36.8	37.1	37.2	40.0	37.9	36.8	35.2	36.3	37.7	39.4	41.7	44.2	44.7	44.9	43.7	43.4	42.7	41.1	39.7	40.2	38.0	39.4	40.7	39.7
11 d	38.7	34.4	30.8	37.7	36.2	41.6	47.6	51.3	40.7	43.8	41.5	43.0	48.6	49.7	47.3	46.9	48.0	47.4	46.5	40.8	39.0	38.0	40.9	40.6	42.5
12	39.6	37.5	37.3	36.9	37.7	35.3	34.6	35.2	34.9	36.1	40.7	44.9	45.2	46.8	46.7	44.5	43.4	42.6	41.7	41.8	40.6	41.0	39.8	37.5	40.1
13	39.5	33.9	35.5	36.8	35.8	34.7	37.1	37.8	38.9	39.3	41.4	42.7	43.9	44.0	43.2	42.7	41.2	40.1	40.7	40.4	40.2	38.6	38.9	37.9	39.4
14	39.5	39.8	40.6	39.5	37.3	37.9	37.1	35.3	36.8	39.7	39.9	43.1	44.4	45.1	45.9	44.4	42.3	42.1	41.6	41.5	37.0	38.6	40.1	38.4	40.3
15 d	35.5	36.5	36.8	40.3	38.6	39.1	35.9	35.5	36.1	38.6	39.8	42.1	43.0	44.2	43.1	42.1	44.5	35.7	40.4	40.7	36.9	31.5	37.7	40.9	39.0
16	37.2	30.5	35.8	37.6	37.1	37.3	35.3	34.3	35.8	37.1	41.4	43.4	46.2	46.7	46.4	45.4	44.8	42.6	40.3	39.4	38.9	35.9	36.7	35.7	39.2
17	37.6	38.0	35.9	34.5	37.8	41.3	36.2	35.7	35.4	37.7	39.9	39.4	40.6	42.0	42.5	43.1	42.4	40.4	40.5	40.7	40.5	39.9	39.7	39.5	39.2
18	37.9	39.0	38.4	36.9	35.5	34.4	33.6	34.7	36.8	36.9	39.5	41.5	43.2	44.9	45.0	44.9	44.0	42.5	41.2	41.2	41.3	41.3	40.5	39.7	39.8
19 q	39.5	38.3	38.0	37.7	35.8	34.4	33.6	34.1	34.3	34.9	36.9	39.9	43.2	44.6	46.3	45.0	44.5	43.6	42.6	41.6	41.4	41.3	40.3	38.7	39.6
20 d	36.1	37.7	37.1	36.1	34.5	30.8	27.7	33.3	36.1	36.0	38.9	43.8	46.8	48.5	48.4	44.9	43.3	43.2	42.3	42.3	38.1	3			

128 ESKDALEMUIR (V)

44,000γ (0.44 C.G.S. unit) +

JULY 1942

Hour G.M.T.		44,000γ (0.44 C.G.S. unit) +																							Mean	
0-1 1-2 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10 10-11 11-12																										
		γ																							γ	
1	1041	1043	1044	1048	1047	1048	1047	1039	1039	1040	1046	1045	1044	1048	1048	1057	1062	1068	1066	1068	1069	1065	1061	1059	1057	1052
2 q	1047	1047	1047	1047	1046	1045	1046	1047	1045	1032	1026	1026	1030	1033	1034	1040	1050	1050	1051	1052	1054	1046	1045	1044	1044	1043
3 q	1044	1045	1041	1045	1045	1042	1045	1045	1045	1039	1035	1032	1030	1029	1032	1036	1044	1051	1052	1048	1045	1045	1045	1045	1045	1042
4 q	1045	1045	1045	1045	1048	1047	1042	1044	1044	1041	1035	1028	1025	1028	1028	1033	1038	1045	1046	1046	1045	1045	1045	1045	1045	1041
5 q	1045	1044	1044	1045	1046	1046	1042	1040	1041	1029	1024	1025	1027	1028	1033	1034	1041	1045	1047	1048	1049	1050	1046	1045	1040	1040
6	1040	1041	1045	1045	1046	1045	1040	1040	1038	1032	1029	1027	1027	1027	1023	1028	1045	1057	1054	1048	1046	1045	1044	1036	1039	
7	1035	1036	1040	1042	1045	1045	1045	1041	1041	1036	1030	1024	1027	1029	1033	1039	1047	1046	1041	1041	1045	1047	1051	1047	1040	1040
8 d	1045	1032	1016	1021	1023	1027	1021	1015	1017	1014	1014	1018	1030	1045	1050	1055	1051	1057	1065	1077	1058	1057	1047	1027	1037	
9	1015	1012	1011	1024	1041	1046	1045	1041	1040	1040	1035	1031	1028	1029	1035	1047	1057	1070	1070	1059	1053	1054	1051	1047	1041	
10	1039	1041	1042	1044	1039	1039	1041	1046	1046	1040	1028	1021	1027	1029	1032	1036	1047	1051	1047	1051	1048	1051	1047	1040	1041	
11 d	1021	993	1024	1032	1033	1035	1010	985	986	992	1005	1027	1046	1065	1126	1183	1149	1107	1083	1089	1075	1060	1064	1058	1052	
12	1057	1053	1051	1048	1033	1027	1034	1041	1040	1033	1030	1028	1028	1038	1039	1045	1050	1051	1051	1051	1057	1057	1057	1053	1044	
13	1038	1034	1045	1045	1045	1046	1047	1051	1047	1045	1041	1041	1041	1045	1048	1057	1063	1065	1066	1064	1059	1058	1057	1052	1050	
14	1051	1051	1045	1041	1045	1047	1043	1039	1033	1034	1036	1037	1030	1039	1050	1056	1069	1065	1063	1059	1063	1054	1045	1035	1047	
15 d	1033	1040	1044	1039	1036	1031	1033	1032	1030	1032	1033	1029	1029	1034	1044	1056	1066	1066	1065	1074	1069	1065	1068	1052	1033	1045
16	1005	1015	1021	1027	1044	1040	1041	1040	1036	1039	1038	1036	1038	1038	1048	1056	1060	1061	1065	1066	1063	1050	1033	1038	1042	
17	1032	1015	1033	1039	1044	1036	1033	1035	1035	1029	1028	1030	1039	1041	1044	1047	1050	1058	1059	1058	1057	1056	1051	1048	1042	
18	1045	1043	1045	1050	1053	1053	1050	1046	1042	1038	1036	1036	1038	1041	1047	1051	1056	1058	1057	1054	1052	1051	1051	1050	1048	
19 q	1047	1046	1047	1049	1051	1054	1051	1050	1044	1039	1038	1033	1033	1036	1045	1047	1051	1057	1055	1051	1050	1048	1048	1045	1046	
20 d	1045	1045	1045	1046	1047	1046	1045	1036	1029	1026	1029	1028	1033	1035	1047	1063	1066	1066	1063	1059	1066	1051	1047	1033	1046	
21	993	949	998	1016	1024	1026	1033	1037	1039	1039	1039	1039	1040	1039	1042	1051	1055	1056	1055	1054	1059	1056	1050	1042	1035	
22	1044	1041	1045	1047	1046	1046	1046	1046	1046	1047	1044	1035	1033	1040	1044	1048	1051	1052	1050	1048	1050	1050	1046	1041	1045	
23	1028	1028	1039	1041	1045	1046	1045	1044	1040	1038	1034	1031	1030	1035	1039	1039	1043	1049	1060	1059	1063	1057	1050	1044	1043	
24	1045	1039	1036	1034	1021	1021	1033	1039	1039	1040	1037	1030	1030	1029	1032	1040	1050	1051	1051	1063	1061	1057	1054	1046	1041	
25	1036	1018	1018	1015	1003	1010	1022	1026	1030	1038	1037	1032	1041	1054	1074	1063	1060	1057	1063	1081	1071	1057	1045	1016	1040	
26	1038	1042	1045	1047	1047	1047	1045	1042	1036	1035	1034	1030	1030	1032	1032	1039	1042	1045	1044	1045	1045	1054	1046	1033	1041	
27 d	1009	1021	1029	1030	1018	1018	1026	1035	1040	1039	1034	1027	1039	1046	1051	1056	1068	1064	1068	1063	1059	1053	1028	998	1038	
28	1014	1030	1038	1032	1029	1012	1023	1029	1035	1028	1026	1029	1037	1045	1047	1050	1053	1057	1056	1055	1049	1047	1045	1047	1038	
29	1027	1016	1029	1037	1044	1046	1044	1042	1046	1051	1048	1038	1039	1044	1046	1050	1055	1057	1053	1051	1049	1050	1048	1045	1044	
30	1027	1033	1039	1036	1036	1044	1045	1048	1050	1045	1044	1041	1037	1039	1042	1045	1050	1057	1063	1059	1053	1051	1046	1044	1045	
31	1039	1024	1033	1041	1047	1045	1040	1041	1041	1037	1033	1035	1039	1041	1047	1056	1056	1056	1058	1056	1052	1050	1047	1043	1044	
Mean	1035	1031	1036	1039	1039	1039	1039	1038	1037	1035	1033	1031	1034	1038	1045	1052	1057	1059	1058	1058	1056	1053	1048	1041	1043	

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

129 ESKDALEMUIR

JULY 1942

	TERRESTRIAL MAGNETIC ELEMENTS											3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 + °A.	
	Horizontal force			Declination			Vertical force									
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range							
1	h. m. γ	γ h. m.	γ	h. m. γ	γ h. m.	γ	h. m. γ	γ h. m.	γ	h. m. γ	γ h. m.	γ	2,3,3,3,3,3,2	22	1	83.6
2 q	17 58 581	460 10 49	121	7 0 47.5	35.1 1 22	12.4	19 10 1074	1036 7 20	38	19 10 1074	1036 7 20	38	1,2,1,1,2,3,3,3	16	0	83.8
3 q	18 11 553	499 10 10	54	14 33 46.8	35.0 6 11	11.8	18 40 1053	1028 13 45	25	18 40 1053	1028 13 45	25	1,1,1,1,3,1,1,0	9	0	83.8
4 q	17 51 551	495 11 6	56	14 7 43.6	34.9 8 38	8.7	4 18 1048	1024 12 14	24	4 18 1048	1024 12 14	24	0,1,1,1,1,1,1,1	7	0	83.9
5 q	19 54 574	504 14 12	70	13 11 47.7	33.4 6 35	14.3	21 19 1052	1022 10 19	30	21 19 1052	1022 10 19	30	1,1,2,2,3,2,2,1	14	0	84.0
6	17 7 580	511 9 40	69	14 18 45.9	33.8 6 30	12.1	17 33 1059	1022 14 59	37	17 33 1059	1022 14 59	37	2,1,1,2,2,3,2,3	16	0	84.1
7	19 53 569	495 10 8	74	14 32 46.8	33.3 0 8	13.5	22 41 1051	1023 12 7	28	22 41 1051	1023 12 7	28	1,1,2,1,3,3,2,2	15	0	84.3
8 d	19 59 626	437 11 23	189	14 16 53.7	27.2 5 20	26.5	19 22 1079	1006 10 4	73	19 22 1079	1006 10 4	73	3,3,4,4,5,3,5,3	30	1	84.4
9	17 34 583	472 2 38	111	14 29 45.5	31.8 6 41	13.7	18 27 1071	1004 2 16	67	18 27 1071	1004 2 16	67	4,2,1,2,3,3,3,3	21	1	84.5
10	23 38 593	499 13 22	94	13 50 45.6	32.4 0 35	13.2	17 11 1054	1021 11 39	33	17 11 1054	1021 11 39	33	2,2,2,2,3,3,2,4	20	1	84.6
11 d	15 19 630	420 6 12	210	7 29 54.8	22.1 1 45	32.7	15 31 1213	981 8 0	232	15 31 1213	981 8 0	232	4,4,5,3,4,5,4,3	32	2	84.7
12	18 25 581	425 10 17	156	13 53 47.3	33.3 8 19	14.0	20 37 1059	1023 5 40	36	20 37 1059	1023 5 40	36	2,2,2,4,3,4,4,2	23	1	84.8
13	0 33 566	488 11 47	78	12 40 44.4	31.9 1 32	12.5	18 13 1069	1028 1 9	41	18 13 1069	1028 1 9	41	3,2,2,2,2,3,2,1	17	1	84.8
14	16 2 575	495 9 23	80	14 3 47.6	32.9 20 40	14.7	16 25 1071	1028 12 0	43	16 25 1071	1028 12 0	43	2,2,2,2,3,4,3,3	21	1	84.9
15 d	17 55 645	470 9 17	175	16 41 46.8	24.4 21 3	22.4	17 31 1101	1010 24 0	91	17 31 1101	1010 24 0	91	2,2,3,4,4,5,5,4	29	1	85.0
16	19 8 573	475 9 22	98	13 6 47.8	27.9 1 19	19.9	19 25 1069	999 0 37	70	19 25 1069	999 0 37	70	3,2,2,3,3,3,3,3	22	1	85.1
17	18 3 570	479 11 22	91	15 25 43.9	33.4 7 23	10.5	18 23 1060	1009 1 28	51	18 23 1060	1009 1 28	51	3,3,2,3,2,3,3,2	21	1	85.2
18	18 38 556	487 11 20	69	13 53 45.2	33.5 6 50	11.7	18 22 1059	1035 10 53	24	18 22 1059	1035 10 53	24	2,1,2,2,1,2,2,1	13	0	85.3
19 q	17 37 554	480 11 36	74	14 20 46.8	33.3 4 31	13.5	17 52 1057	1031 12 9	26	17 52 1057	1031 12 9	26	2,1,1,2,3,2,1,2	14	0	85.3
20 d	21 1 580	472 11 57	108	14 8 52.1	27.0 6 44	25.1	20 28 1069</									

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

130 ESKDALEMUIR (H)		16,000γ (0.16 C.G.S. unit) +											AUGUST 1942												
	Hour G.M.T.												12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12													
1	534	525	519	522	526	532	530	522	510	499	496	501	510	519	527	527	530	534	542	539	547	538	531	524	
2	532	531	531	527	526	522	522	522	518	511	506	504	507	522	525	506	523	535	541	543	550	539	539	542	
3	538	534	522	523	523	519	519	518	515	510	504	510	511	507	523	522	522	538	542	544	547	552	539	542	
4 q	531	526	526	526	529	524	524	522	523	518	508	503	510	510	510	517	529	537	546	542	541	535	534	527	
5	529	538	527	526	527	527	527	522	518	506	496	492	495	509	525	531	532	535	534	543	550	541	545	542	
6	532	535	534	533	534	534	527	519	516	519	515	522	530	533	546	550	499	535	553	542	538	541	529	523	
7	522	527	534	522	522	523	508	479	502	484	472	492	506	508	512	511	512	526	539	543	542	561	530	523	
8 q	523	521	521	524	522	516	512	511	510	499	497	510	518	519	514	514	521	529	529	535	534	531	533	527	
9	527	527	527	526	527	526	524	523	519	515	515	505	490	492	507	519	518	525	534	547	543	542	543	551	
10 d	550	543	545	535	538	522	515	514	518	509	502	494	511	500	534	569	495	557	546	538	527	530	535	546	
11	539	526	526	520	525	530	511	507	490	489	483	472	499	491	511	518	524	530	531	538	534	534	530	531	
12	527	531	515	524	531	518	519	496	488	496	494	505	505	511	519	524	531	543	543	550	538	535	529	523	
13 q	515	522	522	527	531	529	519	514	507	506	502	504	508	517	522	529	534	534	534	535	534	534	539	540	
14	537	530	522	523	524	523	519	515	507	492	495	503	522	526	526	527	531	534	535	534	534	534	531	527	
15	529	529	529	527	523	523	519	511	503	502	507	502	513	514	524	531	537	553	565	565	538	542	542	537	
16 d	568	550	526	498	503	520	523	508	507	505	492	492	499	515	527	547	543	566	550	557	569	510	518	531	
17	497	514	508	499	503	507	513	503	510	488	488	478	507	520	524	538	529	543	538	542	530	540	519	522	
18 d	519	522	518	524	524	519	499	495	503	451	457	471	481	507	494	524	529	530	531	524	519	530	531	524	
19 d	514	532	519	503	513	519	506	495	464	479	484	500	495	521	519	525	513	539	543	535	535	562	565	525	
20	530	518	520	502	519	513	510	504	488	498	473	498	504	504	515	522	526	531	539	526	531	536	531	521	
21	523	524	517	517	515	519	503	508	506	504	507	501	510	518	534	523	523	523	527	527	538	529	534	522	
22	531	522	512	522	511	510	519	512	501	496	496	507	513	515	518	528	520	531	534	536	538	546	550	522	
23 d	491	513	506	507	511	506	507	496	492	479	492	507	542	492	532	565	573	526	535	535	503	515	511	495	
24	503	503	487	504	492	502	503	495	484	491	490	500	504	508	518	530	518	537	538	550	519	527	530	529	
25	517	514	507	519	499	489	483	482	484	484	489	500	502	508	511	526	524	532	538	533	531	527	522	519	
26	520	517	519	515	527	508	512	508	500	499	498	503	511	504	512	523	524	533	545	554	550	526	530	527	
27	515	519	515	514	523	523	503	488	499	480	485	474	499	501	513	512	522	530	541	527	530	527	524	524	
28 q	526	519	518	518	519	518	511	510	499	488	487	488	499	506	509	515	518	525	528	530	531	527	529	522	
29 q	523	523	522	522	523	522	517	510	503	503	503	501	506	511	519	525	531	540	540	531	527	536	527	528	
30	529	526	526	523	522	524	522	515	511	507	511	510	515	535	536	542	553	562	535	543	542	537	544	543	
31	554	538	533	537	535	540	534	534	531	517	505	497	503	530	527	524	518	515	517	527	527	525	529	526	
Mean	527	526	521	520	521	520	515	508	504	497	495	498	507	512	520	528	526	536	538	539	536	535	533	529	

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

131 ESKDALEMUIR (D)		12° +											AUGUST 1942												
	Hour G.M.T.												12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12													
1	37.6	36.4	35.8	34.3	35.3	35.1	35.9	36.2	36.9	36.8	37.7	40.9	43.2	44.0	43.4	42.3	41.8	41.1	40.6	40.4	38.6	37.7	37.5	37.9	
2	38.8	38.1	37.7	37.0	35.4	35.1	34.2	32.7	33.7	35.2	37.6	40.4	43.6	46.1	46.7	45.0	44.1	42.6	41.2	40.6	38.0	39.8	38.0	39.0	
3	36.3	33.5	33.4	35.1	34.9	35.3	36.8	35.0	35.1	37.1	38.9	41.7	44.5	46.4	45.9	43.8	41.0	40.9	40.9	39.5	39.6	38.2	39.7	38.9	
4 q	36.8	36.1	36.9	37.9	38.1	35.9	35.8	35.5	35.2	36.9	37.9	40.6	42.3	42.7	43.3	42.6	41.6	41.3	40.7	39.5	38.9	39.5	38.7	37.2	
5	36.9	39.1	37.1	36.8	36.1	36.7	35.7	34.5	35.0	36.0	37.2	40.5	44.0	44.9	44.3	43.4	42.1	40.8	40.2	39.0	39.1	37.5	36.1	35.3	
6	37.2	37.0	36.1	36.1	36.1	35.3	35.4	34.9	34.3	37.0	39.8	42.5	45.2	47.8	47.6	47.6	46.0	43.3	42.6	40.9	35.9	37.1	37.9	33.6	
7	35.4	38.1	34.6	35.8	35.9	33.8	34.3	36.8	38.0	39.8	41.4	44.2	45.7	46.2	46.7	45.8	43.5	40.5	37.6	39.4	37.8	30.6	36.6	37.3	
8 q	37.9	37.7	39.1	37.3	37.2	36.2	36.0	35.7	36.1	37.3	39.4	42.3	44.1	44.2	43.5	42.4	41.2	40.0	39.7	39.0	38.9	38.8	37.3	37.9	
9	38.0	37.9	37.8	37.9	37.1	35.8	35.0	34.2	35.0	37.1	39.7	43.0	45.0	45.9	44.9	44.5	43.9	40.3	37.0	38.5	39.3	39.8	40.0	40.1	
10 d	39.5	38.7	38.8	35.9	34.3	33.5	33.7	38.5	37.1	37.2	40.5	41.6	45.0	47.1	47.2	48.9	45.8	42.9	36.8	25.7	35.5	34.4	34.2	39.7	
11	37.3	37.3	36.5	38.0	39.6	36.9	34.5	34.2	35.3	36.9	41.1	42.6	44.2	44.8	43.5	42.2	39.6	38.7	38.8	39.4	39.6	39.6	39.0	39.1	
12	37.8	38.9	38.9	40.2	39.4	36.0	36.8	36.9	38.8	42.1	43.5	46.1	47.5	46.3	43.4	41.6	39.5	38.7	39.7	40.0	39.6	39.7	36.9	35.1	
13 q	35.1	40.0	37.9	36.0	34.6	34.8	34.3	34.3	35.1	37.0	39.4	41.5	43.1	43.2	42.2	40.9	39.8	38.7	38.7	39.4	39.5	38.9	39.4	37.1	
14	37.6	37.6	36.1	36.3	36.4	35.3	35.2	35.3	37.0	39.9	43.0	44.9	46.3	45.1	43.1	41.4	39.6	38.7	37.9	38.6	38.7	38.5	38.5	39.1	
15	38.9	38.8	38.7	37.9	36.8	35.3	35.0	35.0	35.4	37.6	40.4	44.2	45.8	44.5	43.3	43.0	42.3	41.6	41.8	42.6	42.4	38.5	36.1	35.8	
16 d	33.5	33.2	25.9	34.8	38.2	33.6	35.0	32.3	32.4	34.9	39.1	42.3	45.1	47.8	48.3	47.3	45.8	44.8	44.4	44.8	20.5	32.6	35.1	32.2	
17	34.2	32.6	33.1	36.0	35.3	33.7	34.0	34.4	35.9	37.0	39.7	42.6	42.7	45.0	45.3	46.0	42.4	39.3	39.7	38.1	36.9	38.8	33.3	37.1	
18 d	36.7	36.6	37.6	37.8	35.6	34.3	35.7	40.4	37.7	38.3	40.8	43.3	45.0	46.2	48.5	44.7	44.9	42.9	40.8	39.6	35.2	38.6	41.2	41.5	
19 d	40.7	36.3	39.0	40.4	37.9	34.5	33.9	35.7	36.0	34.7	38.9	43.0	44.9	45.9	45.8	44.9	38.8	39.4	32.0	37.6	38.1	34.9	34.1	37.3	
20	33.0	38.9	38.2	35.0	35.1	33.7	32.4	32.9	32.6	36.9	41.6	45.9	49.2	47.8	45.3	43.3	42.0	41.3	40.4	36.9	38.7	39.6	37.9	39.9	
21	37.9	37.0	38.8	39.6	36.3	36.2	34.5	35.9	35.2	36.2	39.9	43.8	45.9	46.7	42.1	42.1	40.5	38.0	38.6	37.6	36.0	38.3	38.9	40.4	
22	40.5																								

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
 Mean values for periods of sixty minutes ending at exact hours, G.M.T.

132 ESKDALEMUIR (V)

44,000γ (0.44 C.G.S. unit) +

AUGUST 1942

Hour	G.M.T.																						Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
1	1041	1038	1034	1038	1039	1039	1039	1041	1045	1045	1041	1036	1032	1036	1041	1048	1049	1050	1050	1051	1052	1047	1045	1045	1043
2	1044	1044	1045	1047	1049	1048	1048	1046	1045	1041	1034	1029	1024	1021	1029	1038	1044	1044	1050	1050	1051	1048	1045	1045	1038
3	1032	1029	1027	1030	1037	1041	1039	1039	1039	1035	1032	1032	1032	1033	1037	1041	1046	1052	1053	1056	1053	1053	1046	1039	1035
4 q	1039	1041	1045	1045	1043	1042	1041	1041	1037	1032	1032	1028	1024	1024	1031	1036	1042	1044	1047	1047	1051	1051	1048	1047	1041
5	1045	1039	1038	1041	1045	1047	1045	1045	1045	1045	1039	1034	1033	1028	1028	1033	1039	1047	1051	1051	1050	1050	1050	1049	1040
6	1041	1041	1044	1045	1046	1045	1044	1040	1033	1029	1027	1022	1022	1026	1036	1050	1068	1064	1062	1060	1063	1053	1051	1042	1044
7	1032	1017	1018	1030	1036	1040	1038	1033	1027	1024	1025	1021	1024	1029	1036	1044	1048	1056	1059	1056	1054	1039	1033	1039	1036
8 q	1042	1045	1045	1047	1047	1047	1047	1045	1041	1039	1032	1018	1021	1027	1036	1039	1042	1047	1050	1050	1050	1050	1048	1046	1042
9	1046	1046	1046	1047	1047	1051	1050	1045	1041	1028	1023	1022	1023	1028	1038	1050	1057	1062	1065	1056	1048	1047	1047	1045	1044
10 d	1044	1045	1042	1041	1042	1045	1045	1041	1041	1041	1041	1033	1029	1031	1037	1039	1051	1071	1072	1101	1100	1080	1060	1050	1051
11	1029	1041	1047	1046	1045	1041	1044	1045	1046	1044	1035	1033	1085	1041	1050	1057	1058	1059	1057	1053	1052	1052	1052	1051	1046
12	1051	1047	1047	1042	1040	1042	1040	1041	1040	1034	1032	1032	1039	1050	1054	1059	1062	1060	1057	1057	1057	1053	1053	1048	1047
13 q	1046	1040	1039	1045	1047	1047	1048	1047	1045	1045	1038	1030	1032	1038	1048	1050	1051	1050	1050	1046	1045	1046	1045	1042	1044
14	1038	1036	1042	1047	1050	1050	1050	1048	1045	1042	1038	1035	1033	1039	1047	1051	1052	1053	1048	1046	1046	1046	1046	1045	1045
15	1046	1046	1046	1047	1051	1052	1052	1049	1045	1042	1030	1023	1023	1035	1047	1047	1050	1051	1050	1056	1068	1063	1053	1047	1046
16 d	1027	1020	1009	1002	991	991	1009	1027	1035	1035	1033	1033	1035	1036	1041	1050	1062	1066	1071	1072	1071	1045	1044	1039	1035
17	1018	1022	1030	1038	1030	1039	1045	1046	1047	1045	1039	1034	1036	1042	1050	1059	1077	1088	1085	1076	1069	1033	1039	1036	1047
18 d	1032	1045	1047	1045	1051	1051	1050	1041	1041	1043	1045	1044	1050	1072	1081	1084	1070	1064	1066	1069	1073	1060	1053	1035	1055
19 d	1010	1021	1030	1029	1040	1048	1050	1051	1051	1050	1045	1038	1046	1048	1048	1056	1075	1083	1087	1072	1060	1044	1014	1003	1046
20	1004	1002	993	1018	1024	1034	1040	1041	1043	1038	1032	1027	1028	1039	1042	1046	1050	1051	1059	1075	1064	1054	1051	1045	1037
21	1047	1047	1046	1041	1044	1047	1052	1051	1049	1043	1039	1039	1042	1048	1060	1063	1063	1059	1057	1054	1054	1051	1047	1036	1049
22	1023	1033	1038	1042	1042	1033	1035	1041	1039	1039	1039	1036	1034	1036	1042	1046	1048	1047	1048	1048	1048	1050	1036	1027	1040
23 d	1007	969	991	991	1003	1020	1035	1041	1040	1034	1034	1032	1034	1044	1051	1105	1138	1139	1114	1095	1066	1057	1039	1030	1046
24	1036	1037	1022	1026	1038	1040	1047	1050	1050	1050	1044	1042	1039	1042	1055	1064	1080	1082	1080	1072	1064	1032	1028	1021	1048
25	1034	1041	1044	1036	1020	1017	1023	1039	1047	1038	1033	1032	1036	1041	1052	1059	1058	1062	1060	1058	1057	1044	1036	1048	1042
26	1046	1046	1041	1039	1044	1044	1046	1047	1045	1040	1036	1035	1038	1048	1055	1058	1065	1063	1059	1064	1047	1042	1038	1033	1047
27	1019	1017	1037	1045	1048	1051	1052	1051	1051	1047	1045	1046	1050	1053	1065	1068	1065	1063	1062	1059	1057	1056	1055	1053	1051
28 q	1051	1051	1052	1053	1053	1054	1054	1052	1051	1048	1044	1039	1035	1038	1045	1048	1051	1051	1051	1051	1051	1052	1051	1051	1049
29 q	1051	1051	1052	1052	1052	1052	1053	1053	1050	1045	1045	1042	1039	1040	1045	1051	1051	1054	1057	1054	1054	1048	1048	1049	1049
30	1048	1048	1047	1047	1050	1051	1052	1049	1046	1039	1033	1033	1031	1033	1038	1042	1045	1046	1047	1051	1051	1051	1048	1048	1045
31	1038	1036	1039	1038	1038	1036	1039	1036	1035	1035	1032	1034	1042	1056	1081	1087	1087	1086	1080	1069	1064	1061	1053	1050	1052
Mean	1036	1035	1036	1038	1040	1041	1043	1044	1043	1039	1035	1032	1033	1040	1047	1055	1061	1062	1063	1061	1057	1049	1045	1040	1045

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

133 ESKDALEMUIR

AUGUST 1942

Hour	TERRESTRIAL MAGNETIC ELEMENTS											3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 + °A.				
	Horizontal force			Declination			Vertical force												
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range										
1	h. m.	γ	γ	h. m.	γ	h. m.	γ	h. m.	γ	h. m.	γ	2, 2, 1, 1, 2, 2, 2, 2	14	0	86.0				
2	20 23	563	484	15 21	79	14 0	47.6	31.6	7 42	16.0	20 3	1051	1020	12 13	31	1, 1, 2, 1, 3, 3, 3, 2	16	0	86.1
3	21 25	559	499	10 21	60	13 17	46.8	32.4	2 44	14.4	18 29	1057	1024	2 40	33	3, 2, 2, 2, 2, 3, 2, 2	18	0	86.1
4 q	19 18	553	499	11 6	54	14 16	43.4	35.0	8 18	8.4	20 0	1053	1023	12 39	30	1, 1, 2, 2, 2, 2, 2, 1	13	0	86.0
5	22 48	565	484	12 18	81	12 52	45.5	33.7	21 46	11.8	17 20	1053	1027	12 50	26	2, 2, 1, 2, 2, 2, 3, 3	17	0	85.9
6	14 39	577	472	16 14	105	14 38	50.0	28.9	23 51	21.1	16 35	1069	1021	11 40	48	1, 1, 1, 3, 4, 4, 3, 3	20	1	85.8
7	21 5	584	456	10 29	128	13 49	47.7	23.2	21 0	24.5	18 8	1060	1015	1 32	45	3, 2, 3, 3, 2, 2, 4, 4	23	1	85.8
8	19 0	538	494	10 35	44	13 42	44.6	34.2	7 36	10.4	19 48	1051	1017	11 42	34	1, 1, 2, 2, 3, 1, 1, 1	12	0	85.8
9	23 2	554	483	12 50	71	13 30	46.5	32.6	7 31	13.9	18 12	1068	1020	12 19	48	1, 1, 2, 2, 2, 2, 3, 2	15	0	85.9
10 d	15 30	609	460	16 4	149	15 22	50.6	21.7	19 5	28.9	18 55	1123	1028	11 48	95	2, 3, 3, 2, 4, 5, 4, 3	26	1	86.0
11	0 22	546	460	11 20	86	13 0	45.2	32.8	9 10	12.4	17 7	1062	1022	0 1	40	2, 3, 2, 3, 3, 1, 1, 1	16	1	86.1
12	19 8	565	483	10 31	82	12 17	47.7	34.7	5 22	13.0	16 40	1064	1028	11 0	36	3, 2, 2, 2, 2, 2, 3, 2	18	1	86.2
13 q	23 18	552	499	10 13	53	12 50	43.6	34.1	7 11	9.5	16 42	1053	1029	11 58	24	3, 1, 1, 1, 1, 1, 1, 2	11	0	86.2
14	0 49	542	491	9 3	51	12 28	46.7	34.2	7 5	12.5	17 3	1054	1030	12 13	24	2, 2, 1, 2, 2, 2, 1, 1	13	0	86.2
15	20 1	588	495	11 0	93	20 20	46.7	32.4	23 12	14.3	20 37	1074	1021	11 58	53	1, 1, 0, 2, 2, 2, 4, 3	15	1	86.4
16 d	20 27	616	462	4 1	154	13 59	49.4	6.4	20 21	43.0	20 11	1105	982	5 11	123	4, 4, 3, 3, 3, 4, 5, 4	30	1	86.4
17	21 6	588	456	11 53	132	16 3	48.0	28.8	0 59	19.2	17 22	1092	1014	0 21	78	3, 2, 2, 3, 4, 4, 3, 4	25	1	86.5
18 d	18 58	556	431	9 41	125	14 28	52.1	32.4	0 3	19.7	15 15	1087	1021	24 0	66	3, 2, 3, 4, 4, 3, 3, 3	25	1	86.6
19 d	21 54	598	429	8 46	169	14 42	47.3	20.7	18 32	26.6	18 30	1092	999	23 15	93	3, 3, 3, 4, 4, 4, 4, 4	29	1	86.7

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

134 ESKDALEMUIR (H)

16,000γ (0.16 C.G.S. unit) +

SEPTEMBER 1942

	Hour G.M.T.																						Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
1	527	519	522	519	523	523	522	513	504	495	491	502	511	513	530	534	530	522	519	522	521	519	524	523	518
2	524	522	527	522	526	522	476	503	499	506	488	491	494	504	508	519	536	535	542	542	534	537	523	522	517
3	513	516	524	530	523	519	519	506	499	488	479	494	497	503	512	515	522	526	531	531	531	530	527	526	515
4	527	527	522	526	527	527	527	519	515	496	493	492	496	514	526	525	518	526	525	526	526	528	529	528	519
5	527	534	526	518	541	539	536	524	515	490	485	484	498	503	517	522	511	526	536	530	526	522	522	528	519
6 d	528	541	527	527	533	524	525	528	507	506	511	503	513	499	481	503	526	531	529	517	522	522	557	507	519
7	511	518	519	520	510	512	511	507	503	499	492	508	513	515	524	530	518	526	524	525	524	529	538	519	516
8	519	519	520	517	515	523	522	519	511	506	500	500	504	515	524	530	518	511	522	524	524	523	526	528	518
9	526	526	530	530	528	523	515	514	504	498	499	497	523	522	530	526	526	518	518	526	526	531	530	527	521
10	527	536	525	533	523	528	526	508	500	492	489	498	512	511	510	515	515	523	522	527	530	526	531	527	518
11 d	531	538	531	530	528	524	531	527	522	504	498	508	519	526	522	539	546	561	543	543	520	511	558	545	529
12 d	486	472	499	495	484	514	476	453	426	426	432	464	479	499	519	527	530	530	526	534	565	543	532	501	496
13	507	508	511	504	501	508	514	504	498	475	492	497	507	508	526	522	521	531	530	519	514	500	538	515	510
14	496	503	495	495	495	501	502	495	487	499	492	494	499	492	510	514	527	535	529	562	524	498	526	484	506
15	510	536	504	499	479	498	508	515	507	507	483	496	511	511	507	527	518	526	538	519	534	524	528	526	513
16	512	523	531	515	523	502	518	511	506	487	479	494	504	515	524	526	538	519	522	524	536	565	515	503	516
17 d	511	505	511	526	520	519	504	496	495	484	426	443	484	487	500	506	518	543	533	511	510	557	523	519	505
18	493	502	504	507	495	500	505	498	499	501	491	497	504	518	511	496	523	511	546	507	538	530	530	527	510
19	518	499	503	500	511	511	511	507	507	492	485	504	511	496	514	506	515	534	522	519	519	552	523	517	511
20	526	518	516	515	511	518	521	518	509	499	493	499	469	518	519	519	515	507	519	543	527	519	519	542	515
21 d	519	507	494	518	488	495	508	502	476	433	479	492	495	514	520	519	507	531	542	524	521	527	533	526	507
22	522	522	515	506	496	476	506	511	499	485	487	488	491	502	524	522	530	500	519	516	526	539	524	523	510
23	517	522	513	513	518	515	511	502	491	495	500	506	514	519	523	526	522	524	526	527	527	524	524	534	516
24	537	511	505	517	517	515	514	511	511	500	496	495	511	512	514	509	513	520	527	526	522	526	527	520	515
25 q	518	516	518	519	519	519	526	523	517	500	495	492	496	508	508	517	521	521	523	526	526	532	535	536	517
26 q	525	524	523	526	526	527	530	527	522	502	492	488	492	506	511	507	512	506	508	533	528	531	539	525	517
27	526	529	531	530	526	528	526	522	518	505	500	492	497	498	500	508	521	531	531	536	527	525	550	519	520
28 q	522	526	526	523	525	526	524	519	515	506	495	492	488	500	518	527	526	523	530	533	532	526	526	530	519
29 q	534	523	523	523	526	530	531	530	520	504	494	490	495	504	511	520	531	527	525	529	530	531	531	529	520
30 q	527	529	527	527	527	530	530	524	518	503	492	502	504	510	515	524	530	533	524	516	524	525	527	531	521
Mean	519	519	517	518	515	517	516	511	504	493	488	493	501	508	515	519	523	525	528	527	527	528	531	523	515

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

135 ESKDALEMUIR (D)

12° +

SEPTEMBER 1942

	Hour G.M.T.																						Mean		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
1	37.1	37.1	37.7	37.1	37.3	35.5	34.7	33.6	33.7	35.4	38.1	43.0	47.7	48.1	50.4	51.3	48.5	44.4	38.6	36.2	36.9	37.1	37.6	37.8	39.8
2	38.1	39.5	43.2	38.0	35.2	33.9	38.8	44.8	40.0	36.2	39.6	42.2	43.4	44.9	43.5	42.4	42.2	41.3	40.5	40.3	39.6	41.3	40.0	31.8	40.0
3	33.7	35.2	36.1	36.2	34.3	35.1	34.3	33.3	33.4	35.2	39.1	43.6	46.9	46.1	44.3	41.9	39.6	38.6	38.1	38.5	38.5	38.0	37.7	37.6	38.1
4	36.9	36.8	36.0	36.0	36.0	35.2	34.1	33.5	33.7	36.6	39.9	43.1	45.8	47.3	46.8	45.7	42.3	37.8	35.2	32.3	35.9	36.8	37.7	38.5	38.3
5	38.7	38.6	36.8	38.0	38.6	35.1	35.2	34.3	35.3	38.5	42.2	43.4	45.1	45.9	45.2	44.0	43.8	39.8	38.8	37.9	33.2	36.5	37.3	37.9	39.2
6 d	37.9	41.3	34.1	33.7	34.9	35.5	39.0	41.3	41.7	44.0	41.1	42.4	44.5	47.4	48.4	45.7	40.7	38.6	35.6	39.9	39.7	38.7	34.7	33.3	39.8
7	35.4	36.0	35.9	36.0	38.0	36.3	36.8	36.2	36.0	39.2	40.4	42.3	43.2	43.3	42.7	42.0	36.1	36.8	39.8	40.4	39.6	37.7	32.9	34.7	38.2
8	34.0	37.7	38.0	39.7	37.7	38.5	38.0	39.9	38.6	37.7	38.5	41.3	41.8	41.6	41.2	40.5	39.9	38.8	39.4	39.3	38.7	37.9	37.9	37.7	38.9
9	37.2	37.6	37.7	37.6	37.7	35.8	35.2	35.0	34.9	35.2	37.1	39.5	41.5	42.7	43.2	41.7	40.3	39.6	36.9	37.3	37.7	38.0	37.9	37.7	38.1
10	37.7	38.0	38.0	41.6	36.9	36.0	34.1	35.0	35.1	36.6	39.5	42.2	44.6	46.0	44.9	42.7	42.4	40.6	39.0	38.8	38.0	37.0	35.5	35.0	39.0
11 d	36.2	35.5	35.0	34.5	35.5	37.1	36.9	35.9	35.3	37.1	39.6	43.9	47.4	48.9	50.9	49.2	46.0	46.8	42.3	35.4	33.5	35.0	33.5	38.7	39.6
12 d	25.8	28.3	35.4	35.1	35.5	37.0	39.5	47.7	44.9	40.6	39.4	42.4	44.4	42.0	43.3	44.3	35.0	37.1	39.9	39.3	31.3	30.6	31.7	34.8	37.7
13	37.8	39.5	35.7	33.2	35.4	35.9	35.9	35.1	35.1	37.3	36.3	38.9	41.6	43.4	45.1	45.7	42.3	40.4	35.0	27.3	27.2	36.7	34.2	32.4	37.0
14	29.7	34.4	37.7	36.2	37.9	35.7	35.4	35.0	37.0	35.4	38.8	39.9	42.4	41.7	43.5	42.3	36.3	30.7	38.8	35.1	31.7	30.9	35.3	37.0	36.6
15	40.2	37.0	33.5	37.9	40.2	38.7	36.9	34.4	34.8	35.6	37.3	38.9	41.3	44.3	40.4	41.1	41.8	38.0	32.5	39.8	38.6	37.4	37.1	36.3	38.1
16	35.2	41.3	39.7	36.5	34.8	38.0	37.8	34.5	33.7	35.1	36.3	40.5	45.3	44.4	43.4	42.3	40.9	39.1	38.7	38.5	36.9	30.7	29.0	34.5	37.8
17 d	32.5	38.6	38.6	36.2	35.3	35.3	33.1	32.2	32.5	35.5	35.9	38.1	44.8	46.3	46.6	42.7	42.9	32.0	27.0	32.6	34.7	33.1	35.9	34.2	36.5
18	35.9	40.6	41.1	38.0	36.9	36.4	36.8	35.5	36.0	37.2	38.0	40.5	41.7	42.6	45.1	42.6	40.3	39.5	23.2	33.3	37.4	35.1	42.7	35.7	38.0
19	32.6	39.7	37.9	39.1	36.2	34.6	36.9	34.8	35.5	38.9	39.9	41.9	44.9	45.9	44.2	42.7	43.4	32.1	34.6	37.7	37.9	35.2	35.0	36.8	38.3
20	37.1	40.9	34.8	36.1	38.3	37.9	36.1	36.1	35.5	36.6	39.5	44.1	44.1	42.7	44.8	41.9	40.8	39.2	35.3	31.7	31.1	31.4	36.3		

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

136 ESKDALEMUIR (V)

44,000γ (0.44 C.G.S. unit) +

SEPTEMBER 1942

	Hour G.M.T.																						Mean			
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24	
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ		
1	1045	1046	1049	1049	1049	1050	1051	1050	1047	1042	1036	1030	1031	1042	1051	1068	1091	1108	1109	1093	1078	1066	1057	1050	1058	
2	1050	1051	1038	1042	1048	1048	1045	1027	1028	1037	1034	1032	1033	1040	1048	1049	1052	1055	1054	1055	1056	1046	1024	1036	1043	
3	1043	1048	1048	1045	1044	1046	1050	1050	1051	1048	1042	1036	1037	1042	1046	1050	1052	1054	1051	1050	1050	1049	1049	1049	1047	
4	1049	1048	1049	1049	1049	1050	1050	1050	1049	1046	1044	1038	1037	1037	1038	1042	1046	1052	1057	1062	1057	1052	1050	1049	1048	
5	1049	1046	1044	1043	1031	1031	1031	1038	1042	1044	1044	1039	1038	1047	1051	1060	1060	1055	1056	1060	1066	1060	1055	1050	1048	
6 d	1048	1034	1030	1033	1033	1037	1038	1034	1034	1033	1030	1035	1040	1054	1073	1093	1094	1078	1079	1066	1060	1056	1022	1019	1048	
7	1036	1043	1046	1045	1044	1045	1043	1043	1040	1039	1040	1038	1042	1049	1051	1055	1067	1072	1060	1053	1054	1055	1050	1046	1048	
8	1048	1046	1038	1030	1034	1034	1036	1036	1040	1046	1045	1042	1043	1042	1044	1049	1057	1057	1054	1051	1051	1051	1051	1050	1045	
9	1050	1050	1049	1046	1044	1044	1048	1046	1044	1048	1046	1044	1043	1046	1050	1052	1055	1055	1054	1052	1052	1051	1049	1049	1049	
10	1049	1044	1043	1032	1037	1040	1042	1040	1038	1042	1039	1034	1035	1043	1048	1051	1056	1060	1060	1057	1055	1055	1048	1048	1046	
11 d	1045	1040	1043	1043	1043	1043	1040	1042	1039	1037	1038	1036	1037	1043	1043	1040	1042	1060	1072	1078	1079	1067	1013	958	1043	
12 d	943	965	1000	985	982	1013	1019	1007	1020	1042	1054	1066	1069	1076	1071	1071	1096	1082	1064	1066	1061	1039	1035	1036	1036	
13	1010	1004	1016	1033	1042	1046	1048	1052	1053	1057	1055	1054	1049	1049	1050	1056	1073	1071	1078	1077	1069	1065	1048	1019	1049	
14	1016	1010	1007	1013	1032	1039	1046	1051	1050	1051	1049	1046	1048	1054	1055	1070	1084	1093	1081	1048	1031	1034	1019	1006	1043	
15	1002	1012	1027	1028	1009	1022	1039	1045	1046	1046	1048	1049	1049	1054	1073	1081	1090	1090	1085	1066	1058	1050	1046	1044	1048	
16	1050	1039	1024	1025	1026	1020	1031	1042	1043	1046	1048	1042	1044	1049	1051	1056	1058	1074	1073	1066	1058	1042	1031	1014	1044	
17 d	1018	1028	1037	1043	1048	1049	1049	1052	1054	1049	1057	1063	1058	1064	1072	1092	1097	1104	1088	1070	1067	1039	1004	1007	1055	
18	1019	1022	1022	1032	1040	1054	1054	1055	1055	1055	1051	1049	1044	1044	1055	1063	1078	1079	1087	1070	1054	1034	1012	1010	1047	
19	1015	1013	1015	1007	1019	1031	1031	1036	1040	1045	1048	1040	1037	1043	1055	1056	1072	1079	1073	1064	1063	1046	1037	1041	1042	
20	1036	1029	1036	1039	1040	1036	1044	1049	1046	1044	1045	1043	1049	1046	1051	1061	1070	1072	1068	1055	1044	1046	1039	1008	1046	
21 d	1019	1023	1002	1007	1014	1018	1028	1043	1045	1050	1044	1046	1055	1070	1061	1061	1084	1084	1074	1059	1058	1042	1038	1037	1044	
22	1039	1037	1042	1042	1020	1020	1025	1037	1039	1036	1044	1049	1057	1058	1057	1057	1061	1072	1063	1059	1057	1046	1041	1014	1045	
23	1024	1037	1043	1045	1046	1048	1049	1049	1048	1042	1036	1034	1039	1043	1050	1055	1051	1051	1050	1050	1051	1053	1054	1048	1046	
24	1034	1042	1045	1045	1048	1049	1050	1049	1047	1048	1042	1037	1040	1043	1049	1055	1058	1055	1050	1051	1055	1053	1053	1051	1048	
25 q	1050	1051	1050	1048	1048	1049	1049	1049	1046	1043	1041	1037	1041	1043	1043	1048	1052	1056	1055	1055	1055	1054	1051	1043	1048	
26 q	1044	1045	1048	1049	1049	1049	1049	1049	1047	1044	1038	1028	1028	1036	1027	1056	1067	1077	1066	1058	1056	1054	1045	1047	1048	
27 q	1049	1049	1050	1049	1049	1048	1048	1045	1044	1045	1045	1044	1045	1053	1057	1060	1057	1057	1054	1052	1055	1061	1049	1050	1051	
28 q	1050	1047	1044	1045	1045	1048	1049	1049	1049	1045	1043	1043	1044	1045	1048	1052	1056	1055	1051	1051	1050	1056	1055	1049	1049	
29 q	1045	1046	1046	1048	1048	1048	1050	1051	1049	1048	1041	1035	1033	1033	1042	1048	1052	1055	1057	1055	1051	1051	1050	1049	1047	
30 q	1049	1049	1049	1049	1049	1049	1049	1050	1050	1045	1040	1033	1030	1032	1037	1044	1048	1051	1054	1057	1055	1052	1051	1048	1047	
Mean	1034	1035	1036	1036	1037	1040	1043	1044	1044	1044	1045	1043	1041	1043	1047	1052	1058	1066	1069	1066	1060	1057	1051	1041	1034	1047

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

137 ESKDALEMUIR

SEPTEMBER 1942

	TERRESTRIAL MAGNETIC ELEMENTS										3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 + °A.				
	Horizontal force			Declination			Vertical force											
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range									
1	h. m. 16 17	γ 547	γ h. m. 472 11 2	γ 75	h. m. 15 18	53.0	33.4	h. m. 8 42	19.6	h. m. 18 42	1114	1026	h. m. 11 59	88	1,1,1,3,3,3,3,2	17	1	87.4
2	22 8	554	460 6 39	94	7 9	47.6	29.8	23 24	17.8	21 10	1062	1019	22 14	43	3,2,4,3,2,2,3,4	23	1	87.4
3	18 32	534	472 10 47	62	12 50	47.3	32.3	7 46	15.0	17 31	1055	1035	11 25	20	2,2,2,2,2,1,1	14	0	87.5
4	15 2	545	483 9 32	62	13 44	48.5	30.5	19 13	18.0	19 10	1063	1036	12 16	27	2,1,2,3,2,3,2,1	16	0	87.5
5	4 19	550	478 11 25	72	13 9	46.1	31.8	20 12	14.3	20 20	1068	1025	4 30	43	1,3,2,2,3,3,2,2	18	1	87.6
6 d	22 14	588	464 14 19	124	14 3	49.4	26.1	22 56	23.3	15 47	1102	1003	23 3	99	3,2,3,3,4,4,3,5	27	1	87.5
7	22 31	548	487 16 23	61	13 12	44.1	31.4	22 25	12.7	17 0	1079	1028	0 1	51	2,2,2,2,2,3,1,3	17	1	87.6
8	15 40	542	492 11 44	50	12 10	42.3	33.3	0 31	9.0	17 30	1059	1026	3 30	33	3,2,2,2,2,3,2,1	17	0	87.7
9	14 36	536	483 11 27	53	14 36	43.7	34.2	7 43	9.5	17 20	1057	1041	12 10	16	1,2,2,2,2,2,2,1	14	0	87.7
10	1 23	545	487 10 9	58	13 27	46.7	33.5	6 37	13.2	18 0	1061	1029	3 44	32	2,3,2,2,3,2,2,2	18	0	87.8
11 d	22 58	655	453 24 0	202	13 35	52.2	25.9	22 5	26.3	19 52	1087	936	24 0	151	2,2,1,2,4,4,4,6	25	1	87.8
12 d	20 43	629	378 9 19	251	7 21	52.3	20.3	0 29	32.0	16 40	1103	932	0 43	171	4,4,5,5,4,4,5,4	34	2	87.8
13	22 31	597	467 9 8	130	14 39	47.7	24.2	19 38	23.5	18 54	1084	997	0 42	87	3,3,3,3,3,4,4,5	28	1	87.8
14	19 17	625	457 21 15	168	14 49	46.9	25.7	19 44	21.2	16 57	1098	985	23 56	113	3,3,3,3,3,4,5,4	28	1	87.9
15	20 28	573	460 10 41	113	13 20	45.9	26.1	18 11	19.8	17 45	1097	986	0 1	111	4,3,3,4,3,4,4,2	27	1	87.9
16	21 9	577	468 23 6	109	12 17	47.6	24.1	23 0	23.5	17 44	1081	998	23 43	83	3,3,3,2,3,3,3,5	25	1	87.9
17 d	17 58	593	389 10 53	204	13 38	49.2	20.7	17 40	28.5	17 35	1123	997	22 31	126	3,2,3,5,4,5,4,4	30	2	87.9
18	20 43	573	464 17 57	109	22 30	46.9	20.0	18 26	26.9	18 6	1096	999	22 50	97	3,2,2,3,4,4,4,4	26	1	87.9
19	21 26	568																

TERRESTRIAL MAGNETIC FORCE: HORIZONTAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with 24 columns (Hour G.M.T. 0-1 to 23-24) and 24 rows (1 q to 31). Title: 138 ESKDALEMUIR (H) 16,000γ (0.16 C.G.S. units) + OCTOBER 1942. Data values range from 463 to 533.

MAGNETIC DECLINATION (WEST)
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

Table with 24 columns (Hour G.M.T. 0-1 to 23-24) and 24 rows (1 q to 31). Title: 139 ESKDALEMUIR (D) 12° + OCTOBER 1942. Data values range from 29.7 to 44.5.

TERRESTRIAL MAGNETIC FORCE: VERTICAL COMPONENT
Mean values for periods of sixty minutes ending at exact hours, G.M.T.

103

140 ESKDALEMUIR (V)

44,000γ (0.44 C.G.S. unit) +

OCTOBER 1942

	Hour G.M.T.											12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	Mean	
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11														11-12
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	
1 q	1049	1049	1050	1049	1049	1050	1051	1054	1053	1050	1046	1043	1043	1045	1045	1049	1051	1051	1050	1050	1050	1049	1043	1049	
2 d	1039	1040	1043	1040	1041	1038	1038	1039	1044	1046	1039	1037	1042	1060	1076	1168	1145	1151	1145	1123	1043	1048	1049	1037	1065
3 d	1007	972	971	971	930	989	1013	1023	1027	1041	1048	1055	1063	1073	1078	1116	1125	1115	1081	1063	1067	1052	1028	1013	1038
4	1014	1016	1024	1038	1042	1033	1031	1039	1043	1044	1047	1050	1061	1080	1085	1103	1126	1095	1084	1081	1075	1062	1031	1015	1055
5	1024	1021	1029	1016	1032	1037	1047	1049	1048	1054	1058	1063	1064	1072	1093	1084	1076	1074	1063	1060	1063	1063	1055	1048	1054
6	1037	1043	1049	1053	1055	1055	1056	1060	1062	1060	1056	1054	1050	1051	1054	1056	1056	1055	1055	1057	1062	1051	1049	1049	1054
7	1042	1018	1003	1024	1036	1039	1043	1043	1045	1047	1046	1049	1050	1061	1068	1084	1076	1069	1071	1073	1074	1069	1057	1049	1051
8	1049	1051	1050	1048	1048	1049	1051	1052	1052	1052	1049	1049	1050	1055	1059	1061	1063	1067	1079	1083	1073	1066	1060	1057	1057
9 q	1052	1039	1042	1047	1050	1052	1048	1048	1049	1049	1045	1044	1043	1048	1052	1055	1056	1055	1054	1055	1054	1054	1054	1054	1050
10	1051	1052	1051	1050	1049	1049	1048	1045	1045	1045	1046	1042	1043	1043	1045	1049	1049	1048	1049	1050	1051	1060	1058	1055	1049
11	1052	1054	1053	1052	1051	1051	1051	1051	1050	1047	1042	1039	1039	1040	1048	1055	1057	1051	1051	1049	1078	1078	1066	1058	1053
12 d	1051	1039	1024	1015	1025	1038	1046	1047	1047	1043	1048	1050	1067	1066	1063	1073	1081	1080	1067	1061	1058	1061	1044	1024	1051
13	1031	1023	1006	1022	1038	1049	1051	1051	1049	1050	1046	1046	1048	1055	1066	1076	1086	1108	1076	1064	1060	1042	1018	1022	1049
14	1040	1044	1045	1045	1053	1055	1054	1054	1055	1055	1055	1056	1064	1070	1081	1113	1082	1069	1076	1066	1045	1028	1040	1040	1058
15	1046	1049	1051	1051	1042	1029	1034	1048	1052	1058	1054	1051	1053	1058	1069	1078	1082	1085	1085	1072	1070	1054	1019	1030	1055
16	1042	1019	1026	1048	1055	1056	1058	1057	1057	1055	1055	1055	1062	1078	1070	1079	1085	1081	1072	1070	1055	1057	1061	1055	1059
17	1045	1048	1051	1056	1052	1044	1050	1052	1057	1054	1052	1051	1054	1058	1065	1070	1073	1069	1064	1065	1072	1057	1054	1057	1057
18	1056	1057	1049	1049	1050	1054	1058	1061	1061	1059	1057	1058	1062	1066	1072	1084	1094	1097	1098	1087	1070	1061	1062	1053	1066
19	1014	991	1015	1033	1038	1045	1051	1056	1060	1058	1055	1060	1075	1091	1099	1132	1109	1097	1079	1073	1072	1073	1069	1066	1063
20	1062	1049	1055	1055	1052	1055	1057	1058	1061	1063	1061	1063	1070	1076	1100	1112	1121	1094	1076	1068	1067	1066	1066	1063	1070
21	1063	1063	1063	1062	1062	1061	1061	1062	1063	1062	1061	1061	1064	1069	1072	1079	1091	1079	1073	1068	1066	1069	1067	1066	1067
22 q	1062	1061	1062	1062	1062	1062	1063	1064	1068	1068	1063	1063	1067	1067	1069	1069	1067	1064	1064	1066	1067	1068	1067	1066	1065
23 q	1063	1063	1063	1062	1062	1061	1062	1062	1063	1061	1056	1057	1060	1061	1064	1067	1066	1064	1064	1063	1063	1064	1063	1062	1062
24 q	1062	1061	1060	1058	1058	1058	1060	1060	1058	1057	1051	1052	1054	1056	1060	1061	1061	1057	1057	1057	1058	1061	1062	1061	1058
25	1060	1059	1056	1049	1039	1036	1032	1034	1031	1034	1037	1037	1044	1051	1056	1062	1061	1061	1063	1063	1063	1062	1063	1062	1051
26	1061	1058	1049	1048	1049	1046	1047	1049	1051	1052	1051	1050	1052	1055	1060	1062	1061	1061	1059	1059	1059	1048	1051	1051	1054
27	1036	1027	1032	1043	1048	1051	1052	1052	1055	1055	1052	1051	1051	1054	1059	1063	1063	1061	1057	1057	1057	1060	1057	1056	1052
28 d	1056	1056	1057	1056	1055	1055	1054	1054	1055	1056	1054	1048	1054	1064	1087	1193	1230	1284	1359	1223	1135	1006	1007	939	1093
29 d	985	1024	1033	1021	1035	1034	1049	1038	1031	1059	1083	1121	1139	1112	1103	1100	1134	1162	1114	1081	1054	1006	996	1003	1063
30	1006	1013	1006	1012	1031	1037	1048	1056	1063	1078	1079	1078	1088	1107	1118	1150	1139	1124	1099	1081	1072	1038	1025	1033	1066
31	1036	1027	1036	1035	1050	1054	1055	1064	1070	1074	1075	1085	1091	1097	1115	1104	1106	1099	1085	1073	1073	1060	1049	1061	1070
Mean	1042	1038	1039	1041	1043	1046	1049	1051	1052	1054	1054	1055	1060	1066	1073	1087	1089	1088	1083	1073	1065	1055	1048	1043	1058

DAILY EXTREMES OF TERRESTRIAL MAGNETIC ELEMENTS, MAGNETIC CHARACTER FIGURES AND TEMPERATURE IN MAGNET HOUSE

141 ESKDALEMUIR

OCTOBER 1942

	TERRESTRIAL MAGNETIC ELEMENTS									3-hr. range indices K	Sum of K indices	Magnetic character of day (0-2)	Temperature in magnet house 200 +		
	Horizontal force			Declination			Vertical force								
	Maximum 16,000γ +	Minimum 16,000γ +	Range	Maximum 12° +	Minimum 12° +	Range	Maximum 44,000γ +	Minimum 44,000γ +	Range						
1 q	h. m.	γ	γ	h. m.	γ	γ	h. m.	γ	h. m.	γ	1, 1, 1, 1, 1, 2, 1, 2	10	0	88.0	
2 d	15 28	726	404 20 53	332	13 51	58.3	8.1 19 52	50.2	15 35	1265	1006 20 46	259	32	2	88.1
3 d	15 43 17 19	561	441 13 29	120	0 53	55.2	19.5 18 29	35.7	17 7	1138	908 4 18	230	31	2	88.0
4	17 5	570	449 12 39	121	6 6	44.8	21.5 16 36	23.3	16 35	1148	1007 0 1	141	27	1	88.0
5	4 49	531	456 13 56	75	3 9	46.8	28.0 20 29	18.8	14 37	1096	1007 3 28	89	24	1	88.0
6	21 37	542	487 10 21	55	12 37	41.4	32.3 21 36	9.1	21 7	1066	1034 0 28	32	14	0	88.1
7	1 3	562	468 14 59	94	13 22	46.1	25.9 22 47	20.2	15 40	1086	995 2 20	91	22	1	88.1
8	23 12	531	481 18 40	50	13 1	45.9	26.6 18 57	19.3	18 52	1087	1015 4 0	72	15	1	88.1
9 q	18 17	539	500 1 7	39	13 34	46.3	34.4 7 54	11.9	16 0	1057	1033 1 52	24	15	0	88.0
10	14 14	552	503 10 12	49	14 14	44.9	31.3 22 52	13.6	21 50	1063	1040 11 51	23	16	1	87.8
11	19 42	577	492 20 41	85	15 7	45.8	28.7 21 41	17.1	20 52	1091	1037 11 50	54	16	1	87.8
12 d	17 54	588	398 10 46	190	12 30	48.5	24.5 23 42	24.0	17 32	1088	1007 2 52	81	31	1	87.5
13	21 57	570	468 17 4	102	12 50	49.1	8.2 17 23	40.9	17 19	1121	1001 2 36	120	28	1	87.4
14	19 24	576	444 12 33	132	14 41	48.1	18.9 19 17	29.2	15 11	1126	1023 21 27	103	27	1	87.3
15	22 3	588	466 4 52	122	13 13	46.4	14.5 18 47	31.9	18 10	1090	1014 22 53	76	25	1	87.2
16	18 22	577	452 13 8	125	12 20	45.1	19.1 18 16	26.0	16 4	1089	1001 1 44	88	24	1	87.1
17	20 58	545	491 9 50	54	12 58	44.2	26.4 20 53	17.8	20 30	1074	1039 0 47	35	20	1	87.0
18	20 0	576	447 16 51	129	15 2	44.5	21.8 17 3	22.7	17 9	1103	1037 24 0	66	22	1	87.0
19	17 16	576	451 1 19	125	1 24	50.4	15.3 17 11	35.1	15 21	1145	985 1 34	160	26	1	86.9
20	11 44	541	452 14 17	89	11 48	44.9	23.9 15 11	21.0	16 34	1126	1046 1 42	80	21	1	86.9
21	14 59	530	467 16 1	63	13 12	43.2	30.8 16 30	12.4	16 17	1097	1060 10 18	37	14	0	87.0
22 q	18 43	530	490 12 41	40	12 38	43.1	33.7 8 2	9.4	15 27	1069	1059 1 21	10	12	0	87.0
23 q	23 24	536	490 9												

ALL DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

150 ESKDALEMUIR

1942

	Hour G.M.T.																							
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
NORTH COMPONENT																								
Jan.	+0.3	-0.5	-0.8	+2.9	+7.5	+9.4	+10.2	+8.4	+3.4	-2.9	-8.5	-10.3	-7.8	-4.1	-3.1	-3.1	-1.9	-2.2	+1.3	-0.9	-1.0	-0.2	+2.1	+1.8
Feb.	+0.1	-1.3	-0.5	+2.3	+4.7	+7.4	+8.2	+7.4	+0.8	-2.4	-7.0	-10.1	-10.5	-5.9	-1.6	-2.9	+0.5	+0.3	+2.8	+0.8	+2.3	-0.3	+0.3	+4.7
Mar.	+0.1	+0.8	-2.3	0.0	+4.1	+6.3	+7.3	-3.0	-10.3	-11.6	-16.3	-21.4	-15.9	-12.5	-5.2	+1.9	+7.5	+7.5	+10.1	+10.8	+13.6	+9.4	+12.9	+6.4
Apr.	+2.8	+3.5	+0.1	+4.8	+7.6	+11.6	+7.2	+1.9	-5.2	-17.7	-28.9	-34.8	-31.0	-21.9	-10.6	-1.8	+9.5	+14.9	+17.5	+15.1	+13.1	+14.7	+15.4	+12.2
May	+5.5	+5.5	+5.4	+4.8	+6.7	+4.4	-0.7	-5.3	-10.1	-16.5	-23.6	-27.2	-25.5	-17.8	-9.8	+0.3	+10.2	+17.2	+18.9	+18.3	+13.8	+10.0	+8.2	+7.2
June	+7.5	+5.6	+4.9	+5.6	+3.8	+4.0	-0.7	-7.2	-14.3	-20.9	-25.9	-25.4	-22.6	-15.0	-8.1	+3.5	+13.3	+18.1	+18.2	+16.9	+13.7	+9.4	+8.8	+7.1
July	+5.9	+5.1	+4.2	+4.5	+5.6	+1.2	-5.2	-6.0	-16.2	-23.5	-27.3	-26.2	-22.5	-17.8	-8.4	+2.6	+7.8	+17.1	+22.1	+23.2	+20.4	+13.4	+10.4	+9.8
Aug.	+7.4	+6.8	+2.8	+1.1	+2.9	+2.8	-1.5	-7.9	-12.2	-20.2	-25.5	-25.6	-19.2	-15.4	-6.5	+2.1	+1.9	+13.2	+16.8	+19.2	+16.5	+16.1	+14.7	+9.8
Sept.	+6.4	+5.1	+3.4	+3.9	+1.9	+3.0	+2.8	-1.2	-8.5	-20.1	-27.0	-24.9	-20.0	-13.5	-6.5	-1.3	+4.3	+9.4	+13.6	+13.0	+13.5	+15.1	+17.5	+10.0
Oct.	+5.5	-1.1	+0.1	+3.3	+5.6	+7.0	+7.0	+4.0	+0.4	-11.1	-21.4	-22.3	-20.5	-14.9	-6.9	+2.7	-1.8	+8.6	+10.9	+8.8	+7.4	+9.2	+11.1	+8.5
Nov.	+1.7	+1.2	+1.0	+2.5	+8.0	+9.5	+9.0	+6.1	+0.8	-6.9	-11.6	-14.0	-13.6	-10.2	-8.8	-5.5	-0.4	+0.6	+1.3	+4.7	+4.7	+6.3	+6.2	+7.2
Dec.	+2.3	-0.7	-0.3	+2.4	+3.8	+8.7	+10.0	+7.8	+2.7	-2.7	-8.0	-9.3	-10.6	-9.3	-6.9	-0.6	-2.4	-1.7	-0.5	-0.6	+2.1	+3.8	+5.0	+5.3
Year	+3.7	+2.4	+1.5	+3.2	+5.2	+6.3	+4.5	+0.4	-5.7	-13.1	-19.2	-20.9	-18.3	-13.2	-6.9	-0.1	+4.0	+8.6	+11.1	+10.8	+10.0	+8.9	+9.3	+7.5
Winter	+1.1	-0.3	-0.2	+2.5	+6.0	+8.7	+9.4	+7.5	+1.9	-3.7	-8.8	-10.9	-10.6	-7.4	-5.1	-3.0	-1.1	-0.7	+1.3	+1.0	+2.0	+2.3	+3.3	+4.7
Equinox	+3.7	+2.1	+0.3	+3.0	+4.8	+7.0	+6.0	+0.4	-5.9	-15.2	-23.5	-25.8	-21.8	-15.7	-7.2	+0.5	+4.9	+10.1	+12.9	+11.9	+11.9	+12.1	+14.3	+9.3
Summer	+6.5	+5.7	+4.3	+4.0	+4.7	+3.1	-2.0	-6.6	-13.2	-20.3	-25.6	-26.1	-22.4	-16.4	-8.2	+2.2	+8.3	+16.4	+19.0	+19.4	+16.1	+12.2	+10.5	+8.5

WEST COMPONENT

Jan.	-8.7	-5.9	-6.3	-5.3	-4.1	-1.7	-0.2	-0.1	-0.9	-0.4	+3.0	+7.3	+13.7	+16.9	+13.9	+10.7	+9.3	+7.5	+1.8	-2.7	-8.4	-12.7	-15.0	-11.8
Feb.	-8.7	-3.8	-6.7	-9.1	-11.2	-8.4	-5.5	-4.6	-3.9	-0.2	+4.5	+10.5	+16.5	+19.9	+19.0	+11.0	+8.7	+4.0	+2.0	+3.2	-5.5	-8.9	-13.1	-9.7
Mar.	-7.5	-7.3	-11.6	-8.9	-9.7	-7.1	-5.8	-2.2	-4.5	-13.8	-2.6	+6.5	+19.7	+25.2	+24.9	+18.2	+13.2	+1.3	+0.4	-2.5	-4.8	-6.6	-7.7	-6.8
Apr.	-11.1	-13.6	-9.0	-12.6	-11.3	-11.0	-12.9	-14.2	-17.3	-14.5	-7.7	+6.0	+23.7	+34.2	+32.8	+25.9	+19.1	+12.4	+1.3	-2.7	-1.0	-4.7	-5.0	-6.9
May	-7.7	-7.1	-8.2	-12.3	-14.8	-18.2	-19.5	-21.2	-20.7	-17.1	-7.0	+7.3	+18.7	+25.1	+26.4	+25.0	+23.0	+19.4	+13.1	+7.1	+0.5	-1.7	-4.1	-6.2
June	-2.7	-7.0	-13.5	-16.9	-19.2	-22.7	-27.0	-27.4	-26.5	-18.7	-6.4	+6.9	+18.7	+25.3	+28.2	+28.1	+24.4	+20.2	+17.0	+11.0	+5.7	+3.4	+1.2	-2.4
July	-7.5	-12.7	-13.9	-9.9	-13.7	-14.4	-17.8	-20.6	-20.1	-17.4	-8.1	+4.8	+17.3	+24.6	+26.2	+24.3	+20.7	+17.0	+14.4	+10.4	+4.4	-1.1	-1.7	-5.2
Aug.	-5.3	-5.5	-9.8	-8.9	-11.0	-16.1	-19.2	-20.5	-20.4	-14.6	-2.4	+12.5	+25.5	+30.1	+28.5	+24.3	+15.7	+10.7	+5.9	+0.5	-3.5	-3.3	-7.4	-6.0
Sept.	-11.7	-5.8	-5.2	-6.0	-7.1	-7.5	-10.3	-12.3	-14.9	-12.2	-4.8	+10.8	+24.2	+27.7	+29.3	+24.5	+15.1	+3.9	-3.5	-3.1	-5.7	-7.4	-8.3	-9.5
Oct.	-7.5	+0.4	+0.1	-3.4	+0.1	+1.3	+1.9	+1.0	-4.7	-8.0	+0.2	+13.4	+22.7	+23.9	+22.2	+12.4	+4.4	-5.3	-8.0	-11.7	-14.4	-18.1	-12.3	-10.7
Nov.	-11.5	-6.9	-3.3	+0.2	+2.5	+2.5	+2.8	+3.2	+1.4	-0.3	+4.7	+11.3	+16.9	+16.2	+14.9	+8.1	+5.4	+0.9	-5.5	-7.8	-13.3	-11.3	-15.6	-15.5
Dec.	-12.4	-6.5	-0.3	+0.7	+1.7	+2.1	+1.5	+2.0	+1.4	-1.0	+3.2	+7.7	+11.8	+15.1	+13.7	+9.9	+9.1	+0.9	-1.3	-3.8	-10.2	-14.2	-15.9	-15.2
Year	-8.5	-6.8	-7.3	-7.7	-8.2	-8.4	-9.3	-9.7	-10.9	-9.9	-1.9	+8.7	+19.1	+23.7	+23.3	+18.5	+14.0	+7.7	+3.1	-0.2	-4.7	-7.2	-8.7	-8.8
Winter	-10.3	-5.7	-4.1	-3.4	-2.7	-1.4	-0.4	+0.1	-0.5	-0.5	+3.9	+9.2	+14.7	+17.0	+15.4	+9.9	+8.1	+3.3	-0.7	-2.8	-9.3	-11.8	-14.9	-13.1
Equinox	-9.5	-6.6	-6.4	-7.8	-7.1	-6.1	-6.8	-6.9	-10.3	-12.1	-3.7	+9.2	+22.6	+27.8	+27.3	+20.3	+13.0	+3.1	-2.5	-5.0	-6.5	-9.2	-8.3	-8.5
Summer	-5.8	-8.0	-11.4	-12.0	-14.7	-17.9	-20.8	-22.4	-21.9	-17.0	-6.0	+7.9	+20.1	+26.3	+27.3	+25.5	+21.0	+16.8	+12.6	+7.3	+1.8	-0.7	-3.0	-4.9

VERTICAL COMPONENT

Jan.	-1.0	-3.3	-3.7	-4.4	-5.5	-6.9	-7.1	-7.5	-6.4	-4.0	-3.2	-2.3	-2.6	-0.8	+2.6	+5.3	+5.8	+6.2	+7.0	+7.8	+9.1	+8.3	+5.3	+1.3
Feb.	-4.3	-8.0	-7.7	-6.3	-6.0	-5.6	-6.6	-7.7	-7.7	-7.5	-7.8	-6.7	-5.5	-2.4	+2.3	+8.8	+15.0	+14.9	+14.4	+14.0	+9.8	+7.4	+3.8	-0.6
Mar.	-10.4	-20.4	-21.0	-22.1	-16.9	-12.2	-9.3	-5.9	-4.8	-1.2	-4.3	-6.2	-4.9	+1.4	+9.9	+16.7	+22.0	+27.4	+26.6	+20.2	+10.9	+7.5	+1.3	-4.3
Apr.	-12.2	-19.5	-22.4	-15.5	-9.0	-7.0	-5.1	-5.6	-5.5	-6.0	-7.0	-8.5	-9.8	-3.6	+6.2	+15.9	+22.8	+26.6	+26.1	+21.4	+11.7	+8.3	+2.1	-4.4
May	-0.3	-3.3	-3.3	-1.3	-0.3	-0.6	-1.7	-3.5	-5.9	-8.9	-13.0	-15.0	-13.8	-8.5	-2.3	+3.9	+9.0	+12.9	+15.0	+14.0	+12.4	+8.5	+4.4	+1.6
June	-1.5	-6.5	-7.2	-5.2	-3.2	-3.3	-3.5	-3.9	-5.1	-8.1	-11.1	-13.1	-11.8	-6.4	-1.5	+3.5	+11.2	+15.7	+17.0	+16.3	+12.6	+8.6	+4.8	+1.7
July	-8.4	-11.9	-6.6	-4.2	-3.6	-4.0	-4.1	-4.8	-5.5	-7.8	-9.8	-11.5	-9.2	-4.8	+2.0	+9.0	+13.6	+15.6	+15.1	+15.0	+12.8	+9.9	+5.2	-2.0
Aug.	-9.1	-9.9	-8.7	-6.8	-5.1	-3.3	-1.3	-0.9	-2.0	-5.4	-9.3	-12.4	-11.4	-5.2	+2.4	+10.1	+15.8	+17.4	+17.7	+15.7	+12.1	+4.4	-0.2	-4.6
Sept.	-12.7	-12.0	-10.8	-10.5	-9.8	-6.6	-3.9	-2.8	-2.5	-2.0	-3.4	-5.3	-4.1	+0.5	+4.9	+11.6	+19.1	+22.1	+19.1	+13.4	+10.2	+4.0	-5.9	-12.6
Oct.	-16.5	-19.8	-19.4	-17.1	-15.0	-12.2	-9.2	-7.2	-5.8	-3.7	-4.4	-2.7	+2.0	+7.7	+14.4	+29.2	+31.2	+29.9	+24.7	+14.8	+7.2	-3.5	-9.9	-14.7
Nov.	-10.5	-13.1	-10.3	-11.2	-11.0	-9.0	-7.3	-6.9	-5.4	-3.0	-2.4	-0.4	+2.5	+7.6	+11.1	+14.7	+14.1	+12.6	+12.9	+10.2	+7.2	+4.0	-0.2	-6.2
Dec.	-7.6	-6.6	-7.2	-7.9	-7.3	-6.8	-6.1	-5.8	-5.3	-3.8	-3.8	-3.0	+0.1	+2.8	+6.4	+8.4	+8.5	+11.2	+12.1	+11.7	+10.2	+6.3	+0.1	-6.6
Year	-7.9	-11.2	-10.7	-9.4	-7.7	-6.5	-5.4	-5.2	-5.1	-6.6	-7.3		-5.7	-1.0	+4.9	+11.4	+15.7	+17.7	+17.3	+14.5	+10.5	+6.1	+0.9	-4.3
Winter	-5.9	-7.7	-7.2	-7.5	-7.5	-7.1	-6.8	-7.0	-6.2	-4.6	-4.3	-3.1	-1.4	+1.8	+5.6	+9.3	+10.9	+11.2	+11.6	+10.9	+9.1	+6.5	+2.3	-3.0
Equinox	-12.9	-17.9	-18.4	-16.3	-12.7	-9.5	-6.9	-5.4	-4.7	-3.2	-4.8	-5.7	-4.2	+1.5	+8.9	+18.3	+23.8	+26.5	+24.1	+17.5	+10.0	+4.1	-3.1	-9.0
Summer	-4.8	-7.9	-6.5	-4.4	-3.1	-2.8	-2.7	-3.3	-4.6	-7.5	-10.8	-13.0	-11.5	-6.2	+0.1	+6.6	+12.4	+15.4	+16.2	+15.3	+12.5	+7.9	+3.5	-0.8

ALL DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

151 ESKDALEMUIR

1942

Table with columns for Hour G.M.T. (0-1 to 11-12, 12-13 to 23-24) and rows for months (Jan to Dec), Year, Winter, Equinox, Summer. Section: DECLINATION (measured positive towards the west)

INCLINATION

Table with columns for Hour G.M.T. (0-1 to 11-12, 12-13 to 23-24) and rows for months (Jan to Dec), Year, Winter, Equinox, Summer. Section: INCLINATION

HORIZONTAL FORCE

Table with columns for Hour G.M.T. (gamma 0-1 to gamma 11-12, gamma 12-13 to gamma 23-24) and rows for months (Jan to Dec), Year, Winter, Equinox, Summer. Section: HORIZONTAL FORCE

DIURNAL INEQUALITIES OF THE GEOGRAPHICAL COMPONENTS OF MAGNETIC FORCE
INTERNATIONAL QUIET DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

152 ESKDALEMUIR

1942

	Hour G.M.T.		2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
	0-1	1-2																						
NORTH COMPONENT																								
Jan.	-2.7	-3.5	-4.1	-1.9	+0.2	+3.2	+5.5	+4.7	+4.7	-0.1	-5.1	-9.6	-8.6	-3.1	+0.2	+1.9	+3.7	+5.8	+2.8	+4.1	+1.5	+0.2	+0.7	-0.5
Feb.	-3.5	-4.7	-4.0	-2.8	+1.0	+3.0	+5.1	+4.2	-0.9	-4.3	-8.4	-9.4	-7.7	-2.8	0.0	+1.0	+0.8	+1.9	+4.2	+6.1	+6.3	+5.4	+5.8	+3.5
Mar.	+5.5	+5.9	+4.0	+5.5	+7.4	+7.5	+9.6	+7.4	+2.8	-10.5	-20.7	-25.9	-25.0	-22.8	-12.8	-3.0	+1.2	+4.8	+8.1	+12.1	+11.4	+11.6	+7.5	+8.3
Apr.	+5.5	+3.2	+1.0	+2.3	+4.5	+4.2	+5.6	+3.7	-1.3	-15.6	-27.9	-35.2	-31.4	-19.1	-7.3	-1.0	+6.8	+13.9	+16.7	+15.8	+15.5	+13.4	+13.8	+13.0
May	+4.1	+3.6	+3.7	+5.7	+6.6	+6.2	+3.2	-1.1	-7.8	-14.1	-23.0	-26.8	-25.2	-17.4	-9.0	-3.9	+8.5	+14.9	+14.6	+12.1	+12.7	+11.3	+10.3	+10.7
June	+6.6	+6.0	+5.2	+4.3	+5.0	+3.9	+0.7	-5.9	-10.4	-16.5	-19.5	-21.9	-20.1	-15.6	-8.1	+1.9	+6.6	+8.2	+11.8	+13.0	+12.2	+11.5	+10.9	+10.1
July	+4.7	+4.6	+3.2	+6.9	+8.5	+7.6	+3.6	-3.1	-9.5	-19.7	-26.8	-27.1	-27.2	-21.7	-13.4	-0.3	+2.8	+12.7	+18.5	+20.1	+19.3	+14.8	+11.7	+9.8
Aug.	+4.8	+2.8	+2.4	+4.6	+6.3	+4.3	-0.4	-3.4	-8.2	-15.3	-20.4	-21.4	-16.4	-12.7	-10.2	-4.1	+3.6	+11.0	+13.7	+13.1	+12.5	+11.9	+12.3	+9.3
Sept.	+8.7	+6.3	+5.3	+5.9	+7.1	+8.8	+11.5	+9.3	+4.0	-11.7	-23.2	-27.8	-28.9	-19.8	-12.8	-5.4	+1.2	+1.0	+2.3	+8.2	+9.2	+11.7	+14.9	+14.1
Oct.	+3.4	+0.5	+1.2	+1.9	+3.8	+4.9	+6.5	+3.3	-4.7	-16.8	-19.4	-20.0	-16.4	-9.5	-4.1	-0.6	+4.1	+6.0	+7.5	+7.7	+9.9	+10.1	+8.6	+12.1
Nov.	+5.2	-3.2	-3.1	+0.4	+3.1	+4.0	+4.8	+5.4	+2.2	-4.1	-8.5	-11.7	-9.8	-3.2	-2.2	-0.3	-1.9	+2.7	+2.1	-0.6	+4.3	+6.6	+4.8	+3.0
Dec.	-3.6	-3.0	-4.4	-2.1	-0.5	+2.5	+4.7	+4.8	+4.1	+0.1	-4.8	-6.9	-5.2	-2.3	+0.5	+2.6	+2.3	+1.7	+3.7	+2.3	+1.9	+1.3	+1.3	+1.0
Year	+3.2	+1.5	+0.8	+2.6	+4.4	+5.0	+5.0	+2.4	-2.1	-10.7	-17.3	-20.3	-18.5	-12.5	-6.6	-0.9	+3.4	+7.0	+8.9	+9.5	+9.7	+9.1	+8.5	+7.7
Winter	-1.2	-3.7	-3.9	-1.6	+0.9	+3.2	+5.0	+4.8	+2.5	-2.1	-6.7	-9.3	-7.8	-2.8	-0.4	+1.4	+1.2	+3.0	+3.2	+3.1	+3.5	+3.5	+3.1	+1.3
Equinox	+5.8	+4.0	+2.9	+3.9	+5.7	+6.3	+8.3	+5.9	+0.2	-13.7	-22.8	-27.3	-25.5	-17.8	-9.2	-2.4	+3.4	+6.5	+8.7	+10.9	+11.5	+11.7	+11.2	+11.9
Summer	+5.0	+4.2	+3.6	+5.4	+6.5	+5.5	+1.7	-3.4	-9.1	-16.5	-22.4	-24.3	-22.2	-16.8	-10.2	-1.6	+5.4	+11.7	+14.7	+14.6	+14.2	+12.4	+11.2	+10.0
WEST COMPONENT																								
Jan.	-7.5	-5.4	-4.0	-4.0	-4.1	-2.3	-1.4	-3.1	-3.9	-4.2	+0.5	+5.6	+8.7	+10.9	+9.6	+7.2	+6.9	+6.2	+4.3	+3.1	-0.8	-6.5	-9.7	-6.2
Feb.	-4.7	-4.5	-0.2	-1.6	-3.0	-5.2	-6.8	-7.1	-5.7	-1.9	+3.2	+10.1	+11.7	+12.4	+6.8	+1.4	-0.2	+1.5	+2.8	+2.4	+0.9	-1.4	-3.6	-7.1
Mar.	+1.9	-0.9	-5.8	-1.1	-6.0	-6.7	-7.5	-11.5	-17.0	-19.3	-9.9	+4.4	+18.2	+21.3	+20.4	+14.5	+6.9	+4.0	+3.5	-0.6	-3.3	-1.9	-1.6	-1.9
Apr.	-0.8	-1.1	-1.6	-5.9	-9.4	-13.9	-17.9	-20.6	-23.2	-23.3	-15.6	-1.9	+13.8	+24.2	+24.1	+17.8	+13.9	+11.2	+8.3	+6.6	+6.9	+5.6	+3.5	-0.8
May	-2.6	-4.1	-3.9	-6.3	-10.9	-17.0	-21.3	-24.1	-25.5	-20.0	-7.3	+7.7	+19.9	+24.4	+20.9	+15.3	+13.9	+10.6	+8.1	+6.3	+5.4	+2.2	+3.5	+2.6
June	-3.3	-5.3	-8.1	-9.7	-16.4	-22.3	-24.3	-25.4	-25.1	-18.1	-6.7	+7.5	+16.6	+20.6	+22.0	+21.0	+17.4	+15.0	+12.7	+10.9	+8.1	+6.8	+4.8	+1.3
July	-3.4	-6.2	-6.0	-8.6	-13.4	-19.0	-21.5	-22.5	-23.5	-19.7	-12.1	-0.2	+11.7	+20.3	+24.2	+21.7	+18.7	+17.7	+15.3	+11.5	+8.2	+3.8	+2.0	+0.7
Aug.	-7.2	-4.5	-4.9	-7.3	-8.5	-12.6	-16.0	-17.4	-18.7	-12.6	-5.4	+7.1	+16.8	+20.6	+19.5	+15.9	+12.0	+8.8	+7.0	+6.0	+3.3	+2.2	-0.5	-3.7
Sept.	-10.0	-6.5	-3.0	-5.0	-5.7	-5.5	-8.8	-15.6	-20.1	-20.7	-12.4	+14.9	+19.6	+27.6	+28.3	+24.5	+18.1	+9.2	+4.1	+2.4	+0.5	-6.2	-8.4	-11.3
Oct.	-5.2	-4.1	-8.3	-6.7	-6.0	-5.7	-6.3	-11.0	-14.8	-13.0	-0.1	+12.4	+20.3	+20.6	+16.5	+12.6	+9.0	+8.6	+4.9	+1.5	-2.0	-6.8	-7.3	-9.0
Nov.	-3.9	-3.8	-2.7	-1.8	-1.8	-3.1	-3.0	-2.1	-3.3	-3.8	+2.1	+7.3	+9.9	+11.6	+9.7	+7.9	+7.4	+0.7	+1.7	-2.9	-7.4	-6.7	-5.2	-6.8
Dec.	-4.1	-3.0	-1.5	+0.4	-0.4	-0.8	-1.8	-2.1	-2.9	-4.0	-1.5	+2.3	+6.9	+10.1	+8.0	+4.8	+3.6	+2.0	+2.0	-0.1	-2.1	-5.0	-6.0	-4.7
Year	-4.3	-4.1	-4.2	-4.8	-7.1	-9.5	-11.4	-13.5	-15.3	-13.4	-5.4	+5.6	+14.5	+18.7	+17.5	+13.7	+10.7	+7.9	+6.2	+3.9	+1.5	-1.0	-2.4	-3.9
Winter	-5.1	-4.2	-2.1	-1.7	-2.3	-2.8	-3.3	-3.6	-3.9	-3.5	+1.1	+6.3	+9.3	+11.3	+8.5	+5.4	+4.4	+2.6	+2.7	+0.6	-2.3	-4.9	-6.1	-6.2
Equinox	-3.5	-3.1	-4.7	-4.6	-6.8	-7.9	-10.1	-14.7	-18.8	-19.1	-9.5	+5.0	+18.0	+23.5	+22.4	+17.3	+12.0	+8.2	+5.2	+2.5	+0.5	-2.3	-3.4	-5.8
Summer	-4.1	-5.0	-5.7	-8.0	-12.3	-17.7	-20.8	-22.3	-23.2	-17.6	-7.8	+5.5	+16.3	+21.5	+21.7	+18.5	+15.5	+13.0	+10.8	+8.7	+6.2	+4.3	+2.4	+0.3
VERTICAL COMPONENT																								
Jan.	+2.9	+1.7	+0.9	+1.1	+0.3	-0.5	-1.3	-1.9	-2.1	-1.9	-2.3	-1.3	-2.1	-1.1	-0.3	+0.5	+0.3	-0.5	-0.3	+0.1	+1.3	+3.3	+2.3	+0.9
Feb.	+1.4	+1.7	+1.2	+0.9	+0.3	-0.8	-1.7	-2.7	-3.2	-1.5	-1.6	-2.3	-1.0	+0.3	+1.8	+3.1	+2.1	+0.6	+0.5	-0.3	0.0	+0.7	+0.2	+0.3
Mar.	+1.0	0.0	+0.5	-1.0	-2.8	-3.0	-1.4	+1.8	+2.1	-0.2	-4.6	-9.8	-10.6	-7.6	-1.7	+3.2	+4.8	+4.6	+4.2	+5.0	+4.9	+4.2	+3.8	+2.6
Apr.	+2.3	+2.6	+3.4	+3.9	+4.6	+5.4	+4.7	+3.4	+1.4	-2.1	-7.0	-14.4	-17.5	-14.2	-7.4	-2.1	+0.8	+4.4	+5.7	+5.6	+4.4	+4.3	+4.4	+3.4
May	+1.6	+2.0	+2.7	+4.2	+6.0	+5.6	+3.8	+0.8	-2.7	-6.0	-12.6	-16.4	-16.2	-10.4	-6.1	-0.2	+4.0	+7.8	+10.0	+7.8	+5.7	+4.8	+2.6	+1.2
June	+2.5	+2.4	+3.1	+3.9	+4.7	+4.2	+1.5	+0.5	-2.5	-8.0	-10.9	-11.9	-10.3	-5.2	-2.9	-1.1	+1.7	+5.0	+5.7	+4.9	+4.3	+3.6	+2.5	+2.3
July	+3.1	+3.0	+2.4	+3.7	+4.8	+4.4	+2.7	+2.8	+1.4	-6.5	-10.8	-13.6	-13.5	-11.6	-8.0	-4.5	+2.4	+7.2	+7.7	+6.6	+6.2	+4.3	+3.4	+2.4
Aug.	+0.7	+0.6	+1.5	+3.0	+3.4	+3.3	+3.6	+2.6	-0.3	-3.2	-6.9	-13.6	-14.9	-10.2	-3.1	+1.0	+2.8	+4.7	+6.0	+5.4	+5.1	+3.8	+2.7	+2.0
Sept.	-0.2	-0.2	-0.3	0.0	0.0	+0.8	+1.4	+1.8	+0.5	-2.8	-7.2	-12.6	-12.6	-10.0	-8.3	+1.8	+7.2	+11.0	+8.8	+7.4	+5.7	+5.6	+2.6	-0.4
Oct.	+0.7	-2.2	-1.5	-1.3	-0.7	-0.2	-0.1	+0.7	+1.3	+0.2	-4.7	-5.1	-3.5	-1.4	+1.1	+3.3	+3.3	+1.4	+0.9	+1.3	+1.5	+2.6	+2.1	+0.3
Nov.	-7.3	-5.6	-2.9	-2.2	-2.2	-2.1	-2.2	-3.6	-3.7	-3.6	-4.3	-2.6	-0.7	+1.8	+3.9	+5.2	+5.6	+6.1	+4.8	+5.4	+5.1	+3.6	+1.9	-0.4
Dec.	+1.4	-0.6	-0.2	-0.8	-0.2	-0.4	+0.4	-0.4	-0.4	-0.6	-1.0	-2.0	-2.8	-1.6	-0.2	+0.4	+1.0	+1.2	+1.2	+1.2	+1.6	+2.0	+1.8	-1.0
Year	+0.8	+0.5	+0.9	+1.3	+1.5	+1.4	+0.9	+0.5	-0.7	-3.0	-6.2	-8.8	-8.8	-5.9	-2.6	+0.9	+3.0	+4.5	+4.6	+4.2	+3.8	+3.6	+2.5	+1.1
Winter	-0.4	-0.7	-0.3	-0.3	-0.5	-0.9	-1.2	-2.1	-2.3	-1.9	-2.3	-2.1	-1.7	-0.1	+1.3	+2.3	+2.3	+1.9	+1.5	+1.6	+2.0	+2.4	+1.5	-0.1
Equinox	+0.9	+0.1	+0.5	+0.4	+0.3	+0.7	+1.1	+1.9	+1.3	-1.2	-5.9	-10.5	-11.1	-8.3	-4.1	+1.5	+4.0	+5.3	+4.9	+4.8	+4.1	+4.2	+3.2	+1.5
Summer	+2.0	+2.0	+2.4	+3.7	+4.7	+4.4	+2.9	+1.7	-1.0	-5.9	-10.3	-13.9	-13.7	-9.3	-5.0	-1.2	+2.7	+6.2	+7.3	+6.2	+5.3	+4.1	+2.8	+2.0

DIURNAL INEQUALITIES OF THE MAGNETIC ELEMENTS, DECLINATION, INCLINATION, AND HORIZONTAL FORCE
INTERNATIONAL QUIET DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

153 ESKDALEUIR

1942

	Hour G.M.T.																							
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
DECLINATION (measured positive towards the west)																								
Jan.	-1.39	-0.94	-0.63	-0.72	-0.84	-0.61	-0.54	-0.84	-1.01	-0.84	+0.33	+1.58	+2.15	+2.36	+1.93	+1.38	+1.24	+0.99	+0.74	+0.44	-0.23	-1.32	-1.99	-1.24
Feb.	-0.79	-0.70	+0.15	-0.20	-0.66	-1.19	-1.62	-1.64	-1.11	-0.20	+1.03	+2.48	+2.73	+2.64	+1.37	+0.24	-0.08	+0.21	+0.38	+0.20	-0.11	-0.54	-0.99	-1.60
Mar.	+0.13	-0.46	-1.36	-0.47	-1.56	-1.70	-1.97	-2.66	-3.58	-3.43	-1.06	+2.08	+4.83	+5.36	+4.72	+3.07	+1.34	+0.60	+0.33	-0.68	-1.20	-0.91	-0.66	-0.76
Apr.	-0.41	-0.37	-0.37	-1.29	-2.11	-3.02	-3.89	-4.35	-4.65	-4.01	-1.89	+1.23	+4.23	+5.79	+5.23	+3.65	+2.51	+1.64	+0.91	+0.61	+0.69	+0.53	+0.09	-0.75
May	-0.71	-1.00	-0.95	-1.55	-2.51	-3.74	-4.47	-4.83	-4.83	-3.42	-0.43	+2.79	+5.19	+5.74	+4.65	+3.29	+2.43	+1.48	+0.99	+0.73	+0.51	+0.34	+0.25	+0.05
June	-0.97	-1.35	-1.87	-2.17	-3.55	-4.70	-4.95	-4.89	-4.63	-2.91	-0.47	+2.51	+4.29	+4.89	+4.83	+4.17	+3.23	+2.68	+2.03	+1.61	+1.09	+0.85	+0.47	-0.19
July	-0.91	-1.46	-1.37	-2.06	-3.10	-4.21	-4.52	-4.44	-4.33	-3.10	-1.23	+1.20	+3.63	+5.12	+5.53	+4.42	+3.68	+3.01	+2.26	+1.42	+0.79	+0.10	-0.13	-0.30
Aug.	-1.68	-1.05	-1.10	-1.69	-2.01	-2.76	-3.23	-3.37	-3.42	-1.85	-0.16	+2.41	+4.16	+4.77	+4.42	+3.41	+2.27	+1.28	+0.79	+0.63	+0.10	-0.09	-0.66	-1.17
Sept.	-2.42	-1.60	-0.86	-1.28	-1.48	-1.52	-2.32	-3.60	-4.26	-3.68	-1.46	+2.26	+5.30	+6.50	+6.34	+5.22	+3.62	+1.82	+0.74	+0.12	-0.32	-1.80	-2.38	-2.94
Oct.	-1.22	-0.85	-1.74	-1.44	-1.40	-1.37	-1.58	-2.38	-2.80	-1.87	+0.86	+3.42	+4.88	+4.61	+3.54	+2.58	+1.64	+1.47	+0.66	-0.04	-0.86	-1.85	-1.88	-2.38
Nov.	-1.03	-0.63	-0.41	-0.39	-0.51	-0.80	-0.83	-0.67	-0.77	-0.59	+0.81	+2.01	+2.45	+2.51	+2.07	+1.63	+1.59	+0.02	+0.25	-0.57	-1.69	-1.67	-1.27	-1.51
Dec.	-0.68	-0.48	-0.11	+0.18	-0.06	-0.28	-0.58	-0.64	-0.77	-0.82	-0.08	+0.78	+1.64	+2.16	+1.61	+0.86	+0.62	+0.32	+0.24	-0.14	-0.51	-1.08	-1.28	-0.90
Year	-1.01	-0.91	-0.89	-1.09	-1.65	-2.16	-2.54	-2.86	-3.01	-2.23	-0.31	+2.06	+3.79	+4.37	+3.85	+2.83	+2.01	+1.29	+0.86	+0.36	-0.15	-0.62	-0.87	-1.14
Winter	-0.97	-0.69	-0.25	-0.28	-0.52	-0.72	-0.89	-0.95	-0.91	-0.61	+0.52	+1.71	+2.24	+2.42	+1.75	+1.03	+0.84	+0.39	+0.41	-0.02	-0.63	-1.15	-1.38	-1.31
Equinox	-0.98	-0.82	-1.08	-1.12	-1.64	-1.90	-2.44	-3.25	-3.82	-3.25	-0.89	+2.25	+4.81	+5.57	+4.96	+3.63	+2.28	+1.38	+0.66	0.00	-0.42	-1.01	-1.21	-1.71
Summer	-1.07	-1.21	-1.32	-1.87	-2.79	-3.85	-4.29	-4.38	-4.30	-2.82	-0.57	+2.23	+4.32	+5.13	+4.86	+3.82	+2.90	+2.11	+1.52	+1.10	+0.62	+0.30	-0.02	-0.40

INCLINATION

Jan.	+0.36	+0.35	+0.35	+0.21	+0.05	-0.19	-0.38	-0.31	-0.30	+0.02	+0.27	+0.51	+0.39	+0.01	-0.16	-0.22	-0.34	-0.48	-0.26	-0.32	-0.06	+0.16	+0.16	+0.15
Feb.	+0.34	+0.42	+0.29	+0.23	-0.01	-0.14	-0.28	-0.24	+0.06	+0.27	+0.47	+0.41	+0.31	+0.01	-0.06	-0.01	+0.01	-0.13	-0.31	-0.45	-0.43	-0.32	-0.33	-0.12
Mar.	-0.37	-0.37	-0.16	-0.37	-0.47	-0.47	-0.55	-0.27	+0.12	+0.97	+1.40	+1.39	+1.11	+0.99	+0.50	+0.06	-0.06	-0.26	-0.48	-0.67	-0.58	-0.63	-0.38	-0.45
Apr.	-0.29	-0.13	+0.04	+0.04	-0.04	+0.07	+0.02	+0.15	+0.47	+1.32	+1.89	+1.98	+1.43	+0.54	-0.06	-0.25	-0.63	-0.97	-1.08	-1.00	-1.01	-0.86	-0.85	-0.76
May	-0.19	-0.13	-0.12	-0.18	-0.12	-0.02	+0.20	+0.45	+0.82	+1.08	+1.31	+1.24	+0.96	+0.52	+0.13	+0.02	-0.67	-0.95	-0.83	-0.70	-0.78	-0.69	-0.66	-0.71
June	-0.32	-0.26	-0.15	-0.05	+0.03	+0.18	+0.35	+0.77	+1.00	+1.16	+1.11	+1.03	+0.82	+0.59	+0.14	-0.47	-0.65	-0.64	-0.82	-0.90	-0.82	-0.77	-0.73	-0.62
July	-0.18	-0.13	-0.06	-0.24	-0.25	-0.11	+0.15	+0.60	+1.01	+1.42	+1.67	+1.45	+1.28	+0.84	+0.33	-0.41	-0.40	-0.92	-1.25	-1.33	-1.23	-0.92	-0.71	-0.59
Aug.	-0.19	-0.10	-0.05	-0.12	-0.21	-0.01	+0.35	+0.54	+0.81	+1.11	+1.25	+0.96	+0.46	+0.28	+0.31	+0.06	-0.34	-0.73	-0.85	-0.82	-0.74	-0.72	-0.73	-0.51
Sept.	-0.43	-0.32	-0.31	-0.32	-0.38	-0.48	-0.59	-0.34	+0.05	+1.00	+1.53	+1.45	+1.30	+0.65	+0.22	+0.04	-0.17	+0.07	+0.01	-0.39	-0.47	-0.54	-0.79	-0.77
Oct.	-0.13	-0.03	0.00	-0.06	-0.18	-0.24	-0.34	-0.04	+0.56	+1.30	+1.16	+1.01	+0.69	+0.29	+0.05	-0.07	-0.32	-0.48	-0.54	-0.49	-0.58	-0.50	-0.41	-0.65
Nov.	-0.46	+0.13	+0.17	-0.05	-0.23	-0.27	-0.33	-0.41	-0.19	+0.23	+0.42	+0.60	+0.48	+0.09	+0.10	+0.03	+0.15	-0.04	-0.04	+0.21	-0.05	-0.25	-0.20	-0.10
Dec.	+0.33	+0.23	+0.31	+0.11	+0.03	-0.17	-0.27	-0.29	-0.24	+0.04	+0.31	+0.37	+0.17	-0.04	-0.15	-0.23	-0.18	-0.11	-0.24	-0.12	-0.05	+0.04	+0.05	+0.11
Year	-0.13	-0.03	+0.03	-0.07	-0.15	-0.15	-0.14	+0.05	+0.35	+0.83	+1.07	+1.04	+0.79	+0.40	+0.11	-0.12	-0.30	-0.47	-0.56	-0.58	-0.57	-0.50	-0.46	-0.43
Winter	+0.15	+0.29	+0.28	+0.12	-0.04	-0.19	-0.31	-0.31	-0.17	+0.14	+0.37	+0.47	+0.33	+0.02	-0.07	-0.11	-0.09	-0.19	-0.21	-0.17	-0.15	-0.09	-0.08	+0.01
Equinox	-0.31	-0.21	-0.11	-0.18	-0.27	-0.28	-0.37	-0.13	+0.29	+1.15	+1.49	+1.46	+1.13	+0.62	+0.17	-0.06	-0.30	-0.41	-0.53	-0.64	-0.66	-0.63	-0.61	-0.66
Summer	-0.22	-0.15	-0.09	-0.14	-0.13	+0.01	+0.27	+0.59	+0.91	+1.19	+1.34	+1.17	+0.88	+0.56	+0.23	-0.20	-0.52	-0.81	-0.95	-0.93	-0.89	-0.77	-0.71	-0.61

HORIZONTAL FORCE

	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
Jan.	+4.3	+4.6	+4.9	+2.7	+0.7	+2.6	+5.1	+3.9	+3.7	-1.0	-4.9	-8.1	+6.5	+0.6	+2.3	+3.5	+5.1	+7.0	+3.7	+4.7	+1.3	+1.2	+1.5	+1.9
Feb.	+4.5	+5.6	+3.9	+3.1	+0.3	+1.8	+3.5	+2.5	-2.1	-4.6	-7.5	-6.9	-4.9	0.0	+1.5	+1.3	+0.7	+2.2	+4.7	+6.5	+6.3	+5.0	+4.9	+1.9
Mar.	+5.8	+5.5	+2.6	+5.1	+5.9	+5.8	+7.7	+4.7	-1.0	-14.5	-22.4	-24.3	-20.4	-17.5	-8.0	+0.3	+2.7	+5.6	+8.7	+11.7	+10.4	+10.9	+7.0	+7.7
Apr.	+5.2	+2.9	+0.6	+0.9	+2.3	+1.0	+1.5	-0.9	-6.4	-20.3	-30.6	-34.7	-27.6	-13.3	-1.8	+2.9	+9.7	+16.0	+18.1	+16.9	+16.6	+14.3	+14.2	+12.5
May	+3.4	+2.6	+2.8	+4.2	+4.0	+2.3	-1.6	-6.4	-13.2	-18.2	-24.0	-24.4	-20.2	-11.6	-4.2	-0.4	+11.4	+16.9	+16.0	+13.2	+13.6	+12.0	+10.8	+11.0
June	+5.7	+4.7	+3.3	+2.1	+1.3	-1.1	-4.7	-11.3	-15.7	-20.1	-20.5	-19.7	-15.9	-10.7	-3.1	+6.5	+10.3	+11.3	+14.3	+15.1	+13.7	+12.7	+11.7	+10.1
July	+3.8	+3.1	+1.8	+4.9	+5.4	+3.3	-1.2	-7.9	-14.4	-23.5	-28.8	-26.5	-24.0	-16.7	-7.8	+4.5	+6.8	+16.3	+21.4	+22.1	+20.6	+15.3	+11.8	+9.7
Aug.	+3.1	+1.7	+1.3	+2.9	+4.3	+1.4	-3.9	-7.1	-12.1	-17.7	-21.1	-19.3	-12.3	-7.9	-5.7	-0.5	+6.1	+12.6	+14.9	+14.1	+12.9	+12.1	+11.9	+8.3
Sept.	+6.3	+4.7	+4.5	+4.7	+5.7	+7.4	+9.3	+5.7	-0.5	-15.9	-25.3	-26.1	-23.9	-13.3	-6.3	+0.1	+5.1	+3.0	+3.1	+8.5	+9.1	+10.1	+12.7	+11.3
Oct.	+2.2	-0.4	-0.6	+0.4	+2.4	+3.5	+5.0	+0.8	-7.8	-19.2	-19.0	-16.8	-11.6	-4.8	-0.4	+2.2	+6.0	+7.7	+8.4	+7.8	+9.2	+8.4	+6.8	+9.8
Nov.	+4.2	-4.0	-3.6	0.0	+2.6	+3.2	+4.0	+4.8	+1.4	-4.8	-7.8	-9.8	-7.4	-0.6	0.0	+1.4	-0.2	+2.8	+2.4	-1.2	+2.6	+5.0	+3.6	+1.4
Dec.	-4.4	-3.6	-4.6	-2.0	-0.6	+2.3	+4.2	+4.2	+3.4	-0.8	-5.0	-6.2	-3.6	0.0	+2.2	+3.6	+3.0	+2.1	+4.0	+2.2	+1.4	+0.2	0.0	-2.0
Year	+2.2	+0.6	-0.1	+1.5	+2.7	+2.8	+2.4	-0.6	-5.4	-13.4	-18.1	-18.6	-14.9	-8.1	-2.6	+2.1	+5.6	+8.6	+10.0	+10.1	+9.8	+8.7	+7.8	+6.7
Winter	-2.3	-4.5	-4.3	-1.9	+0.4	+2.5	+4.2	+3.9	+1.6	-2.8	-6.3	-7.7	-5.6	-0.3	+1.5	+2.5	+2.1	+3.5	+3.7	+3.1	+2.9	+2.3	+1.7	-0.1
Equinox	+4.9	+3.2	+1.8	+2.8	+4.1	+4.4	+5.9	+2.6	-3.9	-17.5	-24.3	-25.5	-20.9	-12.2	-4.1	+1.4	+5.9	+8.1	+9.6	+11.2	+11.3	+10.9	+10.2	+10.3
Summer	+4.0	+3.0	+2.3	+3.5	+3.7	+1.5	-2.9	-8.2	-13.9	-19.9	-23.6	-22.5	-18.1	-11.7	-5.2	+2.5	+8.7	+14.3	+16.7	+16.1	+15.2	+13.0	+11.5	+9.8

DIURNAL INEQUALITIES OF THE GEOGRAPHICAL COMPONENTS OF MAGNETIC FORCE
INTERNATIONAL DISTURBED DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

154 ESKDALEMUIR

1942

Table with columns for months (Jan-Dec), hours (0-1 to 23-24), and North Component values. Includes summary rows for Year, Winter, Equinox, and Summer.

Table with columns for months (Jan-Dec), hours (0-1 to 23-24), and West Component values. Includes summary rows for Year, Winter, Equinox, and Summer.

Table with columns for months (Jan-Dec), hours (0-1 to 23-24), and Vertical Component values. Includes summary rows for Year, Winter, Equinox, and Summer.

INTERNATIONAL DISTURBED DAYS

Departures from the mean of the 24 hourly values (uncorrected for non-cyclic change)

155 ESKDALEMUIR

1942

	Hour G.M.T.																							
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
DECLINATION (measured positive towards the west)																								
Jan.	-1.64	-1.85	-1.35	-2.62	-2.09	-1.05	+0.80	+1.53	+2.41	+2.74	+3.23	+2.59	+3.42	+3.81	+2.53	+1.98	+1.93	+1.65	+0.12	-1.27	-1.43	-4.62	-6.91	-3.91
Feb.	-3.74	-1.41	-5.06	-4.05	-5.09	-3.16	-2.47	-1.05	+0.32	+1.73	+2.12	+4.27	+6.36	+8.13	+8.44	+5.81	+5.29	+0.88	-2.77	+0.33	-4.04	-4.09	-5.82	-0.93
Mar.	+1.74	-3.49	-2.04	+0.27	+0.34	+0.93	+2.06	+7.71	+6.76	-6.45	-0.70	-1.93	+1.12	+2.09	+2.72	+0.81	+0.50	-1.87	-1.66	-2.53	-2.72	-2.01	-2.42	-0.77
Apr.	-6.42	-10.18	-6.37	-6.92	-4.84	-2.86	-0.52	+3.08	-0.37	+0.78	+2.12	+4.82	+8.88	+10.70	+9.75	+7.50	+4.64	+2.40	-2.94	-2.56	-0.25	-3.76	-4.30	-2.38
May	-4.21	-3.58	-4.92	-5.03	-5.72	-4.02	-1.81	-1.74	-2.16	-1.35	+1.30	+4.42	+6.69	+8.24	+7.84	+7.03	+6.22	+4.44	+2.03	+0.58	-1.52	-3.29	-5.12	-4.32
June	+0.28	-1.86	-3.77	-5.90	-4.84	-4.70	-6.36	-5.60	-5.73	-3.78	-0.46	+3.24	+6.04	+7.44	+8.45	+8.50	+6.60	+4.74	+3.28	+1.00	-1.09	-0.58	-1.36	-3.54
July	-4.67	-6.21	-5.90	-2.61	-3.79	-3.65	-3.27	-1.17	-2.68	-1.15	+0.89	+3.41	+6.33	+7.63	+6.92	+5.01	+5.03	+2.45	+1.85	+1.17	-1.52	-3.33	-0.35	-0.39
Aug.	-0.78	-0.99	-3.21	-0.58	-1.83	-4.59	-4.24	-2.75	-3.27	-2.44	+1.17	+3.79	+6.88	+8.05	+9.25	+6.80	+4.21	+3.31	0.00	-3.57	-5.37	-2.86	-4.69	-2.29
Sept.	-4.42	-3.03	-1.30	-2.79	-2.69	+0.38	-1.39	-0.19	-0.28	+0.73	+0.26	+3.57	+6.94	+6.41	+8.02	+6.37	+2.53	-0.68	-3.19	-2.05	-3.22	-3.25	-3.32	-2.65
Oct.	-2.65	-1.04	+0.32	-1.45	+1.18	+0.72	+1.13	+4.50	+2.18	+0.43	+1.58	+4.68	+7.99	+9.42	+9.96	+4.61	+1.92	-2.76	-2.83	-8.76	-7.74	-9.31	-8.66	-5.42
Nov.	-4.60	-0.77	-1.44	+1.75	+3.41	+2.78	+2.83	+3.87	+3.64	+2.57	+2.92	+3.87	+5.56	+3.33	+3.68	+1.31	-0.71	-3.62	-3.31	-5.07	-4.12	-2.89	-7.66	-7.33
Dec.	-6.71	-2.56	-0.91	+0.85	+1.81	+1.60	+0.57	+0.85	+2.03	+1.66	+3.21	+3.51	+5.49	+5.66	+5.73	+1.31	+2.91	-2.76	-2.49	-0.39	-4.19	-6.02	-6.39	-4.77
Year	-3.15	-3.08	-3.00	-2.42	-2.01	-1.53	-1.06	+0.75	+0.24	-0.38	+1.47	+3.35	+5.97	+6.74	+6.94	+4.75	+3.42	+0.68	-0.99	-1.93	-3.10	-3.83	-4.75	-3.10
Winter	-4.17	-1.65	-2.19	-1.02	-0.49	+0.04	+0.43	+1.30	+2.10	+2.17	+2.87	+3.56	+5.21	+5.23	+5.09	+2.60	+2.35	-0.96	-2.11	-1.60	-3.45	-4.41	-6.69	-4.23
Equinox	-2.94	-4.43	-2.35	-2.72	-1.50	-0.40	+0.32	+3.77	+2.07	-1.13	+0.81	+2.79	+6.23	+7.15	+7.61	+4.82	+2.40	-0.73	-2.65	-3.97	-3.48	-4.58	-4.67	-2.42
Summer	-2.35	-3.16	-4.45	-3.53	-4.05	-4.24	-3.92	-2.81	-3.46	-2.18	+0.73	+3.71	+6.49	+7.84	+8.11	+6.83	+5.51	+3.73	+1.79	-0.21	-2.37	-2.51	-2.88	-2.63

INCLINATION

Jan.	+0.13	-0.03	+0.36	-0.07	-0.98	-0.99	-1.16	-0.60	+0.29	+0.53	+0.82	+0.51	+0.04	-0.18	+0.18	+0.36	-0.10	-0.15	-0.51	+0.20	+0.29	+0.45	+0.57	+0.05
Feb.	-0.32	+0.45	+0.20	-0.21	-0.28	-0.70	-1.11	-0.71	+0.14	-0.13	+0.17	+0.96	+1.10	-0.36	-0.81	+0.45	-0.49	+0.05	-0.57	+0.12	+0.15	+0.56	+1.01	+0.34
Mar.	+1.08	+1.32	+1.10	+0.53	+0.38	+0.15	-0.01	+1.99	+4.19	+1.25	-0.32	+0.11	-0.90	-1.68	-2.27	-1.72	-2.40	-1.31	-1.47	-0.12	-0.62	-0.05	-0.35	+1.11
Apr.	-0.17	+0.09	+1.47	-0.07	-0.52	-1.46	+0.74	+1.01	+1.44	+1.82	+2.81	+2.62	+1.65	-0.31	-0.43	-1.08	-2.07	-1.71	-1.10	-0.91	-0.60	-0.99	-1.49	-0.75
May	-0.15	-0.58	-0.37	-0.43	-0.32	+0.33	+1.09	+0.68	+1.07	+1.51	+1.44	+1.29	+0.87	+0.20	-0.09	-0.98	-1.38	-1.29	-1.50	-1.75	-0.45	+0.01	+0.47	+0.34
June	-0.64	-0.09	+0.04	+0.33	+0.43	+0.22	+0.74	+1.25	+1.60	+1.91	+1.93	+1.40	+0.85	-0.03	-0.07	-1.50	-2.97	-2.30	-2.03	-1.18	-0.26	+0.35	-0.09	+0.20
July	-0.69	-1.37	-0.57	-0.69	-0.68	-0.33	+0.79	-0.08	+1.50	+1.96	+1.78	+1.49	+1.28	+0.93	+0.47	-0.04	-0.36	-0.77	-1.42	-1.33	-0.97	-0.27	-0.08	-0.56
Aug.	-1.21	-1.54	-0.83	-0.25	-0.46	-0.27	+0.38	+1.00	+1.36	+2.17	+2.04	+1.47	+0.71	+0.82	-0.02	-1.27	+0.11	-0.71	-0.47	-0.41	-0.21	-0.54	-1.05	-0.82
Sept.	-0.98	-0.75	-0.61	-1.09	-0.46	-0.57	-0.07	+0.46	+1.61	+2.69	+2.85	+2.09	+1.09	+0.84	+0.69	+0.16	-0.01	-0.95	-0.81	-0.40	-0.58	-1.29	-2.51	-1.38
Oct.	-2.25	-1.41	-0.97	-1.36	-2.22	-1.84	-1.14	-0.33	-0.89	+0.23	+2.02	+1.70	+1.38	+1.15	+0.64	-0.52	+2.21	+1.65	+1.13	+1.35	+1.02	+0.82	-1.37	-0.98
Nov.	-0.07	-1.51	-1.43	-1.44	-2.61	-1.88	-1.25	-0.39	+0.43	+1.03	+1.46	+1.00	+1.28	+1.47	+1.17	+1.55	+0.98	+0.80	+0.84	+0.08	+0.15	-0.46	-0.73	-0.45
Dec.	-0.93	-0.97	-0.72	-1.18	-1.39	-2.07	-2.13	-1.17	-0.68	+0.03	+0.95	+0.63	+1.64	+1.43	+1.55	-0.05	+0.83	+1.35	+1.29	+1.23	+0.46	+0.08	+0.16	-0.31
Year	-0.70	-0.86	-0.58	-0.86	-1.03	-1.04	-0.50	+0.02	+0.83	+1.17	+1.45	+1.30	+0.96	+0.46	+0.29	-0.07	-0.03	+0.03	-0.10	+0.11	+0.03	-0.02	-0.47	-0.39
Winter	-0.37	-0.69	-0.60	-0.94	-1.52	-1.60	-1.61	-0.91	-0.13	+0.21	+0.72	+0.68	+0.92	+0.53	+0.59	+0.82	+0.74	+0.94	+0.65	+0.77	+0.49	+0.25	+0.24	-0.18
Equinox	-1.01	-0.79	-0.47	-1.20	-1.15	-1.32	-0.47	+0.44	+1.33	+1.47	+1.88	+1.82	+1.08	+0.37	+0.10	-0.24	+0.09	+0.12	+0.10	+0.42	-0.15	-0.28	-1.46	-0.70
Summer	-0.73	-1.12	-0.66	-0.45	-0.43	-0.20	+0.58	+0.56	+1.29	+1.83	+1.76	+1.38	+0.88	+0.48	+0.15	-0.81	-0.91	-0.98	-1.04	-0.87	-0.24	-0.02	-0.18	-0.28

HORIZONTAL FORCE

	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
Jan.	-0.8	+1.1	-5.0	+1.4	+14.6	+14.5	+16.8	+8.2	-5.0	-8.5	-13.0	-8.0	-1.4	+2.3	-2.8	-5.2	+1.6	+2.1	+7.4	-3.0	-3.8	-5.5	-7.6	-0.4
Feb.	+5.3	-6.1	-2.5	+3.5	+4.3	+10.1	+15.9	+9.5	-3.3	+1.3	-3.1	-15.1	-16.7	+5.5	+12.7	-5.5	+8.1	-0.5	+8.7	-1.9	-2.3	-8.1	-14.9	-4.9
Mar.	-15.7	-19.6	-16.2	-8.3	-6.6	-3.4	-0.3	-28.8	-61.4	-18.7	+3.0	-5.2	+9.5	+22.2	+33.0	+26.7	+37.4	+21.2	+23.3	+3.6	+11.0	+2.3	+6.6	-15.6
Apr.	+3.4	-0.4	-20.5	+2.4	+9.4	+23.6	-9.2	-13.8	-20.9	-27.8	-44.2	-44.2	-31.0	-0.6	+3.7	+15.2	+31.0	+27.0	+18.4	+15.6	+10.5	+16.2	+23.8	+12.4
May	+2.8	+9.4	+6.5	+8.0	+7.0	-2.8	-14.8	-9.8	-16.9	-24.6	-26.0	-25.2	-18.8	-6.8	-0.9	+14.4	+22.0	+22.0	+26.0	+28.8	+8.7	+1.6	-6.0	-4.6
June	+10.4	+2.3	+1.7	-3.4	-4.7	-1.7	-10.4	-18.3	-24.7	-31.2	-32.7	-25.1	-16.4	-1.5	-0.1	+21.8	+44.7	+35.9	+32.2	+19.3	+5.5	-3.8	+2.3	-2.1
July	+5.4	+13.9	+4.0	+6.5	+5.6	+0.3	-17.8	-7.3	-30.8	-37.5	-34.0	-28.7	-22.0	-13.3	+0.4	+14.9	+18.8	+23.3	+31.0	+29.9	+22.2	+9.3	+2.6	+3.4
Aug.	+9.6	+13.1	+4.0	-5.4	-1.0	-1.7	-8.8	-17.2	-22.0	-34.3	-33.4	-26.0	-13.2	-11.9	+2.4	+27.2	+11.8	+24.7	+22.2	+19.0	+11.8	+10.5	+13.2	+5.4
Sept.	+3.4	+1.1	+0.8	+7.7	-0.9	+3.6	-2.7	-10.3	-26.4	-40.9	-42.4	-29.5	-13.6	-6.5	-3.2	+7.3	+13.9	+27.6	+23.1	+14.3	+16.0	+20.5	+29.0	+8.1
Oct.	+20.7	+7.6	+1.0	+4.9	+16.4	+15.8	+8.7	-3.2	+5.4	-8.3	-32.8	-25.2	-16.5	-12.4	-2.4	+32.7	-3.0	+11.0	+16.7	-2.4	-11.8	-22.3	+6.6	-7.2
Nov.	-7.2	+9.3	+12.0	+7.6	+23.8	+17.3	+12.2	+1.6	-8.6	-14.9	-18.6	-11.0	-12.6	-11.3	-5.8	-9.6	-0.6	-0.3	-2.8	+6.6	+1.2	+7.9	+5.6	-1.8
Dec.	+5.8	+8.2	+4.7	+9.8	+12.2	+23.2	+24.6	+12.2	+5.5	-3.2	-15.6	-10.0	-21.4	-15.8	-14.9	+9.4	-5.2	-9.6	-7.2	-6.2	+1.3	+2.6	-5.6	-4.8
Year	+3.6	+3.3	-0.8	+2.9	+6.7	+8.2	+1.2	-6.4	-17.4	-20.7	-24.4	-21.1	-14.5	-4.2	+1.8	+12.4	+15.0	+15.4	+16.6	+10.3	+5.9	+2.6	+4.6	-1.0
Winter	+0.8	+3.1	+2.3	+5.6	+13.7	+16.3	+17.4	+7.9	-2.9	-6.3	-12.6	-11.0	-13.0	-4.8	-2.7	-2.7	+1.0	-2.1	+1.5	-1.1	-0.9	-0.8	-5.6	-3.0
Equinox	+2.9	-2.8	-8.7	+1.7	+4.6	+9.9	-0.9	-14.0	-25.8	-23.9	-29.1	-26.0	-12.9	+0.7	+7.8	+20.5	+19.8	+21.7	+20.4	+7.8	+6.4	+4.2	+16.5	-0.6
Summer	+7.1	+9.7	+4.1	+1.4	+1.7	-1.5	-12.9	-13.1	-23.6	-31.9	-31.5	-26.3	-17.6	-8.4	+0.5	+19.6	+24.3	+26.5	+27.9	+24.3	+12.1	+4.4	+3.0	+0.5

RANGE OF MEAN DIURNAL INEQUALITIES FOR THE MONTHS, YEAR AND SEASONS OF 1942
The ranges are derived from the diurnal inequalities printed in Tables 150 to 155

156 ESKDALEMUIR

1942

	All days			Quiet days			Disturbed days			All days			Quiet days			Disturbed days		
	N	W	V	N	W	V	N	W	V	D	I	H	D	I	H	D	I	H
Jan.	20.5	31.9	16.6	15.4	20.6	5.6	32.6	52.3	31.0	6.74	1.35	18.3	4.35	0.99	15.1	10.72	1.98	29.8
Feb.	18.7	33.0	23.0	15.7	19.5	6.3	41.1	72.8	86.2	6.96	0.96	14.3	4.37	0.92	14.0	14.26	2.21	32.6
Mar.	35.0	39.0	49.5	38.0	40.6	15.6	103.1	64.0	130.9	7.96	1.77	31.6	8.94	2.07	36.0	14.16	6.59	98.8
Apr.	52.3	51.5	49.0	51.9	47.5	23.2	76.1	97.6	116.6	11.22	2.88	49.9	10.44	3.06	52.8	20.88	4.88	75.2
May	46.1	47.6	30.0	41.7	49.9	26.4	56.7	62.5	46.5	9.98	2.43	46.2	10.57	2.26	41.3	13.96	3.26	54.8
June	44.1	55.6	30.1	34.9	47.4	17.6	68.1	76.9	58.8	11.53	2.63	48.8	9.84	2.06	35.6	14.86	4.90	77.4
July	50.5	46.8	27.5	47.3	47.7	21.3	63.7	59.7	62.2	9.72	2.98	53.3	10.05	3.00	50.9	13.84	3.38	68.5
Aug.	44.8	50.6	30.1	35.1	39.3	20.9	56.1	66.5	67.8	10.65	2.38	44.2	8.19	2.10	36.0	14.62	3.71	61.5
Sept.	44.5	44.2	34.8	43.8	49.0	23.6	73.5	56.9	71.2	8.92	2.94	42.7	10.76	2.32	38.8	12.44	5.36	71.4
Oct.	33.4	42.0	51.0	32.1	35.4	8.4	56.7	94.5	155.2	9.63	2.08	29.7	7.68	1.95	29.0	19.27	4.46	53.5
Nov.	23.5	32.5	27.8	18.3	19.0	13.4	40.9	58.0	78.4	7.52	1.63	21.0	4.20	1.06	14.8	13.22	4.16	42.4
Dec.	20.6	31.0	20.0	11.7	16.1	4.8	50.1	54.8	58.4	6.96	1.35	17.9	3.44	0.66	10.4	12.44	3.77	46.0
Year	32.0	34.6	28.9	30.0	34.0	13.4	42.5	54.2	69.8	7.61	1.60	30.7	7.38	1.65	28.7	11.69	2.49	41.0
Winter	20.3	31.9	19.3	14.3	17.5	4.7	34.6	55.9	56.6	6.96	1.28	17.7	3.80	0.78	11.9	11.92	2.55	30.4
Equinox	40.1	39.9	44.9	39.2	42.6	16.4	52.0	58.6	107.5	8.77	2.37	35.8	9.39	2.15	36.8	12.28	3.34	50.8
Summer	45.5	49.7	29.2	39.0	44.9	21.2	56.8	59.5	52.4	10.34	2.54	47.6	9.51	2.29	40.3	12.56	2.95	59.8

NON-CYCLIC CHANGE

157 ESKDALEMUIR

1942

	All days			Quiet days			Disturbed days		
	H	D	V	H	D	V	H	D	V
Jan.	+0.2	-0.01	-0.5	+3.0	+0.47	-3.2	-0.2	-0.18	-10.9
Feb.	-0.8	+0.02	+0.3	+5.7	-0.09	-1.9	-10.4	+2.93	-7.8
Mar.	+1.0	-0.08	0.0	+2.8	-0.99	-1.9	-14.5	-0.21	-1.9
Apr.	+0.1	-0.03	+0.2	+5.4	-0.21	0.0	+5.3	+4.03	+5.4
May	+0.1	+0.02	-0.3	+6.6	+0.50	-1.6	-9.8	-1.23	-0.7
June	0.0	-0.14	-0.2	+4.6	+0.19	-0.8	-9.8	-3.05	-7.7
July	-0.1	+0.06	0.0	+4.0	+0.04	-2.6	-8.6	+3.32	-11.0
Aug.	-0.3	-0.07	+0.2	+3.7	+0.36	+0.8	-9.4	-1.62	-7.3
Sept.	+0.1	+0.01	0.0	+2.9	+0.63	-0.8	-10.3	-0.26	-4.7
Oct.	-0.5	+0.01	+0.3	+5.1	-0.89	-2.6	-12.4	-2.01	-21.2
Nov.	+0.1	-0.04	+0.1	-2.4	-0.49	+2.4	-7.4	-1.54	-5.4
Dec.	+0.3	-0.03	0.0	+3.5	+0.34	-2.4	-4.4	+1.18	-5.2
Year	0.0	-0.02	0.0	+3.7	-0.01	-1.2	-7.7	+0.11	-6.5
Winter	-0.1	-0.01	0.0	+2.5	+0.06	-1.3	-5.6	+0.60	-7.3
Equinox	+0.2	-0.02	+0.1	+4.1	-0.37	-1.3	-8.0	+0.39	-5.6
Summer	-0.1	-0.03	-0.1	+4.7	+0.27	-1.1	-9.4	-0.65	-6.7

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

MEAN MONTHLY AND ANNUAL VALUES OF TERRESTRIAL MAGNETIC ELEMENTS

For all, a, quiet, q and disturbed, d, days for H, D and V and for all days for N, W, I and T

158 ESKDALEMUIR

1942

	Horizontal force			Declination (west)			Vertical force			North component all days	West component all days	Inclination (north) all days		Total force all days
	a	q	d	a	q	d	a	q	d			°	'	
Jan.	514	520	505	44.1	43.9	44.2	1056	1051	1062	16107	3640	69	52.3	47987
Feb.	515	519	504	43.2	43.5	43.0	1051	1049	1063	16110	3637	69	52.1	47983
Mar.	509	517	494	42.5	42.4	42.2	1053	1051	1064	16105	3632	69	52.5	47983
Apr.	513	517	501	41.4	41.1	41.9	1051	1052	1051	16109	3627	69	52.2	47982
May	528	530	527	40.5	40.5	40.3	1048	1048	1046	16125	3627	69	51.1	47984
June	534	537	537	40.2	40.4	40.1	1048	1047	1049	16131	3626	69	50.7	47986
July	525	529	525	39.6	39.8	39.9	1043	1042	1044	16123	3622	69	51.2	47979
Aug.	521	521	519	38.9	38.7	38.8	1045	1045	1047	16120	3617	69	51.5	47979
Sept.	515	519	511	38.3	38.3	38.5	1047	1048	1045	16115	3614	69	52.0	47979
Oct.	511	520	501	37.2	37.8	37.0	1058	1057	1062	16112	3607	69	52.5	47988
Nov.	513	520	499	36.3	36.7	34.8	1064	1061	1063	16115	3604	69	52.5	47994
Dec.	515	523	505	35.7	35.8	35.3	1065	1062	1070	16118	3601	69	52.4	47996
Year	518	523	511	39.8	39.9	39.7	1053	1051	1055	16116	3621	69	51.9	47985

HARMONIC COMPONENTS OF THE DIURNAL INEQUALITY OF MAGNETIC FORCE
 Values of a_n, b_n in the series $\Sigma(a_n \cos 15nt + b_n \sin 15nt)$, t being reckoned in hours from midnight G.M.T.
 Longitude of Eskdalemuir Observatory, $3^{\circ}12'W$.

115

159 ESKDALEMUIR

1942

	North component								West component								Vertical component							
	a_1	b_1	a_2	b_2	a_3	b_3	a_4	b_4	a_1	b_1	a_2	b_2	a_3	b_3	a_4	b_4	a_1	b_1	a_2	b_2	a_3	b_3	a_4	b_4
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
	ALL DAYS																							
Jan.	+3.2	+3.6	-4.5	-0.3	+1.7	-2.6	+0.6	+0.6	-10.5	-2.9	-0.8	+5.0	-0.2	-0.1	+1.3	+1.8	+1.7	-7.5	-0.5	-1.1	-0.4	-0.3	-0.9	-0.8
Feb.	+3.5	+1.7	-4.6	-0.8	+1.9	-1.7	+0.4	+0.3	-10.8	-6.1	+2.3	+4.2	-1.0	-0.1	+0.4	+3.0	+1.5	-10.7	-4.8	-0.6	+0.3	+0.1	+0.1	-1.2
Mar.	+10.0	-4.6	-7.4	-0.7	+1.5	-2.9	+0.4	-1.0	-10.4	-8.0	+2.3	+6.7	+0.6	-5.1	+0.6	+3.0	-4.7	-17.9	-7.3	-4.0	+2.9	+0.8	+0.8	-1.0
Apr.	+16.6	-4.9	-12.7	-1.4	+4.2	-2.5	+0.2	-0.9	-11.4	-14.5	+3.0	+10.1	-0.7	-6.2	+0.1	+1.3	-2.2	-16.1	-10.0	-3.3	+2.0	-0.1	+1.0	-2.3
May	+14.6	-6.9	-10.4	+0.8	+1.5	+1.1	+0.1	-0.2	-8.0	-18.6	+2.3	+9.1	-1.3	-1.3	+1.1	+0.9	+6.3	-7.6	-7.0	-1.1	+0.8	0.0	-0.4	-0.2
June	+14.4	-8.4	-9.6	+2.5	+1.7	+0.3	+0.9	-0.1	-6.5	-23.5	+4.3	+8.0	-1.2	-1.6	+1.4	+0.2	+4.7	-9.5	-6.8	-2.3	+0.9	+0.2	+0.3	-0.2
July	+16.2	-10.2	-9.7	+0.7	-0.1	-0.1	+0.4	+0.8	-7.5	-18.5	+1.0	+7.7	-2.0	-3.1	+1.2	+0.6	+2.4	-10.3	-7.2	-1.6	+0.2	-0.9	-1.4	-1.4
Aug.	+15.4	-8.5	-7.3	-0.3	+0.8	-1.7	+0.3	+1.0	-10.0	-15.1	+5.7	+10.1	-2.5	-2.8	+1.2	+0.9	+0.8	-9.7	-9.0	-1.6	+1.6	+0.5	-1.0	-0.1
Sept.	+14.7	-6.0	-7.1	-0.4	+2.2	-3.0	+0.1	+1.0	-11.0	-9.7	+3.7	+10.7	-1.8	-4.8	-0.5	+1.3	-4.1	-11.5	-8.0	-1.4	+0.5	+1.9	-0.7	-0.1
Oct.	+10.9	-2.2	-8.1	-1.6	+3.5	-2.6	0.0	+0.2	-11.3	+10.2	+3.5	+9.6	-0.9	-3.8	+1.6	+3.2	-9.9	-17.9	-8.9	+1.9	+2.4	+1.7	0.0	-0.9
Nov.	+7.7	+2.0	-5.4	-1.8	+1.6	-2.5	+0.6	-0.2	-11.5	+1.4	-0.2	+5.8	-1.7	-1.7	+0.4	+1.0	-4.9	-11.5	-2.9	-0.1	+0.1	-0.9	-0.9	-0.3
Dec.	+4.9	+3.0	-3.9	-1.8	+2.4	-2.4	+0.3	-0.4	-10.4	+0.2	-1.8	+6.1	-1.4	-0.5	-0.4	+1.3	-1.6	-9.4	-3.2	-0.9	-1.0	-0.1	-1.1	+0.6
Year	+11.0	-3.4	-7.6	-0.4	+1.9	-1.7	+0.4	+0.1	-9.9	-9.5	+2.1	+7.8	-1.2	-2.5	+0.7	+1.5	-0.8	-11.6	-6.3	-1.3	+0.9	+0.2	-0.3	-0.7
Winter	+4.8	+2.6	-4.6	-1.1	+1.9	-2.3	+0.5	+0.1	-10.8	-1.9	-0.1	+5.3	-1.1	-0.6	+0.4	+1.8	-0.8	-9.8	-2.8	-0.7	-0.2	-0.3	-0.7	-0.4
Equinox	+13.1	-4.4	-8.9	-0.9	+2.8	-2.8	+0.1	-0.2	-11.1	-7.9	+3.1	+9.3	-0.7	-5.0	+0.5	+2.2	-5.2	-15.9	-8.6	-1.7	+1.9	+1.1	+0.3	-1.1
Summer	+15.1	-8.5	-9.2	+1.0	+1.0	-0.1	+0.5	+0.4	-8.0	-18.9	+3.3	+8.7	-1.7	-2.2	+1.2	+0.7	+3.5	-9.3	-7.5	-1.7	+0.9	-0.1	-0.6	-0.5
	QUIET DAYS																							
Year	+10.1	-1.4	-7.1	-0.7	+2.4	-1.3	-0.3	+0.5	-4.6	-10.3	+2.4	+6.6	-2.4	-2.2	+0.8	+1.3	+3.8	-1.9	-3.4	-0.6	+1.1	0.0	-0.7	-0.3
Winter	+2.1	0.0	-3.9	-1.2	+1.9	-1.7	-0.4	+0.5	-5.1	-2.8	+0.6	+3.3	-1.9	-0.4	+0.6	+1.1	+0.8	-2.3	-0.6	+0.1	+0.1	-0.5	-0.5	-0.4
Equinox	+13.8	-0.3	-8.8	-1.2	+4.2	-1.8	-0.8	+1.1	-5.1	-11.8	+2.4	+9.0	-2.5	-4.2	+1.4	+2.1	+4.1	-1.9	-4.0	-1.5	+2.1	+0.5	-1.1	-0.6
Summer	+14.4	-3.9	-8.5	+0.3	+1.1	-0.4	+0.3	0.0	-3.5	-16.6	+4.1	+7.6	-2.9	-2.0	+0.5	+0.8	+6.5	-1.3	-5.7	-0.4	+1.2	+0.1	-0.4	0.0
	DISTURBED DAYS																							
Year	+12.7	-9.1	-9.6	+3.1	+1.3	-2.3	+1.5	-1.2	-18.0	-7.4	+0.3	+9.3	+1.4	-4.1	+0.7	+2.6	-8.7	-30.7	-11.6	-1.7	+0.7	+2.2	+0.7	-1.0
Winter	+8.7	+2.5	-7.4	+0.1	+0.9	-3.5	+1.4	-0.2	-19.1	+3.7	-1.0	+6.8	-0.9	-1.0	-0.9	+3.1	-7.1	-27.1	-7.1	-1.5	+0.1	+1.5	-0.6	+0.1
Equinox	+12.9	-15.1	-9.9	+4.7	+1.5	-4.7	+2.4	-4.1	-19.0	-3.5	0.0	+9.8	+4.2	-8.6	+0.5	+3.6	-19.7	-40.7	-15.6	-1.2	+1.7	+4.3	+3.7	-2.2
Summer	+16.3	-14.5	-11.5	+4.6	+1.4	+1.2	+0.8	+0.5	-15.9	-22.6	+1.9	+11.3	+0.8	-2.6	+2.5	+1.0	+0.8	-24.3	-12.2	-2.6	+0.3	+0.6	-1.0	-1.1

HARMONIC COMPONENTS OF THE DIURNAL INEQUALITY OF MAGNETIC FORCE
 Values of c_n, α_n in the series $\Sigma c_n \sin(15nt + \alpha_n)$, t being mean local time, reckoned in hours from midnight

160 ESKDALEMUIR

1942

	North component								West component								Vertical component							
	c_1	α_1	c_2	α_2	c_3	α_3	c_4	α_4	c_1	α_1	c_2	α_2	c_3	α_3	c_4	α_4	c_1	α_1	c_2	α_2	c_3	α_3	c_4	α_4
	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$	γ	$^{\circ}$
	ALL DAYS																							
Jan.	4.8	45	4.5	273	3.1	157	0.9	55	10.9	258	5.1	357	0.2	240	2.2	49	7.7	170	1.2	210	0.5	245	1.2	241
Feb.	3.9	68	4.7	267	2.6	142	0.5	69	12.4	243	4.8	35	1.0	273	3.1	20	10.8	175	4.8	269	0.4	81	1.2	189
Mar.	11.0	118	7.5	271	3.3	163	1.1	173	13.1	325	7.1	25	5.1	183	3.0	24	18.5	198	8.4	248	3.0	84	1.3	153
Apr.	17.3	110	12.8	270	4.8	130	0.9	178	18.4	221	10.5	23	6.3	196	1.3	19	16.3	191	10.6	258	2.0	103	2.5	170
May	16.2	119	10.4	281	1.9	63	0.2	155	20.3	207	9.4	21	1.9	233	1.4	65	9.8	143	7.1	267	0.8	101	0.4	256
June	16.7	123	10.0	291	1.7	89	0.9	109	24.4	199	9.1	35	2.0	226	1.4	95	10.5	157	7.2	258	0.9	89	0.4	143
July	19.1	125	9.7	281	0.1	247	0.9	40	20.0	205	7.7	14	3.7	222	1.4	75	10.6	170	7.3	264	0.9	178	2.0	237
Aug.	17.5	122	7.3	274	1.9	165	1.0	30	18.1	217	11.6	36	3.8	232	1.5	65	9.8	179	9.1	266	1.7	84	1.0	276
Sept.	15.9	115	7.2	273	3.7	153	1.0	16	14.7	232	11.3	25	5.1	210	1.3	353	12.2	203	8.1	267	1.9	25	0.7	274
Oct.	11.1	105	8.3	265	4.3	136	0.2	4	11.3	276	10.3	26	3.9	204	3.6	40	20.4	212	9.1	288	2.9	65	0.9	13
Nov.	7.9	79	5.7	258	2.9	157	0.6	121	11.6	280	5.8	5	2.4	235	1.1	36	12.5	206	2.9	274	0.9	182	1.0	265
Dec.	5.8	61	4.3	252	3.4	144	0.5	157	10.4	275	6.4	350	1.5	261	1.4	357	9.5	193	3.3	261	1.1	272	1.2	313
Year	11.5	111	7.6	273	2.5	142	0.4	92	13.8	229	8.1	22	2.8	214	1.7	38	11.6	187	6.4	264	0.9	85	0.7	221
Winter	5.5	65	4.7	262	2.9	149	0.5	89	10.9	263	5.3	5	1.2	252	1.8	26	9.8	188	2.9	263	0.4	230	0.8	252
Equinox	13.8	112	8.9	270	4.0	144	0.2	158	13.6	238	9.8	25	5.0	197	2.2	25	16.7	201	8.7	265	2.2	71	1.1	178
Summer	17.3	123	9.3	282	1.0	105	0.6	63	20.6	206	9.3	27	2.8	228	1.4	73	9.9	162	7.7	264	0.9	103	0.8	245
	QUIET DAYS																							
Year	10.2	101	7.1	271	2.8	128	0.6	343	11.3	207	7.0	26	3.3	238	1.5	46	4.2	119	3.5	267	1.1	100	0.7	256
Winter	2.1	93	4.1	260	2.6	141	0.7	334	5.9	244	3.3	17	1.9	268	1.2	43	2.4	164	0.7	290	0.5	183	0.6	242
Equinox	13.8	95	8.9	268	4.6	123	1.3	337	12.9	207	9.4	21	4.9	221	2.5	46	4.5	119	4.3	255	2.1	86	1.2	255
Summer	14.9	108	8.5	297	1.2	120	0.3	106	16.9	195	8.7	35	3.5	244	0.9	47	6.6	105	5.7	273	1.2	97	0.4	281
	DISTURBED DAYS																							
Year	15.5	129	10.1	294	2.6	161	1.9	141	19.5	251	9.3	8	4.3	171	2.7	28	31.9	199	11.7	268	2.3	28	1.3	159
Winter	9.0	77	7.4	277	3.6	175	1.4	109	19.4	284	6.9	358	1.3	231	3.3	358	28.0	198	7.3	265	1.5	15	0.6	291
Equinox	19.9	143	10.9	302	4.9	172	4.7	163	19.4	263	9.8	6	9.6	163	3.6	21	45.2	209	15.7	272	4.6	31	4.3	133
Summer	21.9	135	12.3	298	1.9	58	0.9	69	27.6	218	11.5	16	2.8	173	2.7	81	24.3	181	12.4	265	0.7	35	1.5	236

KEW

KEW OBSERVATORY

Latitude 51°28'N.
Longitude 0°19'W.
G.M.T. of Local Mean Noon 12h. 1m.

Heights of instruments	above M.S.L.	above ground
	m.	m.
Barometer	10.4	..
Thermometer bulbs	3.0
Rain-gauge site	5.5	..
Beckley rain-gauge rim	..	0.53
Sunshine recorder	13.3
Pressure-tube anemograph	28	23

INTRODUCTION

Full details of the site, instruments, procedure and tabulation are given in the *Observatories' Year Book* for 1938. Changes and additions only are mentioned here.

METEOROLOGY

NOTES ON THE INSTRUMENTS

Pressure.—The photographic barograph is mounted in the galvanometer room of the underground Seismograph House. It was transferred there on May 15, 1939 from the position in the north room of the basement of the Main Observatory Building which it had occupied since the inception of the record in 1862.

Rainfall.—The Jardi rate of rainfall recorder has proved to be unreliable at rates below 6 mm. per hour and such values are omitted from Table 169.

Solar radiation.—The tabulations of the radiation received on a surface perpendicular to the solar beam (Tables 173 and 175) were made on the assumption that the thermopile of the Gorchynski pyrliograph had maintained its sensitivity. Subsequent investigation indicated that a progressive decrease in sensitivity had occurred and that all tabulations from 1938 onwards needed correction. The tabulated values for 1942 should be multiplied by the factor 1.18*.

IDENTIFICATION NUMBERS OF INSTRUMENTS IN USE IN 1942

During 1942 thermometer No. 788 was used as the control dry-bulb thermometer and No. 738 as the control wet-bulb thermometer; 1846 and 1876 were used as the measuring glasses for the control rain-gauge.

* STAGG, J.M.; Solar radiation at Kew Observatory. *Geophys. Mem.*, London, 11, No. 86, 1950.

Thermometer corrections 1942

	No. 788 N.P.L. 1933	No. 738 N.P.L. 1938	M.O. 5 N.P.L. 1913	M.O. 10 N.P.L. 1913	M.O. 18011 N.P.L. 1929
	°F.	°F.	°A.	°A.	°F.
Certified	2 +0.1	2 +0.2	260 +0.1	260 +0.3	2 0.0
	12 +0.1	12 +0.1	273 0.0	273 +0.1	22 0.0
	32 0.0	32 0.0	280 0.0	280 +0.2	32 0.0
	52 -0.1	52 -0.1	290 0.0	290 +0.1	52 0.0
	72 0.0	72 -0.1	300 0.0	300 0.0	72 0.0
	92 0.0	92 -0.2	310 0.0	316 +0.1
Applied	0.0	0.0	0.0	+0.1	0.0

NOTES ON THE METEOROLOGICAL SUMMARIES

The mean temperature for the year 282.9°A. (49.8°F.) agrees well with the average of 282.8°A. (49.6°F.) for the period 1871-1915 although 1942, as in the case of the two previous years, was again remarkable for the severity of its winter months. January with a mean temperature of 274.2°A. (34.1°F.) and February with 273.5°A. (32.9°F.) were 5.0°F. and 7.3°F. respectively below the average for the period 1871-1915. The lowest reading of the grass minimum was 256.7°A. (2.7°F.) on January 21 whilst the lowest temperature in the north-wall screen 265.2°A. (18.0°F.) was recorded between 9h. and 10h. on January 15. Ice floes were again seen on the River Thames at Richmond and there were 8 "ice days", i.e. days with a maximum temperature in the screen of 273.0°A. (32.0°F.) or less, 3 in January, 4 in February and 1 in March. The maximum temperature in the north-wall screen was 303.6°A. (87.1°F.) registered about 14h. on August 28. There were 10 days, 7 in June and 3 in August, on which the maximum temperature exceeded 300.0°A. (80.6°F.)

The rainfall for the year, 573 mm., was 5% below the average (606 mm.) for the standard period 1881-1915. February (22 mm.), April (21 mm.) and September (27 mm.) were the driest months whilst May (76 mm.) and October (87 mm.) were the wettest. The heaviest fall in one day during 1942 was 31 mm. in a thunderstorm on June 30.

The sunshine for the year, 1428 hours, was 41 hours less than the average for the period 1906-1935. The sunniest months were April (212 hours), May (224 hours) and June (244 hours).

The highest wind speed recorded in a gust was 25 m./sec. (57 m.p.h.) on May 28 and December 5. The highest on record is 33 m./sec. (73 m.p.h.) on November 28, 1938.

Diurnal variation of pressure and temperature; harmonic analysis.— Notes on the tables will be found in the *Observatories' Year Book, 1938.*

TABLE A - DIURNAL VARIATION OF BAROMETRIC PRESSURE FOURIER COEFFICIENTS
KEW OBSERVATORY, LONGITUDE 0°19'W.Values of c_n , α_n in the series $\sum c_n \sin(15nt + \alpha_n)$, t being local mean time reckoned
in hours from midnight

	c_1		α_1		c_2		α_2		c_3		α_3		c_4		α_4	
	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926
	mb.	mb.	°	°	mb.	mb.	°	°	mb.	mb.	°	°	mb.	mb.	°	°
January	0.30	0.02	307	315	0.22	0.31	165	151	0.20	0.17	341	346	0.07	0.07	208	202
February	0.26	0.05	91	73	0.35	0.36	139	146	0.15	0.12	345	340	0.02	0.03	145	108
March	0.38	0.11	10	38	0.39	0.40	140	149	0.10	0.07	334	332	0.07	0.04	335	25
April	0.42	0.28	345	31	0.38	0.40	155	151	0.03	0.03	158	185	0.06	0.04	328	353
May	0.50	0.32	360	27	0.42	0.35	142	148	0.08	0.09	153	161	0.04	0.02	344	319
June	0.54	0.30	360	17	0.30	0.32	141	143	0.09	0.09	161	160	0.02	0.01	335	260
July	0.15	0.26	90	16	0.32	0.31	140	140	0.08	0.10	150	153	0.02	0.01	354	281
August	0.30	0.21	2	20	0.33	0.34	145	144	0.05	0.06	113	155	0.04	0.04	307	309
September	0.28	0.12	70	6	0.46	0.40	155	152	0.03	0.01	356	350	0.05	0.04	338	332
October	0.32	0.06	11	76	0.47	0.38	151	160	0.04	0.09	360	359	0.05	0.01	284	22
November	0.16	0.03	302	124	0.35	0.34	159	160	0.14	0.13	355	358	0.02	0.03	176	183
December	0.25	0.08	205	137	0.29	0.31	145	152	0.14	0.15	355	353	0.07	0.07	162	205
Arithmetic mean	0.32	0.15	-	-	0.36	0.35	-	-	0.09	0.09	-	-	0.04	0.03	-	-
Year	0.22	0.14	5	29	0.35	0.35	148	150	0.04	0.03	358	359	0.02	0.01	302	280
Winter	0.06	0.03	280	111	0.30	0.33	151	152	0.16	0.14	348	350	0.04	0.05	180	208
Equinox	0.31	0.14	13	32	0.42	0.39	150	153	0.03	0.04	345	345	0.05	0.03	323	359
Summer	0.34	0.27	7	20	0.34	0.33	142	144	0.07	0.08	148	157	0.03	0.02	334	305

TABLE B - DIURNAL VARIATION OF TEMPERATURE FOURIER COEFFICIENTS
KEW OBSERVATORY, LONGITUDE 0°19'W.Values of c_n , α_n in the series $\sum c_n \sin(15nt + \alpha_n)$, t being local mean time reckoned
in hours from midnight

	c_1		α_1		c_2		α_2		c_3		α_3		c_4		α_4	
	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926	1942	1871-1926
	°A.	°A.	°	°	°A.	°A.	°	°	°A.	°A.	°	°	°A.	°A.	°	°
January	0.75	0.99	214	221	0.32	0.43	35	35	0.12	0.17	208	208	0.01	0.01	338	3
February	0.88	1.53	232	221	0.43	0.57	8	34	0.05	0.12	263	211	0.06	0.06	315	169
March	2.41	2.45	217	222	0.63	0.63	31	40	0.02	0.07	189	334	0.04	0.11	191	197
April	3.00	3.21	225	226	0.45	0.48	52	51	0.25	0.22	18	24	0.11	0.07	210	218
May	3.39	3.72	226	227	0.28	0.15	29	74	0.27	0.31	31	35	0.01	0.04	183	20
June	4.31	3.72	221	226	0.10	0.02	220	84	0.33	0.26	34	35	0.09	0.10	24	33
July	2.90	3.68	223	225	0.16	0.06	355	50	0.19	0.29	24	31	0.06	0.07	358	28
August	2.95	3.54	227	226	0.42	0.34	59	52	0.29	0.30	20	28	0.04	0.03	105	218
September	2.69	3.22	226	228	0.55	0.71	34	49	0.14	0.14	26	24	0.10	0.16	214	213
October	2.08	2.32	224	229	0.54	0.76	35	50	0.07	0.10	260	248	0.10	0.12	201	200
November	1.34	1.39	221	226	0.55	0.57	43	44	0.17	0.18	209	232	0.01	0.02	173	141
December	0.66	0.90	220	226	0.31	0.40	42	41	0.21	0.16	216	215	0.04	0.04	58	38
Arithmetic mean	2.28	2.56	-	-	0.39	0.43	-	-	0.18	0.19	-	-	0.06	0.07	-	-
Year	2.28	2.56	223	226	0.37	0.42	35	45	0.07	0.08	17	17	0.01	0.02	221	195
Winter	0.90	1.20	222	223	0.39	0.49	32	39	0.13	0.15	216	217	0.02	0.01	351	121
Equinox	2.54	2.80	223	226	0.54	0.64	37	47	0.08	0.09	12	4	0.09	0.11	207	207
Summer	3.39	3.67	224	226	0.17	0.14	38	59	0.27	0.29	28	32	0.03	0.04	30	27

"Winter" comprises the four months January, February, November, December; "Equinox" the months March, April, September, October; and "Summer" May to August.

ATMOSPHERIC ELECTRICITY

No change took place during 1942 in the method and procedures for observing potential gradient, air-earth current and conductivity from those printed in the Introduction for 1938. Details of the change of position of the Kelvin Electrograph in April 1940 and of the effects on the instrument of the erection of a fire escape in March 1941 are printed in the Introductions for the years in question.

KEW OBSERVATORY

In 1942 the mean value of the current for the year, allowing equal weight for each month, was 113×10^{-18} amp. cm.⁻². The mean value of the conductivity for the year was 41×10^{-18} ohm⁻¹ cm.⁻¹.

The mean factor for the year for the Kelvin electrograph was 4.20, giving an equivalent height for the collector of 23.8 cm. In 1942 there were 169, 146 and 50 days of electrical character 0, 1 and 2 respectively. The extreme hourly values of potential gradient in Table 183 are 1,070 v./m. at 9h. on November 11 and -940 v./m. at 15h. on May 26.

During the following months there were not 10 "quiet days" and other spells of 24 hr. were used.

1942	Calendar days	Other spells	Total
November	5	1	6
December	7	1	8

The *Observatories' Year Book, 1938* should be consulted for an explanation of the figures in the foregoing paragraphs.

ATMOSPHERIC POLLUTION

During 1942 the highest estimate of pollution was 2.3 mg./m.³, this value occurring on December 25 from 9h. to 10h. There were 25 days on which the pollution reached 1.0 mg./m.³. The number of hours credited with 1.0 mg./m.³. was 112, 55 of which were recorded during November.

SEISMOLOGY

The Seismological Diary and Table of Microseisms, which have been printed in the *Observatories' Year Book* from 1922 to 1939, are now omitted. The distribution of the Kew Monthly Bulletin ceased in May 1940* but such seismological data as are available for 1942 are published in the International Seismological Summary.

No change took place in instruments or procedure except that the two modified Wood-Anderson seismographs were put out of commission as an economy measure in May 1942.

The Galitzin seismographs were not standardised during 1942.

The total number of shocks recorded during the year was 349. The phases of 93 of these were sufficiently well defined to allow an estimate of the epicentral distance to be computed. No British earthquakes were recorded during the year.

* It was resumed in 1947

PRESSURE AT STATION LEVEL

Maximum, minimum and daily mean values in millibars for each day 0h. to 24h., G.M.T.
The initial 9 or 10 of the values is omitted, i.e. 1005.6 is printed 05.6

161 KEW OBSERVATORY: h_b (height of barometer cistern above M.S.L.) = 10.4 m.

1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	<i>millibars</i>																	
1	33.0	32.0	32.4	20.5	12.3	15.1	16.4	10.1	12.9	09.1	04.4	07.3	22.4	17.9	20.3	29.0	23.6	26.8
2	32.5	29.9	31.2	22.8	09.6	16.0	18.5	16.0	17.5	17.8	08.6	15.6	19.8	15.3	17.2	31.2	28.5	30.0
3	29.9	15.2	23.9	22.1	06.5	12.7	18.2	08.4	13.9	16.7	05.5	10.7	24.5	19.1	20.5	31.2	28.2	29.9
4	15.2	03.8	07.0	18.3	06.8	12.3	08.4	98.2	01.9	07.0	94.0	03.6	27.9	24.5	26.5	29.4	26.6	28.2
5	19.9	07.3	14.3	21.9	18.3	20.3	10.7	03.7	07.8	02.5	92.2	96.0	27.8	24.3	26.1	27.6	23.8	25.8
6	26.1	19.9	23.6	21.6	18.3	20.1	11.4	05.7	09.2	03.3	95.6	00.4	24.5	17.8	21.2	23.8	14.1	18.1
7	26.5	21.7	24.6	27.3	18.0	21.5	16.6	04.2	09.7	01.1	93.1	95.1	17.8	12.3	15.2	20.7	15.2	18.9
8	22.6	15.1	20.5	28.6	24.2	26.7	17.9	15.0	16.4	09.8	01.1	05.8	16.7	14.9	15.9	20.8	18.8	19.9
9	15.1	08.3	10.9	24.2	20.2	21.4	15.1	10.6	12.8	09.7	97.5	02.9	15.3	12.1	13.5	19.4	15.9	17.6
10	25.4	13.1	21.2	20.3	09.1	13.7	15.8	11.6	14.1	24.0	01.1	14.5	12.6	02.8	07.9	17.5	15.0	15.7
11	25.1	23.3	24.3	19.0	13.0	17.3	15.7	12.0	13.6	25.6	21.4	23.8	02.8	00.1	01.5	17.8	10.9	15.0
12	24.3	05.6	16.5	18.4	08.7	12.2	14.0	07.4	11.2	21.6	12.1	16.7	02.4	98.2	00.1	10.9	05.0	06.6
13	05.6	97.2	99.6	23.3	08.6	15.1	07.4	98.9	01.9	14.6	10.6	11.7	10.0	99.0	03.7	09.8	04.7	06.9
14	16.8	99.6	08.3	32.5	23.3	28.1	01.6	99.2	00.4	26.6	14.6	20.3	16.6	10.0	13.6	09.9	06.5	08.4
15	19.8	11.4	16.5	35.6	32.2	33.8	11.4	01.6	06.9	30.5	26.6	29.3	16.6	11.5	14.6	13.0	07.6	10.2
16	12.6	07.0	09.0	39.9	35.6	38.4	11.8	04.7	09.8	30.1	21.8	25.9	14.3	10.5	11.5	13.9	11.8	12.8
17	21.5	12.6	18.6	39.4	32.7	35.3	04.7	98.6	01.3	21.8	09.2	15.1	15.1	12.7	14.4	12.3	10.1	11.3
18	21.2	16.9	19.1	36.6	34.1	35.0	01.4	97.1	98.6	09.2	03.3	05.2	14.6	06.8	09.9	18.5	12.2	14.7
19	21.7	14.5	19.7	36.5	32.1	34.5	14.0	01.4	06.8	07.9	06.0	06.9	21.6	14.6	20.1	24.6	18.5	22.4
20	21.9	14.1	18.3	32.2	20.1	26.6	18.3	14.0	17.0	11.9	07.5	09.0	20.9	09.7	14.8	25.0	21.9	23.6
21	24.9	21.7	22.7	20.1	08.1	12.8	23.4	18.0	20.0	15.2	11.7	13.6	13.0	09.5	06.6	22.9	18.9	20.9
22	27.5	24.8	26.2	08.1	04.5	05.8	29.9	23.2	26.5	15.8	13.9	14.7	14.1	12.8	13.6	20.0	15.4	17.7
23	25.3	99.8	13.9	04.7	01.5	02.7	30.8	28.8	29.8	20.3	14.3	15.9	13.9	01.8	09.4	15.8	12.2	14.2
24	04.1	88.5	98.2	05.0	01.0	02.8	29.6	23.4	26.7	21.1	17.3	19.3	13.7	02.2	10.4	21.5	15.0	17.9
25	00.2	89.7	95.5	12.2	05.0	08.2	23.4	18.0	20.5	17.8	13.2	14.8	12.9	03.3	07.0	25.8	21.5	24.2
26	21.1	99.0	09.0	15.3	11.9	13.7	19.4	14.3	17.4	13.5	11.7	12.4	04.1	89.5	98.7	25.9	21.1	23.5
27	20.9	99.8	11.1	15.2	12.3	12.9	14.3	08.7	10.7	12.8	10.5	11.8	99.7	96.0	97.7	22.1	20.2	21.1
28	03.4	97.9	00.6	12.4	09.5	10.7	16.8	12.3	15.3	15.0	12.0	13.6	07.2	95.2	01.7	20.9	18.4	19.2
29	15.4	94.1	01.6				15.7	11.7	13.3	21.8	14.9	18.4	09.2	06.5	07.8	22.3	19.9	21.2
30	16.5	90.4	07.2				14.5	12.2	13.5	24.8	21.8	23.4	12.9	09.2	11.2	20.5	15.7	18.1
31	21.0	91.3	10.5				12.2	03.7	06.7				23.6	11.6	16.0			
Mean	19.90	08.56	14.71	22.64	15.63	18.80	15.46	09.44	12.38	15.96	08.92	12.45	15.11	08.76	11.89	20.80	16.57	18.69

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	<i>millibars</i>																	
1	18.9	16.4	17.5	17.5	09.1	12.5	09.9	06.6	08.4	23.5	12.9	17.4	08.5	03.9	05.4	11.9	06.2	08.0
2	18.9	15.2	16.8	09.1	05.6	06.9	12.3	08.2	11.0	26.5	23.5	25.3	12.2	08.5	10.4	19.1	09.5	15.2
3	16.8	13.9	15.8	13.3	06.0	08.0	12.7	03.2	07.5	25.4	19.3	23.3	17.0	08.2	12.3	20.3	18.0	18.9
4	13.9	09.4	10.7	20.9	13.3	16.8	20.0	12.6	17.7	19.3	12.6	15.1	16.9	10.5	14.8	20.2	09.2	16.7
5	09.4	05.1	07.1	23.5	20.9	22.5	18.9	11.8	14.2	18.6	11.9	14.0	10.5	95.2	02.1	09.2	95.5	00.5
6	10.6	05.2	07.7	24.3	22.2	23.3	24.7	14.4	19.7	24.1	18.6	22.3	08.3	95.3	04.3	17.2	05.3	14.1
7	12.7	10.1	11.1	22.6	18.9	20.7	26.1	24.0	25.0	21.5	10.1	15.7	13.0	04.9	07.5	18.6	15.7	16.9
8	17.9	12.7	15.9	18.9	07.9	12.9	25.3	22.8	24.1	16.2	08.6	11.5	27.4	13.0	21.2	22.4	16.0	20.4
9	17.7	12.7	15.7	14.6	08.6	11.9	29.6	22.9	25.7	20.2	10.4	16.8	29.1	26.3	27.8	21.7	13.8	17.8
10	12.7	05.4	08.1	14.4	06.6	10.1	30.8	25.8	28.6	11.2	06.2	08.2	26.3	23.4	24.9	13.8	01.0	08.2
11	14.9	07.5	11.6	09.9	07.1	08.1	25.8	19.3	22.0	24.5	11.2	19.3	27.5	22.4	25.4	03.1	96.1	99.5
12	19.9	14.9	17.3	12.3	09.5	10.5	23.4	19.8	21.1	24.3	19.6	21.5	24.2	18.9	20.9	14.1	03.1	10.3
13	20.2	17.4	19.1	14.6	11.9	13.2	23.8	22.0	22.9	23.0	19.3	21.5	34.9	24.2	30.3	11.0	05.4	06.9
14	18.7	16.3	16.9	16.7	14.1	15.1	22.5	18.6	20.2	23.2	19.1	21.1	36.3	33.2	34.7	06.4	97.5	02.9
15	22.0	18.7	20.7	17.4	15.9	16.6	24.1	17.5	20.3	24.5	16.0	21.2	33.6	28.4	30.4	02.2	95.4	98.6
16	19.7	11.3	13.8	21.4	16.9	19.2	24.2	21.5	22.9	25.2	23.4	24.3	32.5	29.0	30.9	01.9	96.1	98.4
17	11.6	08.7	09.9	22.0	18.1	20.1	21.5	17.7	19.2	24.7	17.3	21.0	33.1	31.3	32.1	96.4	92.8	94.3
18	17.5	10.7	13.2	18.1	07.8	13.6	19.0	15.7	17.6	19.4	15.9	17.4	31.3	26.2	27.7	02.2	96.4	98.7
19	17.9	15.9	16.9	08.7	05.6	07.3	15.7	10.0	13.5	19.3	17.9	18.8	29.0	27.5	28.0	09.6	01.9	04.2
20	19.5	16.6	18.5	16.6	08.5	12.6	10.0	00.4	03.9	18.5	09.0	14.0	27.6	25.7	26.6	18.6	09.6	16.0
21	20.9	19.0	19.7	17.1	11.2	14.7	02.9	93.9	97.6	20.8	13.0	18.4	32.2	25.2	27.5	19.8	14.7	17.4
22	19.1	06.7	14.0	11.4	09.2	10.6	01.2	96.3	99.2	17.7	14.0	15.1	34.5	31.9	33.4	31.3	10.4	18.5
23	15.5	04.7	09.6	15.2	11.1	13.4	99.7	92.9	95.4	14.3	08.7	12.1	33.5	31.4	32.2	35.5	30.9	33.3
24	15.5	11.8	13.6	15.1	11.2	13.6	99.3	93.6	96.1	08.7	02.9	04.6	37.3	33.5	36.0	31.0	26.7	28.6
25	13.3	11.4	12.4	11.2	08.9	09.6	04.1	98.8	01.1	05.7	88.7	98.2	36.2	34.3	34.9	28.2	26.5	27.3
26	13.7	10.1	12.8	17.6	09.8	13.2	08.8	04.1	06.5	94.7	87.3	89.8	34.7	27.9	31.7	28.9	27.3	27.9
27	17.8	00.3	07.7	18.5	15.8	17.1	10.4	05.7	08.7	00.5	94.0	96.8	27.9	21.1	24.0	28.8	26.8	27.8
28	21.3	17.8	19.5	15.8	10.2	12.4	05.7	93.8	97.8	02.8	00.3	01.5	20.7	18.2	20.0	26.8	10.8	20.0
29	21.2	15.7	17.1	11.5	05.9	09.2	05.1	93.5	97.0	03.1	96.7	99.7	18.2	13.6	14.9	16.2	08.7	10.9
30	23.4	21.2	22.3	10.2	07.3	08.6	13.2	05.0	09.5	99.2	96.9	98.2	17.9	11.9	15.7	21.2	14.0	18.7
31	22.6	17.5	20.2	10.5	07.2	09.0				04.9	98.5	02.1				14.0	06.1	10.1
Mean	17.28	12.27	14.62	15.84	11.04	13.33	15.69	09.75	12.48	16.31	09.61	13.10	25.74	20.17	22.93	16.83	09.27	13.12
									Annual	18.08	11.61	14.83						

PRESSURE AT STATION LEVEL

Monthly and annual means of hourly values in millibars at exact hours, G.M.T.

162 KEW OBSERVATORY: h_b = 10.4 m.

1942

Table with columns for Hour G.M.T. (0-24) and Mean. Rows include months from Jan to Dec and an Annual summary. Data values are in millibars.

The initial 9 or 10 of the value is omitted, i.e. 1001.42 is printed 01.42.

PRESSURE REDUCED TO MEAN SEA LEVEL

Monthly and annual means of hourly values in millibars at exact hours, G.M.T.

163 KEW OBSERVATORY: h_b = 10.4 m.

1942

Table with columns for Hour G.M.T. (0-24) and Mean. Rows include months from Jan to Dec and an Annual summary. Data values are in millibars.

The initial 9 or 10 of the value is omitted, i.e. 1001.42 is printed 01.42.

The monthly and annual values of pressure reduced to mean sea level are computed from the corresponding monthly and annual means of pressure at station level and of temperature. See General Introduction to the Meteorological Tables, 1938.

TEMPERATURE

Monthly and annual means of readings in degrees Absolute at exact hours, G.M.T.

164 KEW OBSERVATORY: North-wall screen: h_t = 3.0 m.

1942

Table with columns for Hour G.M.T. (0-24) and Mean. Rows include months from Jan to Dec and an Annual summary. Data values are in degrees Absolute.

The initial 2 or 3 of the readings is omitted, i.e. 275.00 degrees Absolute is printed 75.00.

Add 0.16° to obtain temperature in degrees Kelvin where T(K.) = t(°C.) + 273.16.

TEMPERATURE

Maximum, minimum and daily mean values in degrees Absolute for each day 0h. to 24h., G.M.T.
 The initial 2 or 3 of the values is omitted, i.e. 275.0° is printed 75.0°. Add 0.16° to obtain temperature
 in degrees Kelvin where $T(^{\circ}\text{K.}) = t(^{\circ}\text{C.}) + 273.16$.

165 KEW OBSERVATORY: North-wall screen: h_t (height of thermometer bulb above ground) = 3.0 m.

1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	degrees Absolute																	
1	78.4	76.0	77.3	74.4	71.3	73.1	75.3	73.3	74.4	84.5	80.0	82.2	85.6	77.0	81.0	92.2	79.6	86.3
2	80.0	78.0	79.0	74.2	71.3	73.1	79.4	73.5	75.8	84.7	77.9	81.1	87.0	77.2	81.8	96.3	84.4	89.5
3	80.6	78.9	79.7	78.7	70.6	74.7	84.2	72.8	78.2	84.6	76.6	80.5	92.4	76.6	84.1	00.3	84.0	92.6
4	83.3	77.5	81.2	78.7	72.5	74.8	79.6	75.5	77.9	83.8	77.5	80.5	91.4	77.5	83.1	01.3	85.4	94.1
5	78.1	73.9	75.9	73.6	72.4	73.0	75.5	72.1	73.5	85.3	80.2	82.4	93.2	78.2	86.0	01.5	86.1	94.5
6	76.1	72.1	73.6	73.2	72.1	72.7	73.0	69.2	71.5	85.2	80.1	82.5	94.6	80.7	87.1	02.9	87.2	95.4
7	76.2	70.7	73.5	72.4	69.7	71.3	74.8	70.4	72.5	85.1	81.2	82.8	94.9	81.0	86.8	92.0	85.1	88.8
8	77.7	74.2	75.8	72.3	69.4	70.7	80.3	69.1	74.9	83.6	79.0	80.7	85.9	77.7	81.7	90.1	83.0	86.4
9	77.2	74.9	76.4	77.3	70.7	74.4	84.2	72.6	77.7	83.5	78.7	81.8	87.9	77.5	82.5	87.8	81.8	85.2
10	76.2	70.8	74.2	79.8	74.1	76.7	80.2	74.5	76.9	87.2	79.1	83.5	88.4	77.4	82.6	88.3	81.6	85.1
11	73.9	67.8	70.6	75.6	71.4	73.4	78.4	72.0	75.8	88.0	76.3	82.8	89.7	81.7	85.1	89.6	79.6	84.6
12	74.8	68.0	71.7	80.3	71.4	76.1	77.5	74.5	75.6	91.6	80.2	85.5	84.9	80.5	82.3	84.7	82.4	83.6
13	75.4	72.9	74.5	79.7	73.3	76.5	80.5	73.7	77.0	88.4	81.3	84.7	86.9	80.6	82.5	88.6	82.5	85.3
14	73.2	70.2	72.1	77.8	71.6	74.6	89.2	77.8	82.8	87.3	80.6	83.6	88.0	81.5	84.3	89.7	81.0	85.0
15	74.4	65.2	70.1	77.6	74.1	75.7	86.3	79.5	82.7	87.5	79.4	82.9	91.0	79.8	85.3	87.1	80.2	84.4
16	74.8	73.3	74.1	74.5	72.1	73.1	84.9	80.8	82.9	86.7	77.6	82.3	91.5	84.2	87.1	90.0	82.3	85.9
17	74.0	70.6	72.0	75.0	72.3	73.6	86.1	82.0	83.3	87.4	78.4	83.1	90.6	81.1	86.7	92.8	82.6	87.9
18	74.3	69.6	72.4	73.0	71.6	72.2	85.2	81.4	82.6	89.5	79.0	83.9	92.1	85.2	88.1	90.3	84.4	87.4
19	73.9	69.6	72.5	74.6	70.7	72.3	85.8	79.4	82.4	89.2	78.2	83.7	92.0	83.5	87.5	91.6	83.9	87.3
20	70.9	68.1	69.9	74.1	71.7	72.9	83.1	78.4	80.5	88.8	80.6	84.7	92.2	82.0	86.8	96.7	82.6	89.4
21	71.2	66.0	68.7	73.5	68.4	71.3	81.2	75.5	79.7	86.2	81.3	83.0	88.4	83.3	85.3	99.1	83.8	91.7
22	70.0	66.8	68.3	72.6	68.4	70.4	77.5	74.9	76.0	87.8	81.4	83.9	90.3	81.8	85.6	00.2	86.2	93.9
23	78.6	69.3	74.1	73.7	69.9	72.0	83.4	73.7	78.4	87.9	78.7	83.5	88.3	82.8	85.6	00.5	86.5	93.6
24	80.2	77.0	78.8	75.2	72.2	73.6	84.5	74.2	78.3	85.0	77.0	80.3	88.4	82.0	84.5	95.5	87.2	90.8
25	80.1	76.2	77.9	76.1	71.6	73.8	88.2	71.2	79.7	86.0	77.8	81.3	87.5	82.2	84.3	90.6	83.9	88.0
26	77.6	68.0	72.9	74.1	71.4	73.3	83.2	76.7	79.4	87.1	78.1	82.5	86.6	80.5	83.7	95.5	80.5	89.0
27	77.6	67.4	72.1	76.7	70.9	73.7	82.8	75.6	78.9	88.3	80.3	84.6	88.2	82.9	85.6	94.0	84.2	89.7
28	79.0	73.7	76.1	80.2	71.1	75.4	81.2	75.7	77.7	85.8	81.5	83.4	89.1	84.6	86.6	96.6	86.4	91.0
29	77.6	72.3	75.0				85.1	74.3	79.4	84.4	79.0	81.8	88.5	83.8	85.8	01.5	85.0	93.2
30	77.2	71.8	74.5				84.7	75.0	80.1	86.6	77.9	82.3	89.8	82.1	85.9	98.6	89.8	93.5
31	76.0	72.3	74.4				84.3	81.9	83.0				90.3	82.5	86.3			
Mean	76.4	71.7	74.2	75.7	71.4	73.5	81.9	75.2	78.4	86.6	79.2	82.7	89.5	80.9	84.9	94.2	83.8	89.1

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER		
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
	degrees Absolute																	
1	95.6	86.3	90.9	99.1	84.2	91.4	94.6	89.2	91.1	91.8	82.1	86.8	80.4	76.7	78.5	82.7	77.7	80.0
2	96.3	86.2	91.2	93.2	85.3	89.3	93.2	86.3	89.7	91.1	78.7	84.5	81.6	75.0	78.4	77.7	71.8	75.2
3	93.0	87.2	90.1	93.9	85.9	88.6	93.2	86.3	90.5	91.1	79.2	84.4	82.8	75.6	79.6	77.3	72.2	75.4
4	93.4	88.8	90.4	89.0	84.5	86.4	92.0	85.5	88.7	92.0	80.5	86.8	79.6	74.8	77.1	80.6	76.1	78.3
5	95.1	88.8	91.5	91.1	81.9	86.9	92.3	86.5	89.3	91.1	85.7	88.3	82.3	78.9	80.9	82.1	77.6	80.4
6	93.1	87.0	89.6	92.8	85.1	88.4	91.6	83.5	87.5	86.3	84.2	85.4	83.6	80.3	81.7	82.8	78.9	81.0
7	93.3	87.1	90.0	91.0	84.5	88.7	91.5	81.1	87.1	89.8	86.0	88.1	85.6	79.5	83.0	84.4	82.5	83.2
8	93.2	85.2	88.6	91.1	88.4	89.1	93.2	86.0	89.3	88.3	81.4	85.7	84.3	75.0	79.6	84.6	82.8	83.8
9	95.1	86.9	89.6	93.9	86.6	89.7	94.6	85.9	89.2	86.8	80.4	84.2	83.2	73.6	77.1	83.8	81.7	82.4
10	88.1	85.2	86.9	90.6	86.0	88.8	94.8	83.9	89.0	89.4	83.8	86.5	83.9	74.3	79.0	84.5	82.9	83.6
11	91.2	83.1	87.2	93.8	86.7	89.5	97.0	81.2	89.2	86.2	80.7	83.3	77.6	75.1	76.5	84.6	81.8	83.3
12	92.6	82.7	88.1	92.1	85.9	89.0	95.5	84.9	89.7	86.3	76.5	82.6	78.9	76.7	77.8	82.8	79.9	81.7
13	93.3	83.6	89.1	91.5	86.7	89.1	91.2	87.5	89.1	87.4	80.2	84.0	81.8	76.4	79.3	84.5	82.0	83.4
14	93.7	86.6	90.4	94.2	86.3	90.4	92.6	87.9	89.7	89.1	80.5	85.7	79.2	74.1	76.6	84.6	82.2	83.2
15	93.7	84.1	89.1	93.4	88.0	90.8	91.5	84.2	88.4	88.3	83.0	86.1	81.5	75.7	79.4	83.9	81.3	82.6
16	95.1	86.8	90.4	96.3	87.3	91.6	91.2	82.5	86.7	88.3	81.9	85.0	80.9	76.5	79.1	83.5	81.4	82.6
17	87.6	85.2	86.4	95.5	84.5	89.5	92.1	84.6	88.3	88.6	83.2	85.8	80.2	75.2	77.5	84.2	80.2	83.1
18	87.4	84.6	85.8	98.4	83.1	90.9	91.2	86.5	88.7	89.3	85.7	87.6	82.2	74.2	78.8	82.4	79.2	81.2
19	94.0	84.1	88.3	94.6	89.2	91.9	93.7	85.3	88.9	91.2	83.2	86.7	81.2	79.6	80.6	82.3	79.0	80.9
20	93.1	87.9	90.3	93.5	86.4	89.2	92.2	88.3	89.9	87.0	82.4	84.5	82.9	79.3	81.0	82.5	77.1	80.3
21	97.6	90.0	93.0	91.6	85.4	89.1	89.5	85.3	87.5	86.5	80.7	83.5	81.3	74.2	78.9	84.9	82.1	83.8
22	92.4	89.0	90.5	92.2	86.8	89.3	87.9	85.5	86.5	89.0	84.2	87.3	78.4	71.9	74.8	84.9	78.1	82.8
23	93.2	87.9	90.2	92.2	85.6	88.6	90.1	84.1	86.2	90.2	85.5	88.5	79.7	71.2	75.3	82.4	74.0	78.7
24	94.4	87.1	90.0	93.8	85.0	89.0	88.4	80.9	85.0	86.5	80.5	84.2	80.3	75.8	78.3	82.2	72.9	79.0
25	94.6	86.5	90.7	94.1	86.7	91.2	86.6	79.6	82.8	85.2	76.9	81.3	82.1	79.4	80.9	77.3	71.1	74.6
26	91.9	83.6	88.4	96.6	89.2	92.3	87.4	79.7	83.9	81.3	78.3	80.1	81.3	78.0	79.6	76.4	73.9	75.1
27	90.3	83.4	87.8	02.1	89.2	95.2	90.1	81.6	85.2	84.8	75.1	79.7	81.6	78.7	80.1	77.2	74.0	75.7
28	93.7	81.9	88.0	03.6	90.7	96.3	85.9	80.2	83.5	83.1	75.2	79.3	80.0	75.6	78.6	80.6	76.0	78.4
29	96.0	86.3	89.9	01.7	89.8	94.8	88.6	81.7	84.5	81.8	76.7	80.0	81.6	74.9	78.8	79.9	73.5	76.4
30	96.2	82.6	90.2	95.3	89.7	92.1	88.1	82.2	85.1	86.2	81.1	83.2	79.7	77.0	78.2	76.4	73.2	74.4
31	96.0	86.5	91.1	94.3	86.9	90.7				82.9	79.3	81.5				80.0	74.0	77.6
Mean	93.4	85.9	89.5	94.4</														

MEAN RELATIVE HUMIDITY AND VAPOUR PRESSURE FOR EACH DAY

Mean percentages from readings at exact hours 0h. to 24h., G.M.T.; vapour pressure from daily mean temperature and relative humidity

166 KEW OBSERVATORY: North-wall screen: $h_t = 3.0$ m.

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.	Rel. hum.	Vap. press.
	%	mb.	%	mb.	%	mb.	%	mb.	%	mb.	%	mb.	%	mb.	%	mb.	%	mb.	%	mb.	%	mb.	%	mb.
1	88.3	7.3	92.4	5.7	75.6	5.1	65.1	7.6	65.3	7.0	69.0	10.5	72.3	14.8	71.1	14.3	84.0	17.4	82.5	13.0	89.5	8.1	83.9	8.4
2	84.9	7.9	85.3	5.2	83.2	6.2	55.9	6.0	61.3	6.9	72.2	13.6	75.8	15.8	84.7	15.7	78.8	15.0	84.5	11.5	84.7	7.6	78.9	5.7
3	89.3	8.8	92.5	6.4	77.8	6.9	70.0	7.3	53.0	7.0	69.2	15.8	80.4	15.7	81.3	14.4	87.9	17.6	89.8	12.1	87.5	8.5	84.5	6.1
4	88.9	9.7	77.5	5.4	87.9	7.6	84.5	8.8	63.3	7.8	58.5	14.6	77.6	15.4	66.4	10.2	76.4	13.6	94.8	15.0	97.0	7.9	78.6	7.0
5	79.1	6.0	76.5	4.7	83.3	5.3	76.5	9.0	56.5	8.5	53.0	13.6	73.6	15.7	65.1	10.3	78.8	14.6	90.8	15.8	93.4	10.0	80.3	8.3
6	79.7	5.1	79.9	4.8	86.0	4.7	80.3	9.5	45.2	7.3	59.8	16.2	71.0	13.4	68.4	12.0	71.2	11.8	69.0	9.9	82.5	9.3	84.8	9.1
7	89.7	5.7	77.7	4.2	82.5	4.9	76.9	9.3	51.9	8.2	47.2	8.5	69.1	13.4	88.4	15.8	73.8	11.9	95.6	16.4	86.2	10.6	83.2	10.4
8	85.7	6.4	73.0	3.8	81.3	5.7	77.2	8.1	57.4	6.5	53.6	8.2	70.5	12.5	89.3	16.3	75.4	14.0	78.3	11.5	84.0	8.2	91.5	11.8
9	75.5	5.9	93.5	6.3	76.3	6.5	87.9	10.0	55.8	6.6	57.8	8.2	71.8	13.6	82.9	15.8	76.5	14.1	74.7	9.9	92.3	7.6	85.1	10.0
10	62.9	4.2	88.0	7.0	76.6	6.2	58.2	7.4	75.8	9.1	61.1	8.6	87.8	13.9	86.8	15.6	73.8	13.4	73.1	11.3	88.9	8.3	84.5	10.8
11	84.3	4.3	69.7	4.4	93.2	7.0	79.1	9.6	82.5	11.6	59.1	8.1	67.7	11.0	74.0	13.9	79.5	14.6	71.3	8.9	98.6	7.7	85.4	10.7
12	89.5	5.0	83.8	6.4	81.5	6.0	61.1	8.9	80.6	9.4	86.6	11.1	67.0	11.5	59.5	12.6	82.0	15.6	81.1	9.7	94.0	8.1	86.5	9.7
13	88.5	6.0	59.0	4.6	77.7	6.3	61.2	8.4	85.6	10.2	71.9	10.3	74.3	13.6	72.0	13.2	76.1	13.9	81.8	10.7	88.1	8.4	89.2	11.3
14	81.5	4.7	63.9	4.4	86.3	10.5	60.8	7.8	75.8	10.1	66.6	9.3	67.5	13.4	79.8	15.9	83.5	15.9	88.4	13.0	94.9	7.5	89.9	11.2
15	91.6	4.5	72.3	5.4	87.7	10.6	43.5	5.3	78.1	10.5	70.3	9.5	61.2	11.2	84.4	17.2	67.7	11.8	72.1	10.9	94.3	9.1	86.8	10.4
16	84.0	5.6	66.5	4.1	92.3	11.3	41.5	4.9	75.8	12.2	61.8	9.2	74.0	14.7	76.7	16.4	69.4	10.9	77.5	10.9	76.3	7.2	87.7	10.5
17	78.4	4.5	72.3	4.6	90.5	11.3	62.4	7.7	73.8	11.6	62.1	10.5	83.9	12.9	70.2	13.2	82.1	14.3	86.0	12.7	74.6	6.3	88.8	11.0
18	89.0	5.2	76.9	4.4	90.3	10.8	68.6	8.9	80.7	13.8	76.5	12.6	84.7	12.5	76.3	15.6	81.1	14.5	86.2	14.3	81.4	7.5	94.9	10.3
19	92.2	5.4	72.6	4.2	88.4	10.4	71.5	9.2	71.3	11.8	72.9	11.9	64.4	11.2	79.1	17.3	77.5	14.0	91.1	14.3	83.7	8.7	87.5	9.3
20	74.8	3.6	75.0	4.5	91.6	9.5	68.0	9.3	74.7	11.8	72.1	13.5	79.5	15.7	76.3	14.1	83.0	16.0	92.4	12.5	83.4	8.9	86.1	8.8
21	81.0	3.6	74.7	4.0	87.5	8.6	80.4	9.9	83.0	11.9	69.9	15.1	70.2	16.4	82.2	15.0	90.1	14.9	76.3	9.7	80.9	7.5	94.9	12.3
22	74.5	3.2	66.2	3.3	88.9	6.7	71.9	9.4	85.7	12.5	59.3	14.7	76.4	15.3	80.1	14.9	81.3	12.6	88.5	14.4	80.3	5.6	86.4	10.5
23	92.3	6.1	71.5	4.1	74.4	6.7	70.7	9.0	84.2	12.3	60.7	14.7	66.9	13.1	79.8	14.1	73.5	11.2	86.6	15.3	88.5	6.4	91.6	8.4
24	89.3	8.2	67.7	4.3	76.3	6.8	56.5	5.8	75.6	10.3	60.1	12.3	77.4	15.0	78.4	14.3	77.9	10.9	77.2	10.3	94.2	8.4	90.4	8.5
25	66.9	5.8	65.8	4.3	77.5	7.6	63.5	7.0	80.8	10.8	61.9	10.6	60.7	12.3	88.1	18.4	84.3	10.2	83.5	9.1	86.4	9.2	93.7	6.4
26	64.9	3.9	77.8	4.9	69.6	6.7	60.8	7.2	81.2	10.4	57.7	10.5	68.5	12.0	88.7	19.9	74.4	9.7	90.1	9.1	86.3	8.4	87.9	6.2
27	77.2	4.4	75.1	4.8	71.0	6.6	54.8	7.5	79.0	11.5	61.8	11.8	82.4	13.9	74.7	20.0	80.4	11.4	92.0	9.0	86.3	8.7	92.8	6.9
28	83.5	6.4	79.6	5.8	58.4	5.0	44.3	5.6	68.2	10.6	64.2	13.3	74.8	12.8	69.3	19.8	95.6	12.1	96.1	9.2	73.7	6.7	92.7	8.3
29	84.5	6.0	72.7	7.0	45.3	5.1	71.5	10.6	62.9	14.9	74.5	14.3	74.7	19.5	88.5	12.0	93.3	9.3	79.5	7.3	66.6	5.2	67.7	4.6
30	90.1	6.1	85.0	8.6	48.8	5.7	70.0	10.4	73.6	17.8	62.7	13.0	88.2	17.9	90.3	12.7	92.6	11.5	80.9	7.2	80.0	6.8	80.0	6.8
31	77.5	5.2	93.5	11.5					66.3	10.1									79.3	8.8				
Mean*	82.6	5.6	75.9	4.9	82.1	7.6	64.9	7.8	71.1	10.0	64.5	12.0	72.7	13.6	78.4	15.6	79.8	13.4	84.4	11.6	86.4	8.0	85.9	8.9

* Mean of the column

RELATIVE HUMIDITY

Monthly and annual means of values at exact hours, G.M.T.

167 KEW OBSERVATORY: $h_t = 3.0$ m.

1942

	Hour G.M.T.																								Mean*	
	0	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23		24
	per cent.																									
Jan.	85.2	85.8	86.3	86.8	86.7	85.9	85.8	85.2	85.0	85.0	82.6	79.4	77.9	77.0	76.9	76.1	77.0	79.3	80.7	82.4	82.5	83.2	84.0	85.2	85.0	82.6
Feb.	79.5	79.3	79.6	80.6	81.3	81.2	80.3	81.1	79.7	77.6	75.3	73.8	72.4	70.1	69.2	68.0	68.2	69.5	71.7	73.2	75.3	78.1	78.8	79.1	79.1	75.9
Mar.	86.0	87.5	88.4	89.3	90.0	90.7	90.5	90.3	89.1	86.6	82.8	78.4	74.6	72.0	70.7	70.5	70.4	72.3	75.5	79.7	81.6	82.6	84.4	86.2	86.6	82.1
Apr.	73.5	74.7	75.8	77.2	77.6	77.9	78.3	75.9	71.8	66.8	61.7	57.5	54.6	52.8	51.1	51.2	50.0	50.5	53.9	58.4	62.3	65.4	67.9	70.9	72.9	64.9
May	81.8	83.0	83.3	84.2	84.3	85.0	83.2	80.0	74.7	69.8	64.2	62.3	57.2	56.7	55.9	55.6	56.8	58.0	60.6	65.9	71.1	74.7	78.1	80.9	81.7	71.1
June	76.3	79.0	80.2	81.9	83.4	82.0	78.1	72.0	65.9	61.9	57.5	53.6	52.6	50.4	50.0	48.0	47.9	48.9	50.8	54.8	60.2	65.2	71.3	74.9	76.5	64.5
July	81.8	83.8	85.5	86.2	86.2	86.5	84.3	81.1	76.9	72.9	68.0	66.2	64.2	61.2	59.1	58.6	58.9	59.6	61.9	64.1	68.7	73.5	76.5	79.7	81.8	72.7
Aug.	87.3	88.5	89.0	89.2	90.6	91.2	90.5	87.3	82.9	77.0	71.2	67.3	65.0	64.1	63.9	65.0	66.0	67.8	69.3	73.8	79.7	83.5	85.2	86.5	87.6	78.4
Sept.	87.5	88.0	88.9	89.4	89.6	89.6	89.5	87.7	85.3	81.1	75.0	71.1	68.2	66.8	66.6	65.7	66.5	69.6	73.4	78.6	81.9	84.1	85.5	86.2	87.6	79.8
Oct.	89.5	89.8	90.1	90.7	90.6	90.0	90.3	90.3	88.9	86.3	83.4	80.3	77.1	73.0	72.4	72.3	74.3	77.6	82.1	84.7	87.0	87.9	88.2	89.0	89.2	84.4
Nov.	89.2	89.9	90.5	90.9	90.4	90.7	91.5	91.1	91.5	89.6	86.4	84.1	81.3	78.9	77.2	76.1	79.6	82.5	84.9	86.9	86.2	87.3	88.1	88.9	89.5	86.4
Dec.	87.2	88.5	89.5	89.0	88.4	88.9	89.7	89.7	89.5	89.1	86.6	84.3	82.0	80.0	78.6	79.4	81.8	83.8	85.1	86.5	85.8	85.9	86.3	86.3	86.8	85.9
Annual	84.3	84.9	85.6	86.3	86.6	86.7	86.0	84.4	81.8	78.7	74.7	71.5	68.9	66.9	66.0	65.6	66.5	68.3	70.9	74.1	76.9	79.3	81.2	82.9	83.8	77.4

VAPOUR PRESSURE

Monthly and annual means of values at exact hours, G.M.T., computed from corresponding mean values of temperature and relative humidity

168 KEW OBSERVATORY: $h_t = 3.0$ m.

1942

	Hour G.M.T.																								Mean*	
	0	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23		24
	millibars																									
Jan.	5.6	5.6	5.6	5.6	5.5	5.5	5.5	5.4	5.4	5.4	5.4	5.4	5.4	5.5	5.5	5.5	5.4	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5
Feb.	4.6	4.8	4.8	4.8	4.9	4.9	4.8	4.9	4.8	4.7	4.7	4.8	4.8													

RAINFALL

Amount in millimetres, duration in hours and maximum rate of fall for each day 0h. to 24h., G.M.T.

169 KEW OBSERVATORY: h_r (height of receiving surface above M.S.L.) = height of station above M.S.L. + height of receiving surface above ground = 5.5 m. + 0.53 m.

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate
	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.
1	9.5	16.2	1.2	0.4	7
2	5.9	5.0
3	1.7	3.3	8	5.9	8.7	10	4.5	3.5	14
4	5.0	3.6	9	13.6	10.9	5	2.6	4.6
5	0.3	1.0	3.2	...	0.2	0.6
6	0.1	3.9	1.7	27
7	0.4	0.6	0.1	0.2
8	2.2	0.9	7
9	0.4	0.9	7	0.5	1.1	7	6.0	6.6	10
10	0.1	0.3	7	18.5	8.4	30
11	7.6	14.7	1.1	1.9
12	0.1	0.4	0.9	2.0	5.1	...	4.5	5.9	7
13	1.8	7.9	...	0.1	0.1	6.2	9.6
14	3.4	3.0	30
15	0.1	0.1	3.0	1.7	13
16	4.3	3.9	7	4.4	3.5	16
17	1.2	2.4	6	0.2	0.4
18	1.2	2.6	1.5	2.7	7	2.6	2.7
19	5.7	8.5	5.5	3.7	22
20	3.3	6.2
21	0.3	1.4
22	0.9	2.5	11.8	1.2	137
23	15.7	13.4	9	6.1	7.1	12
24	3.6	3.9	12	3.6	1.9	37
25	5.9	4.9	13
26	6.7	3.3	11
27	2.8	3.0	11	2.0	1.8	11
28	0.1	0.2
29	1.5	2.1	6	0.6	0.6	35
30	11.2	8.2	20	1.0	0.2	21	31.5	1.5	84
31	0.2	0.5	3.6	5.0	18
Total	55.5	67.2	-	22.4	31.4	-	42.2	50.5	-	20.7	18.5	-	76.1	55.9	-	36.0	7.4	-

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER		
	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate	Amount	Duration	Max. rate
	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.	mm.	hr.	mm./hr.
1	1.2	1.6	...	0.1	7.6	5.4	12	0.9	0.5	6
2	5.4	3.0	10	0.1	0.2	...	3.5	1.9	7
3	0.9	0.5	...	2.1	3.3	6	3.3	4.7	...	0.6	0.7	...
4	0.4	0.7	0.1	0.1
5	0.1	0.1	0.3	0.5	9	1.9	1.0	12	21.1	12.6	16	9.1	2.5	57
6	2.8	0.3	60	0.3	0.4	...	8.0	3.7	13
7	0.2	0.3	8.9	5.6	22	8.1	4.9	37	(...)	0.1	...
8	0.8	0.4	12	3.2	4.8	6	1.6	2.4	23	0.4	0.8	...
9	2.1	0.4	27	0.1	1.0
10	14.7	12.0	18	(...)	0.5	0.2	0.4
11	2.3	0.7	53	1.8	2.0	...
12	2.1	2.4	8
13	5.0	1.7	54	0.1	0.2	...	0.7	0.9	6	0.9	2.0	...
14	0.1	0.5	(...)	0.1	4.0	3.6	33
15	(...)	0.1	...	1.2	1.2	7	0.2	0.4	...	0.6	0.1	42	3.0	3.8	11
16	2.1	1.6	34	11.0	3.3	30	0.8	1.1	...
17	6.5	5.9	9	1.8	2.0	16
18	1.4	2.7	(...)	0.2	7.6	10.1	...
19	2.6	3.4	13	2.8	3.9	...
20	0.1	0.3	...	0.3	0.2	6	13.8	5.0	29	0.5	0.4
21	0.5	0.6	...	10.3	8.4	27	1.2	2.5	6	2.6	1.8	13
22	0.1	0.2	...	3.8	1.1	48	0.5	0.8	...	0.6	1.3	4.4	6.2	6
23	0.8	0.9	0.6	0.5	6	4.8	2.5	22
24	0.1	0.1	...	4.7	4.2	22	0.2	0.4
25	7.2	3.4	37	0.4	0.2	11	8.5	3.0	41
26	2.5	1.2	19	21.5	9.6	56
27	9.5	5.3	18	1.4	0.8	27	1.4	1.4
28	6.3	6.6	6	1.7	2.9	3.7	3.1	13
29	11.8	2.0	66	1.6	1.6	8	10.8	4.0	26
30	2.3	3.7	...	3.8	2.6	32
31	1.3	1.5	8	5.5	2.7	...
Total	44.3	32.4	-	56.1	28.2	-	26.5	29.2	-	87.2	49.4	-	50.3	33.7	-	55.5	51.2	-

RAINFALL

Monthly and annual totals of amounts in sixty-minute periods between exact hours, G.M.T.

170 KEW OBSERVATORY: $h_r = 5.5 \text{ m.} + 0.53 \text{ m.}$

1942

	Hour G.M.T.																						0-24		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
	<i>millimetres</i>																								
Jan.	0.9	2.8	2.5	1.3	0.9	1.0	0.1	0.3	0.4	1.0	1.2	1.0	1.8	1.2	1.6	3.3	5.8	7.5	3.0	2.9	2.9	2.8	6.0	3.3	55.5
Feb.	0.1	0.1	0.1	1.8	3.4	3.4	1.9	1.0	1.0	1.1	0.9	1.0	1.1	1.4	1.1	0.5	0.4	0.3	0.1	0.5	0.3	0.4	0.3	0.2	22.4
Mar.	1.7	0.7	0.4	3.4	2.4	2.1	1.7	1.9	2.0	2.3	3.2	3.5	1.5	1.5	1.2	1.2	1.7	0.8	1.0	1.4	2.5	3.3	0.6	0.2	42.2
Apr.	0.3	...	0.1	...	0.1	0.3	1.3	0.9	0.4	0.3	0.1	0.2	2.6	1.0	1.0	1.0	0.2	0.8	2.4	1.9	3.7	2.1	20.7
May	3.3	1.8	2.5	1.9	1.2	1.0	0.6	0.3	0.9	1.6	1.8	0.5	1.1	2.0	3.3	2.8	14.9	4.6	2.9	5.0	7.3	7.8	3.2	3.8	76.1
June	0.2	0.5	0.1	0.1	0.2	1.1	0.9	0.3	0.4	0.6	24.4	7.2	36.0
July	0.8	2.3	2.9	3.8	4.6	1.1	0.5	2.1	2.8	1.3	0.5	6.1	1.3	1.1	0.9	0.8	2.1	1.5	0.7	0.9	0.5	0.4	4.5	0.8	44.3
Aug.	0.8	3.7	3.2	3.2	2.8	1.3	3.0	1.2	0.7	0.4	1.2	0.1	2.7	2.3	1.4	4.1	5.1	5.1	9.5	3.3	0.8	0.2	56.1
Sept.	...	0.6	0.3	0.4	1.0	0.2	...	0.8	1.6	1.3	0.9	0.6	0.6	4.2	0.9	3.3	3.3	2.0	1.1	0.6	0.6	0.8	0.8	0.6	26.5
Oct.	2.0	1.5	1.3	1.8	0.6	1.7	0.9	1.4	1.0	4.3	6.2	2.4	1.6	2.1	8.3	11.0	6.4	3.6	4.6	5.5	2.6	3.4	8.5	4.5	87.2
Nov.	3.0	4.3	0.9	0.8	2.2	2.7	0.5	5.1	2.7	1.8	1.1	1.7	2.2	1.6	0.7	1.1	2.5	0.4	1.2	1.1	4.1	4.5	3.1	1.0	50.3
Dec.	5.2	3.2	3.2	4.8	3.6	1.0	1.5	3.6	6.6	2.5	0.3	0.4	0.4	...	0.6	2.2	2.0	1.1	2.1	2.6	3.7	1.3	2.4	1.2	55.5
Annual	17.5	17.3	15.0	23.7	23.2	17.7	12.3	18.8	22.5	18.9	18.0	18.7	15.4	16.2	22.3	29.5	40.8	26.3	22.6	50.8	43.6	29.9	33.9	17.9	572.8

RAINFALL

Monthly and annual totals of durations in sixty-minute periods between exact hours, G.M.T.

171 KEW OBSERVATORY: $h_r = 5.5 \text{ m.} + 0.53 \text{ m.}$

1942

	Hour G.M.T.																						0-24		
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22		22-23	23-24
	<i>hours</i>																								
Jan.	1.6	2.3	2.0	2.2	1.4	1.3	0.4	0.8	1.0	2.0	1.6	1.1	2.0	1.7	2.7	3.1	5.0	5.4	5.5	5.2	3.7	5.2	5.3	4.7	67.2
Feb.	0.5	0.5	0.5	2.1	3.0	3.0	2.5	1.5	1.0	1.0	1.0	1.0	1.6	1.9	1.7	1.5	0.8	0.5	0.2	1.3	1.2	1.2	0.9	1.0	31.4
Mar.	1.9	1.5	0.6	2.0	2.5	2.7	2.2	2.2	2.1	2.2	3.0	3.1	3.0	2.1	2.2	2.3	1.9	1.7	1.5	1.9	2.2	3.4	1.9	0.4	50.5
Apr.	0.8	...	0.2	...	0.2	0.3	1.1	1.0	0.9	0.7	0.2	0.2	1.3	1.0	0.5	0.4	...	0.1	0.8	0.7	1.2	2.2	2.9	1.8	18.5
May	1.9	2.3	3.1	2.9	1.9	1.8	1.0	1.0	0.9	0.8	0.8	0.9	1.6	1.8	1.0	3.2	4.5	3.1	3.6	3.7	3.8	3.9	3.4	3.0	55.9
June	0.2	0.5	0.2	0.2	0.3	0.9	0.9	0.5	1.0	1.0	1.1	0.6	7.4
July	0.8	2.0	2.1	2.0	2.2	1.4	1.0	1.4	2.2	0.9	1.0	1.4	1.3	1.2	1.0	1.0	1.7	1.6	1.5	1.1	0.9	0.4	1.3	1.0	32.4
Aug.	0.5	1.1	0.9	0.9	1.7	1.2	1.8	0.8	0.7	0.8	0.8	0.4	1.0	1.3	1.5	2.3	1.7	2.5	3.2	1.7	1.0	0.4	28.2
Sept.	0.2	1.2	0.8	0.9	1.8	0.4	...	1.5	2.7	1.8	1.0	0.8	1.0	2.0	1.2	1.4	2.0	1.8	0.7	1.4	0.9	1.0	1.5	1.2	29.2
Oct.	1.9	1.6	0.7	2.3	1.0	1.5	0.9	1.0	1.1	1.3	2.5	1.6	1.4	1.3	2.8	3.8	3.5	2.2	2.2	2.7	2.1	3.9	3.0	3.1	49.4
Nov.	2.0	1.9	1.3	1.0	1.6	2.2	0.9	2.6	2.0	1.8	1.5	1.6	2.0	1.7	0.6	1.0	0.9	0.3	1.4	1.3	0.9	1.0	1.0	1.2	33.7
Dec.	2.7	3.6	3.0	3.1	3.5	1.2	1.9	3.7	3.3	2.0	0.9	0.4	0.5	...	1.1	2.4	2.3	1.6	2.4	2.4	2.8	1.9	2.9	1.6	51.2
Annual	14.5	16.9	14.8	19.6	20.0	16.7	14.1	18.1	19.2	15.6	15.1	13.8	16.5	15.1	15.8	21.4	24.6	21.6	22.5	25.3	23.5	25.8	25.1	19.4	455.0

NOTES ON RAINFALL

172 KEW OBSERVATORY

1942

Dry Periods

The following definitions are adopted by the British Rainfall Organization

- An "absolute drought" is a period of at least 15 consecutive days to none of which is credited 0.2 mm. of rain or more
- A "partial drought" is a period of at least 29 consecutive days, the mean daily rainfall of which does not exceed 0.2 mm.
- A "dry spell" is a period of at least 15 consecutive days to none of which is credited 1.0 mm. of rain or more

- "Absolute drought": February 10-March 3; April 10-May 9; June 13-29.
- "Partial drought": February 3-March 3; April 9-May 9; May 27-June 29
- "Dry spell": February 4-March 3; April 10-May 9; June 13-29; November 8-26

Wet Periods

The following definitions are adopted by the British Rainfall Organization

- A "rain spell" is a period of at least 15 consecutive days to each of which is credited 0.2 mm. of rain or more
- A "wet spell" is a period of at least 15 consecutive days to each of which is credited 1.0 mm. of rain or more

No "rain spells" or "wet spells" occurred in 1942

Rainfall Duration

Hours	0.1-1.0	1.1-2.0	2.1-6.0	6.1-12.0	>12.0
Number of days	54	26	54	16	4

Continuous or Heavy Falls

The fall of the longest duration occurred on March 11 when 8 mm. fell in 14 hr. 42 min. Falls of 10 hr. duration occurred on January 23 (9 mm.) and on March 4 (13 mm.)

Heavy Falls in short periods

On May 22, 5 mm. fell in 3 min. and 10 mm. in 12 min. whilst on June 30, 5 mm. fell in 5 1/2 min., 10 mm. in 16 min., 25 mm. in 54 min. and 31 mm. in 1 hr. 15 min. The last two measurements come within the category of "Noteworthy Falls" as now defined. (See British Rainfall, 1935, p. 274).

Rate of Rainfall (Jardi Recorder)

The highest instantaneous rate of rainfall recorded by this instrument was 137 mm./hr. at 16h. 05m. on May 22. The maximum rate exceeded 50 mm./hr. on May 22, June 30, July 6 and 13, August 11 and 29, October 26 and December 5.

DURATION OF BRIGHT SUNSHINE AND TOTAL SOLAR RADIATION FOR EACH DAY
Solar radiation received on a surface perpendicular to the solar beam

173 KEW OBSERVATORY: h_s (height of records above ground) = 13.3 m.

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation
	hr.	%	J./cm. ²	hr.	%	J./cm. ²	hr.	%	J./cm. ²	hr.	%	J./cm. ²	hr.	%	J./cm. ²	hr.	%	J./cm. ²
1	7.4	57	1420	9.8	66	1840	8.2	50	1720
2	0.9	8	180	10.6	82	1920	8.2	55	1230	10.9	67	2370
3	2.1	19	290	0.2	2	100	11.3	76	1710	12.5	77	2340
4	0.7	9	60	4.0	31	580	12.4	83	2370	14.1	86	2250
5	3.2	40	290	5.9	45	640	11.4	76	1700	14.0	86	2040
6	4.6	58	410	4.2	32	220	12.1	81	2840	14.0	86	2060
7	0.9	11	150	0.1	1	10	3.8	29	290	11.6	77	2910	11.2	68	2360
8	2.5	31	230	3.0	32	260	8.2	73	1110	6.5	49	910	12.1	80	1550	9.5	58	1270
9	3.3	41	310	2.7	24	440	0.4	3	60	10.8	71	2050	4.0	24	660
10	1.5	19	160	0.2	2	50	8.7	65	1100	3.2	21	280	6.7	41	870
11	0.2	2	180	1.6	17	170	2.0	15	280	2.7	18	500	12.5	76	2130
12	2.7	33	170	0.1	1	40	10.0	74	1430
13	6.4	65	900	7.2	62	680	5.4	40	650	2.8	18	230	5.4	33	550
14	6.9	70	660	3.7	32	520	11.3	83	1710	5.2	34	570	7.8	47	1000
15	30	3.6	31	430	12.2	89	2320	6.3	41	710	0.3	2	80
16	2.0	20	190	0.1	1	20	12.6	91	2520	9.9	64	1310	1.3	8	200
17	10	10	6.7	48	1050	6.4	41	970	9.1	55	1210
18	0.5	4	40	4.8	34	390	0.8	5	80	0.5	3	80
19	2.2	22	150	0.8	7	90	8.7	62	1050	12.1	77	1900	1.2	7	130
20	6.2	44	740	3.8	24	470	5.8	35	790
21	0.2	2	90	0.3	3	40	0.7	5	80	1.1	7	70	10.4	63	1360
22	2.4	28	240	3.7	36	310	3.5	25	290	3.3	21	360	14.2	86	2470
23	0.1	1	10	9.7	79	1090	2.6	18	250	3.8	24	370	13.5	81	2510
24	0.1	1	30	6.0	49	460	11.0	77	1980	9.7	61	1650	8.0	48	980
25	4.8	55	480	2.2	21	180	6.7	54	550	11.0	77	1440	1.0	6	90	5.8	35	630
26	0.1	1	4.9	39	600	8.6	60	1330	7.2	45	980	10.9	66	1680
27	1.3	15	160	4.3	40	460	1.6	13	170	11.8	81	1790	6.7	42	690	8.2	50	1380
28	3.5	40	510	1.9	18	310	2.7	21	340	8.9	61	1430	9.8	61	1410	6.0	36	890
29	6.4	51	510	10.0	68	1980	8.2	51	1230	12.8	77	2410
30	1.5	12	250	12.5	85	2290	10.5	65	1770	5.3	32	610
31	0.1	1	10	10.2	63	1250
Mean	1.04		110	1.25		130	2.24		250	7.07		1070	7.24		1130	8.14		1300

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER		
	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation	Total for day	Per cent. of possible	Solar radiation
	hr.	%	J./cm. ²	hr.	%	J./cm. ²	hr.	%	J./cm. ²	hr.	%	J./cm. ²	hr.	%	J./cm. ²	hr.	%	J./cm. ²
1	7.6	46	890	7.4	48	1130	3.1	23	510	7.7	66	1320	3.2	39	390
2	3.7	22	420	3.2	21	460	5.5	41	870	9.1	79	1230	4.8	50	640	0.8	10	120
3	2.5	15	340	3.7	24	670	1.5	11	230	5.4	47	390	2.4	25	320
4	2.5	15	180	0.3	2	70	7.2	54	1480	1.1	10	90	3.5	43	420
5	6.0	37	860	1.1	7	110	6.4	48	1330	0.1	1	30	3.1	39	410
6	8.5	52	1550	2.4	16	280	10.5	79	2110	6.4	68	840	2.3	29	290
7	11.6	71	1750	0.4	3	100	7.0	53	1330	2.4	26	360
8	4.6	28	800	11.6	88	2140	3.4	30	550	7.2	78	1160	0.3	4	70
9	5.5	34	1060	6.9	46	1150	2.1	16	220	1.2	11	170	3.7	40	380	3.0	38	460
10	0.2	1	30	10.3	79	1320	3.4	31	540	5.7	63	770
11	5.7	35	690	7.1	48	1160	8.5	66	810	7.7	70	1240	0.1	1	30
12	9.1	56	1420	7.5	51	1130	2.7	21	350	1.3	12	210	5.7	73	640
13	5.5	34	850	1.5	10	160	0.1	1	10	4.3	40	430	10
14	3.7	23	540	4.2	29	580	0.2	2	20	1.0	9	130	1.2	13	170	1.4	18	180
15	10.2	63	1670	3.9	27	520	7.6	60	1890	8.1	76	1770	0.4	5	80
16	3.1	19	450	8.0	55	1460	9.0	71	1560	4.2	39	590	0.9	10	120
17	12.5	86	2780	0.1	1	50	0.2	2	40	1.8	21	230	1.2	15	120
18	11.0	76	2260	2.6	21	280	0.3	3	20	4.3	50	460	0.3
19	6.1	38	1230	4.2	29	590	3.6	29	660	3.4	33	420	10
20	0.2	1	20	7.9	55	1390	0.3	2	40	2.0	23	200	1.3	17	160
21	6.4	40	760	3.1	22	660	6.2	60	1070	10
22	0.1	1	...	2.9	20	310	0.2	2	10	3.1	36	250	0.5	6	50
23	2.0	13	210	6.0	42	910	5.9	49	1080	0.1	1	10	0.5	4	120	4.3	55	560
24	7.2	46	1000	7.2	51	1060	5.7	47	910	6.4	63	1040	50	5.6	72	900
25	5.5	35	660	0.1	1	10	0.4	3	90	2.3	23	290	0.1	1	20
26	2.0	13	270	2.4	17	300	0.8	7	80
27	1.0	6	100	10.6	76	1660	4.5	38	520	3.0	30	440
28	10.7	69	1440	10.8	78	2040	1.2	15	110
29	4.3	28	610	5.8	42	630	0.8	7	100	1.3	16	120	5.5	71	540
30	11.1	72	1990	3.7	27	310	10	1.0	10	80	3.7	45	250	3.0	38	20
31	13.0	84	2130	0.9	7	180	1.9	20	150	5.4	69	540
Mean	5.14		770	4.74		780	3.94		670	2.67		390	1.75		220	1.64		190
										Annual Mean		590						

See Introduction for corrections to tabulated values of radiation.

DURATION OF BRIGHT SUNSHINE

Monthly and annual totals between exact hours, local apparent time

174 KEW OBSERVATORY: h_s (height of recorder above ground) = 13.3 m.

1942

	Hour L. A. T.																		Total	per cent. of possible	
	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21			
	<i>hours</i>																				
Jan.	-	-	-	-	...	0.7	2.7	5.8	5.9	7.2	5.3	3.5	1.0	...	-	-	-	-	32.1	12	
Feb.	-	-	-	2.5	3.7	3.3	3.8	6.8	6.6	6.4	1.6	0.2	...	-	-	-	34.9	13	
Mar.	-	-	...	0.1	1.7	5.0	6.6	7.9	10.2	11.0	9.6	8.1	6.3	2.7	0.2	...	-	-	69.4	19	
Apr.	-	...	0.7	10.1	17.4	20.1	21.0	21.2	19.8	19.8	20.3	17.0	17.9	15.6	10.5	0.8	...	-	212.2	51	
May	...	0.5	8.0	14.3	15.7	19.0	18.2	18.5	18.9	17.9	16.3	17.3	16.1	15.5	16.0	10.3	1.9	...	224.4	47	
June	...	2.6	13.4	17.4	20.2	20.0	20.1	18.8	18.4	17.7	15.8	18.8	15.0	16.1	15.6	10.5	3.7	...	244.1	49	
July	...	0.8	4.8	8.6	10.5	11.1	10.0	11.7	12.6	14.0	14.5	15.7	13.0	10.9	10.9	8.7	1.6	...	159.4	32	
Aug.	-	...	1.5	6.6	10.6	11.2	15.6	14.5	15.8	13.4	11.7	8.8	11.5	11.1	10.5	4.1	...	-	146.9	33	
Sept.	-	-	0.3	6.5	9.9	11.2	10.4	11.9	12.2	11.8	12.4	12.2	9.3	6.4	3.7	...	-	-	118.2	31	
Oct.	-	-	-	...	2.0	8.0	8.3	9.5	10.1	11.1	9.9	9.4	8.6	5.7	0.2	-	-	-	82.8	25	
Nov.	-	-	-	-	...	1.0	4.4	8.7	10.1	10.1	9.0	7.4	1.9	...	-	-	-	-	52.6	20	
Dec.	-	-	-	-	...	1.1	5.5	7.0	10.3	10.3	9.4	6.6	0.5	...	-	-	-	-	50.7	21	
Annual	...	3.9	28.7	63.6	88.0	110.9	126.5	138.8	148.1	151.1	140.8	131.2	102.7	84.2	67.6	34.4	7.2	...	1427.7	32	

SOLAR RADIATION RECEIVED ON A SURFACE PERPENDICULAR TO THE SOLAR BEAM

Monthly and annual totals between exact hours, local apparent time

175 KEW OBSERVATORY: h_s = 13.3 m.

1942

	Hour L. A. T.																		Total	
	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21		
	<i>joules per square centimetre</i>																			
Jan.	-	-	-	-	...	130	430	640	710	770	500	280	60	...	-	-	-	-	3520	
Feb.	-	-	-	20	210	360	380	440	730	680	550	290	70	...	-	-	3730	
Mar.	-	-	...	70	240	560	740	900	1080	1250	1120	800	620	350	100	...	-	-	7830	
Apr.	-	...	190	1050	1840	2550	3040	3310	3560	3570	3610	3170	2890	2080	1150	230	...	-	32240	
May	...	90	840	1530	1910	2260	2700	3350	3820	3310	3170	3330	2970	2590	2050	970	210	...	35100	
June	...	480	1340	2200	2880	3460	3610	3680	3360	3380	3010	3260	2700	2230	1890	1130	420	...	39030	
July	...	160	610	1020	1410	1900	1560	1980	2110	2270	2200	2510	2020	1600	1500	890	150	...	23890	
Aug.	-	20	340	1020	1450	1830	2320	2350	2710	2510	2350	1670	2090	1790	1270	380	...	-	24100	
Sept.	-	-	100	900	1530	1910	1830	2010	2080	2150	2250	2090	1630	920	570	40	-	-	20010	
Oct.	-	-	-	10	250	1100	1360	1580	1540	1670	1430	1340	1190	710	70	-	-	-	12250	
Nov.	-	-	-	-	20	180	590	1090	1270	1130	1070	860	310	40	-	-	-	-	6560	
Dec.	-	-	-	-	...	130	510	880	1230	1330	1010	700	230	...	-	-	-	-	6020	
Annual	...	750	3420	7800	11550	16220	19050	22150	23910	24070	22400	20560	17000	12380	8600	3640	780	...	214280	

See Introduction for correction to tabulated values.

WIND

Mean speed and highest instantaneous speed recorded each day (0h. to 24h., G.M.T.) by the pressure-tube anemograph

176 KEW OBSERVATORY: h_a (height of anemograph above M.S.L.) = height of ground above M.S.L. + height of anemograph above ground = 5 m. + 23 m. 1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust	Mean	Max. gust
	<i>metres per second</i>																							
1	1.8	6	2.4	8	4.1	11	7.4	21	3.4	13	3.0	11	4.2	10	1.1	10	3.2	12	1.8	8	3.0	9	4.2	14
2	2.8	7	3.7	11	3.4	9	5.4	20	3.6	14	2.7	9	3.8	10	2.5	12	3.6	13	0.7	6	1.8	9	1.5	7
3	5.5	14	3.8	12	3.7	10	3.2	12	2.5	13	0.9	7	4.0	13	3.0	14	5.3	17	0.8	5	2.3	11	1.0	6
4	4.9	13	5.5	15	3.6	12	4.9	16	1.8	12	1.3	7	5.9	19	3.2	11	4.1	13	1.1	7	1.4	5	2.6	10
5	5.9	15	7.1	17	5.4	12	6.0	17	3.0	11	2.6	9	3.4	11	1.6	7	6.7	19	2.3	12	3.1	11	6.2	25
6	3.2	14	4.7	15	5.9	13	7.1	21	3.8	12	2.4	14	4.8	15	1.3	7	2.5	12	4.1	11	4.6	15	3.7	13
7	1.7	5	6.1	16	4.6	15	8.3	23	4.1	14	4.5	14	5.1	18	3.6	13	2.2	10	1.5	8	3.7	14	6.3	15
8	3.2	11	2.9	12	3.7	16	5.2	16	7.3	15	3.0	12	3.3	14	4.2	15	3.1	12	4.2	14	2.0	7	4.9	15
9	5.2	17	1.7	8	1.7	10	8.6	23	7.1	15	2.1	11	3.3	11	3.0	15	2.1	9	5.6	21	0.4	2	6.0	16
10	5.6	19	3.8	15	2.8	7	6.6	22	5.9	16	4.4	12	2.9	11	5.8	18	1.2	6	6.3	20	1.1	6	6.8	18
11	1.3	4	3.1	13	1.8	10	2.2	9	2.0	9	4.7	12	3.3	12	5.6	17	0.8	5	2.5	12	0.3	3	5.7	21
12	1.8	9	4.5	15	6.7	18	5.1	14	4.6	11	3.6	11	1.6	8	4.0	15	2.9	13	2.3	11	1.8	9	3.6	15
13	5.4	16	5.0	17	5.9	14	5.5	13	4.3	11	2.9	13	3.2	12	2.6	9	4.9	13	1.0	6	3.4	11	7.2	18
14	2.6	9	3.0	11	3.1	13	8.3	20	3.0	10	1.8	9	2.8	11	2.9	10	1.9	8	4.3	16	0.9	5	4.6	14
15	2.5	9	2.7	9	4.2	17	6.0	14	3.2	13	2.7	13	3.2	13	4.8	15	4.0	14	5.3	20	0.9	4	4.4	14
16	4.6	12	6.0	14	4.2	14	5.9	17	2.9	14	2.4	9	5.1	19	2.0	9	3.8	13	4.1	14	3.4	11	6.7	20
17	3.1	9	7.3	18	3.6	11	5.6	18	3.4	12	2.6	13	3.6	19	1.9	9	2.9	11	4.2	13	3.6	12	4.9	13
18	2.2	7	5.5	12	3.2	11	2.5	8	5.1	17	2.5	8	4.9	16	2.0	11	3.4	12	3.1	12	2.5	9	2.6	8
19	4.3	13	3.9	10	2.6	10	2.6	10	4.7	14	3.1	7	4.0	14	3.5	13	2.7	9	2.1	7	1.8	6	4.0	15
20	3.5	11	2.8	8	1.6	5	2.9	13	1.6	8	1.4	10	2.0	9	3.5	18	5.2	19	3.3	17	1.8	9	4.6	18
21	2.9	8	4.1	11	3.5	13	2.3	6	1.6	6	1.2	8	2.7	12	5.0	18	2.8	13	4.3	15	3.7	12	6.5	19
22	2.6	8	3.7	10	6.4	15	1.8	8	2.4	11	2.1	11	5.5	19	4.5	15	4.2	13	5.1	15	1.3	7	5.2	17
23	4.9	15	4.7	13	4.9	12	3.9	15	4.9	16	2.2	10	5.1	18	1.9	9	5.4	21	5.4	15	1.7	9	2.2	11
24	3.9	17	7.0	17	2.4	7	7.6	16	6.9	20	4.4	12	5.6	16	1.8	11	3.6	13	5.1	22	1.3	8	2.6	11
25	6.5	20	6.6	15	1.3	11	7.8	17	6.8	22	3.1	10	3.9	11	3.2	13	1.5	7	4.2	21	4.2	15	0.8	4
26	6.0	20	5.3	14	6.0	19	7.1	16	5.7	21	2.1	10	3.0	11	1.6	10	4.1	12	3.7	18	3.8	10	1.0	4
27	5.7	17	2.2	7	5.4	15	8.0	19	6.9	19	2.3	12	3.2	13	2.1	9	2.0	8	1.9	10	3.5	11	0.6	3
28	4.8	18	4.3	12	5.7	13	11.0	25	9.7	25	2.7	10	2.2	10	2.3	12	1.1	6	1.3	9	3.3	13	3.5	12
29	4.8	20			1.7	6	10.7	25	6.8	19	1.5	9	2.7	12	1.4	13	3.6	15	3.4	12	3.0	11	5.8	19
30	4.6	16			2.7	11	5.1	15	4.0	14	2.0	12	1.3	7	2.8	11	2.1	8	2.8	11	1.6	8	5.9	20
31	5.5	19			6.1	17			2.6	12			2.4	12	1.8	10			3.0	12			4.3	14

WIND

Monthly and annual means of mean wind speed between exact hours, G.M.T.

177 KEW OBSERVATORY: h_a = 5 m. + 23 m. 1942

	Hour G.M.T.																								Mean
	0-1	1-2	2-3	3-4	4-5	5-6	6-7	7-8	8-9	9-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	
	<i>metres per second</i>																								
Jan.	3.4	3.6	3.8	4.0	3.8	4.0	4.0	3.9	3.9	3.9	4.3	4.6	4.6	4.7	4.7	4.6	4.5	4.2	4.0	4.0	3.5	3.4	3.1	3.1	4.0
Feb.	3.9	3.8	3.8	3.6	3.7	4.0	4.1	4.2	4.5	4.7	5.0	5.1	5.0	5.1	5.1	4.8	4.6	4.5	4.4	4.2	4.1	4.2	4.0	4.0	4.4
Mar.	3.4	3.4	3.4	3.3	3.2	3.2	3.3	3.4	3.8	4.2	4.4	4.5	4.7	4.8	4.6	4.6	4.5	4.2	4.1	3.9	4.0	4.1	3.7	3.7	3.9
Apr.	4.7	4.4	4.5	4.4	4.3	4.2	4.5	5.1	5.7	6.4	6.9	7.3	7.5	7.6	7.7	7.5	7.4	7.0	6.1	5.8	5.4	5.3	5.1	4.9	5.8
May	3.4	3.3	3.2	3.2	3.1	3.3	3.9	4.0	4.4	4.6	5.1	5.4	5.5	5.6	5.9	5.9	5.5	5.4	5.0	4.4	4.1	4.0	3.6	3.4	4.4
June	1.8	1.7	1.6	1.5	1.6	1.6	2.0	2.5	2.7	3.0	3.3	3.2	3.3	3.4	3.5	3.5	3.6	3.7	3.5	3.2	2.6	2.2	1.9	2.0	2.6
July	2.5	2.4	2.4	2.5	2.7	2.7	3.0	3.3	3.6	3.9	4.4	4.5	4.8	5.0	5.1	5.0	4.7	4.7	4.5	3.8	3.1	2.8	2.5	2.5	3.6
Aug.	1.9	1.8	1.7	1.7	1.6	1.6	1.9	2.2	2.8	3.2	3.8	4.0	4.2	4.3	4.5	4.4	4.3	3.9	3.5	3.0	2.7	2.7	2.3	2.1	2.9
Sept.	2.4	2.3	2.5	2.5	2.7	2.6	2.7	2.8	3.4	3.8	4.1	4.2	4.3	4.5	4.3	4.3	4.1	3.7	3.1	2.8	2.6	2.6	2.5	2.5	3.2
Oct.	2.9	2.9	2.8	2.7	2.6	2.6	2.5	2.6	3.1	3.5	3.9	3.9	4.0	4.1	4.1	3.8	3.5	3.3	3.4	3.5	3.1	3.1	3.1	3.0	3.3
Nov.	2.2	2.3	2.1	2.2	2.2	2.1	2.0	2.2	2.3	2.3	2.6	3.0	3.0	2.7	2.9	2.5	2.3	2.3	2.2	2.2	2.2	2.4	2.4	2.1	2.4
Dec.	4.2	4.1	4.0	4.1	4.1	4.0	3.7	3.8	3.7	3.7	4.3	4.4	4.7	4.8	4.7	4.5	4.2	4.1	4.1	4.3	4.3	4.4	4.3	4.2	4.2
Annual	3.1	3.0	3.0	3.0	3.0	3.0	3.1	3.3	3.7	4.0	4.3	4.5	4.6	4.7	4.8	4.6	4.4	4.2	4.0	3.8	3.5	3.4	3.2	3.2	3.7

DISTRIBUTION OF WIND SPEED, EXTREME VELOCITIES AS RECORDED BY PRESSURE-TUBE ANEMOGRAPH

178 KEW OBSERVATORY: h_a = 5 m. + 23 m. 1942

	DISTRIBUTION OF WIND SPEED								EXTREME VELOCITIES				
	More than 17.1 m./sec.		10.8 to 17.1 m./sec.		5.5 to 10.7 m./sec.	1.6 to 5.4 m./sec.	Less than 1.6 m./sec.	No record	Highest hourly wind			Highest gust	
	Dates of occurrence	Duration	No. of days	Duration	Duration	Duration	Duration	Duration	Veer from N.	Speed	Hour ended	Speed	Date
Jan.	-	hr. 0	0	hr. 0	199	465	80	0	355	11	26 11	20	25 12 30
Feb.	-	0	0	0	206	434	32	0	45	9	17 20	18	17 15 00
Mar.	-	0	1	1	197	451	95	0	85	11	26 17	19	26 15 40
Apr.	-	0	7	48	319	303	50	0	60	15	28 15	25	28 14 35
May	-	0	2	10	225	392	117	0	215	13	28 4	25	28 2 20
June	-	0	0	0	26	481	213	0	5	7	7 8	14	6 23 55) 7 6 55)
July	-	0	0	0	103	547	94	0	210	11	4 14	19	4 14 00
Aug.	-	0	0	0	80	452	212	0					

179 KEW OBSERVATORY

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER							
	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.	30 cm.	122 cm.						
	<i>degrees Absolute</i>																													
1	76.1	80.5	74.0	77.9	73.8	77.0	80.7	79.4	82.7	82.1	86.3	84.4	91.2	86.9	90.3	87.9	91.8	88.9	86.2	87.1	82.9	85.2	79.1	82.0						
2	76.9	80.2	74.0	77.8	73.8	77.0	80.2	79.4	82.7	82.0	87.0	84.6	91.2	87.1	90.6	87.9	91.5	88.9	85.7	87.1	82.0	85.1	79.4	82.0						
3	77.6	80.2	74.0	77.7	74.0	77.0	80.1	79.5	82.5	82.1	88.0	84.6	91.3	87.1	90.2	87.9	91.1	88.9	85.6	87.0	82.0	85.0	78.2	81.9						
4	78.4	80.2	74.0	77.7	75.2	77.0	80.2	79.7	83.0	82.1	89.4	84.8	91.0	87.2	90.1	88.0	90.5	89.1	85.8	87.0	81.7	84.8	78.5	81.8						
5	78.3	80.1	74.0	77.7	75.7	77.0	80.9	79.9	83.8	82.1	89.9	85.0	91.1	87.4	89.2	88.0	90.1	89.0	87.0	86.8	81.6	84.7	78.8	81.7						
6	77.1	80.2	74.0	77.5	74.9	77.1	81.0	79.9	84.3	82.1	90.3	85.1	91.0	87.3	89.3	88.1	89.7	89.0	87.0	86.9	81.9	84.4	79.0	81.5						
7	76.0	80.2	74.0	77.4	74.4	77.1	81.3	80.0	85.0	82.2	91.0	85.4	90.8	87.3	89.7	88.0	88.9	88.9	87.0	86.8	82.2	84.2	79.8	81.5						
8	75.6	80.1	74.0	77.4	74.1	77.1	81.2	80.1	85.2	82.3	90.0	85.7	90.6	87.3	89.8	88.0	89.3	88.7	87.4	86.9	81.9	84.2	80.5	81.4						
9	75.6	80.1	73.9	77.4	74.2	77.1	81.0	80.1	84.6	82.6	89.2	85.8	90.0	87.6	89.8	88.0	89.4	88.7	86.0	86.8	81.0	84.1	81.0	81.4						
10	75.7	80.0	73.9	77.3	75.0	77.1	81.1	80.3	84.6	82.8	88.6	86.1	90.1	87.6	89.9	88.0	89.2	88.6	86.2	86.9	80.8	84.1	81.0	81.5						
11	75.1	79.8	73.9	77.3	75.1	77.1	81.1	80.3	84.7	82.8	87.7	86.0	89.1	87.6	89.6	88.0	88.9	88.6	85.7	86.9	80.5	84.0	81.3	81.6						
12	74.6	79.6	73.9	77.3	75.6	77.1	81.6	80.5	85.2	82.9	87.9	85.9	89.0	87.7	89.6	88.0	89.2	88.4	84.6	86.8	80.5	83.8	81.3	81.7						
13	74.6	79.4	74.3	77.3	75.5	77.1	82.2	80.4	84.5	83.0	87.2	85.9	89.3	87.7	89.7	88.0	89.7	88.5	85.0	86.4	80.5	83.6	81.1	81.8						
14	74.3	79.3	74.2	77.2	76.5	77.2	82.2	80.7	84.5	83.0	87.4	86.0	90.1	87.6	89.9	88.0	89.4	88.3	84.9	86.3	80.0	83.4	81.7	81.9						
15	74.1	79.2	74.0	77.2	78.4	77.3	82.0	80.9	85.0	83.1	87.4	85.8	90.0	87.6	90.5	88.0	89.7	88.5	85.9	86.4	79.9	83.3	81.8	82.0						
16	74.3	79.1	74.0	77.2	79.5	77.3	81.7	81.0	85.8	83.1	87.1	85.9	90.0	87.4	90.7	88.0	88.6	88.5	85.2	86.3	80.0	83.2	81.7	82.0						
17	74.2	79.0	74.0	77.2	80.2	77.7	81.7	81.1	86.3	83.1	87.3	85.8	90.1	87.5	90.5	88.1	88.6	88.3	85.2	86.1	79.8	83.3	81.9	82.1						
18	74.1	79.0	74.0	77.2	80.8	78.0	82.0	81.1	86.8	83.3	88.0	85.8	88.9	87.5	90.5	88.1	88.9	88.2	85.9	86.2	79.2	83.1	81.4	82.1						
19	74.1	78.9	74.0	77.2	81.0	78.2	82.5	81.1	86.8	83.4	88.0	85.8	88.2	87.5	91.3	88.1	88.7	88.2	86.0	86.1	79.9	82.9	81.3	82.1						
20	74.1	78.8	74.0	77.2	81.0	78.4	83.1	81.2	87.0	83.8	88.0	86.0	89.3	87.3	91.1	88.2	89.2	88.1	85.6	86.1	80.0	82.7	81.0	82.1						
21	74.0	78.6	74.0	77.2	80.8	78.7	83.6	81.2	87.0	83.8	89.2	86.9	90.1	87.3	90.7	88.2	89.0	88.1	85.2	86.2	80.4	82.7	81.1	82.1						
22	74.0	78.6	73.8	77.1	79.8	79.0	83.2	81.3	86.5	84.0	90.1	86.1	90.8	87.3	90.3	88.2	88.5	88.1	85.5	86.1	79.5	82.7	82.0	82.1						
23	74.0	78.4	73.8	77.1	78.8	79.1	83.6	81.4	86.6	84.1	91.0	86.1	90.1	87.6	89.9	88.4	88.0	88.1	86.1	86.1	78.2	82.4	80.8	82.1						
24	74.0	78.3	73.7	77.1	78.7	79.1	83.0	81.7	86.5	84.4	91.3	86.1	89.9	87.6	89.7	88.3	87.2	88.1	86.3	86.1	78.3	82.3	80.3	82.1						
25	74.2	78.2	73.7	77.1	78.1	79.1	82.8	81.8	86.7	84.2	91.0	86.2	90.1	87.6	90.2	88.2	86.5	87.9	84.9	86.1	78.9	82.2	79.1	82.1						
26	74.6	78.1	73.7	77.1	78.7	79.1	82.7	82.0	86.0	84.2	89.9	86.6	90.0	87.7	90.9	88.2	86.0	87.9	84.2	86.1	79.4	82.1	78.9	82.1						
27	74.2	78.1	73.7	77.1	78.5	79.2	83.0	81.9	85.8	84.3	90.2	86.7	90.0	87.7	91.1	88.3	86.0	87.8	83.1	86.0	79.6	82.1	78.6	82.0						
28	74.1	78.1	73.7	77.0	78.7	79.2	83.2	81.9	86.1	84.3	90.2	86.8	89.0	87.8	92.0	88.3	85.9	87.4	82.9	85.9	79.8	82.0	78.7	81.9						
29	74.1	78.0			78.4	79.2	83.0	82.0	86.2	84.3	90.4	86.8	89.8	87.8	92.6	88.5	86.0	87.3	82.7	85.4	79.1	82.0	79.0	81.6						
30	74.0	78.0			78.7	79.2	82.7	82.0	86.2	84.3	91.9	86.9	89.5	87.9	92.8	88.6	85.7	87.2	82.8	85.3	79.5	82.0	77.8	81.5						
31	74.1	77.9			80.0	79.2			86.7	84.5			90.5	87.9	92.0	88.8			83.1	85.2			77.3	81.3						
Mean	75.0	79.2	73.9	77.3	77.4	77.9	82.0	80.8	85.3	83.2	89.0	85.8	90.1	87.5	90.5	88.1	88.7	88.3	85.3	86.4	80.4	83.4	80.1	81.8						
													Year		83.2		83.4													

MINIMUM TEMPERATURE "ON THE GRASS" DURING THE INTERVAL 18h. TO 7h., G.M.T.

180 KEW OBSERVATORY

1942

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
		<i>degrees Absolute</i>										
1	74.2	66.9	71.9	78.1	70.2	70.8	86.3	76.7	84.4	81.4	70.3	74.8
2	75.8	72.7	70.3	74.9	68.8	80.3	82.4	79.1	84.7	72.1	70.3	74.2
3	78.0	69.5	66.4	69.3	66.9	77.4	81.7	82.4	80.8	73.2	70.9	63.1
4	78.7	74.7	76.6	72.5	67.4	79.2	86.4	80.2	80.5	75.6	69.5	75.3
5	71.3	70.8	73.6	78.6	69.8	79.1	86.2	72.9	84.4	86.9	76.2	70.0
6	68.6	71.6	71.4	76.9	74.5	78.9	82.4	79.6	77.5	83.6	79.3	75.2
7	64.1	71.2	69.1	78.2	71.3	85.6	84.4	77.5	75.0	84.7	77.6	81.8
8	69.8	69.1	61.9	74.7	76.4	72.3	81.1	87.0	82.7	83.9	68.8	81.6
9	71.4	64.2	67.0	75.3	75.1	73.1	82.0	80.6	82.4	76.5	68.6	79.9
10	71.8	73.2	67.2	80.2	75.2	73.2	85.2	80.8	77.2	84.3	70.1	79.7
11	60.8	68.0	66.7	69.4	82.2	74.8	80.3	84.8	74.2	77.0	69.0	81.2
12	59.7	65.7	74.1	72.6	78.9	80.8	75.2	83.1	80.2	69.2	75.3	77.3
13	70.4	73.2	71.6	76.9	79.9	81.8	76.0	85.4	86.9	80.3	72.1	78.3
14	70.8	66.2	74.8	78.2	80.9	77.2	86.4	81.4	86.4	73.5	66.5	79.6
15	57.4	72.1	73.6	74.9	72.2	71.6	78.6	84.3	85.3	83.3	71.6	80.8
16	71.2	68.8	78.9	72.1	82.3	80.7	84.7	89.1	77.3	78.6	71.0	77.0
17	69.9	71.6	80.9	73.7	74.1	75.0	83.9	77.7	81.1	79.9	71.4	80.6
18	63.8	70.9	80.3	75.8	84.2	80.1	82.7	76.9	80.9	85.6	67.8	72.2
19	72.4	70.6	80.3	70.2	80.7	84.7	81.9	86.8	81.6	81.8	79.2	78.1
20	67.4	64.0	77.9	76.3	75.0	76.3	85.3	82.5	84.7	74.3	78.0	72.4
21	56.7	71.3	76.2	78.7	79.1	78.3	87.9	81.4	85.2	77.7	76.9	79.9
22	62.9	65.7	74.7	76.9	75.3	79.4	86.9	85.6	83.7	81.9	63.4	83.7
23	65.8	62.5	70.7	74.4	75.8	79.3	86.8	82.1	82.5	86.5	63.8	67.2
24	75.2	70.9	69.1	76.6	77.6	84.4	84.2	78.6	79.4	83.6	70.3	71.8
25	73.7	70.2	66.4	75.2	77.7	78.6	85.5	80.4	73.0	69.8	75.3	66.3
26	71.7	68.6	69.0	75.2	73.7	71.2	77.6	88.8	74.5	74.9	74.1	73.1
27	61.3	71.9	73.3	77.3	79.4	75.3	84.2	85.8	78.2	68.7	76.2	73.0
28	72.0	63.9	74.1	78.6	82.5	78.1	74.7	85.4	74.7	70.8	75.8	75.3
29	68.3	67.8	67.8	76.9	81.3	76.7	81.1	84.2	79.8	71.4	68.1	72.1
30	66.4		68.1	74.1	77.7	84.5	74.1	87.2	75.2	78.8	74.3	70.2
31	73.8		80.8		79.6		79.7	83.1		78.4		70.8
Mean	68.9	69.3	72.4	75.4	76.3	78.0	82.4	82.3	80.5	78.3	72.1	75.4

ELECTRICAL OBSERVATIONS, UNDERGROUND LABORATORY, WILSON METHOD

Mean value for periods of twenty minutes about 14h. 30m.

F = Potential gradient, unit 1 v./cm. $\lambda+$ = Conductivity due to positive ions, unit 10^{-18} ohm.⁻¹ cm.⁻¹
 i = Air-earth current, unit 10^{-18} amp. cm.⁻²

181 KEW OBSERVATORY

1942

	JANUARY			FEBRUARY			MARCH			APRIL			MAY			JUNE		
	F	$\lambda+$	i	F	$\lambda+$	i	F	$\lambda+$	i	F	$\lambda+$	i	F	$\lambda+$	i	F	$\lambda+$	i
1
2	3.71	38	143	2.03	67	136	2.03	87	177
3
4	6.15	19	116	1.30	33	43	1.86	42	78
5	4.00	19	78	2.37	45	107
6	5.62	14	81	6.62	22	149
7	5.14	11	57
8	4.84	13	61	4.73	42	200
9	4.66	23	107	1.51	59	89
10	5.44	13	70	5.76	17	96
11	6.93	22	155
12	5.30	22	118
13	4.06	30	115
14	5.11	57	294	2.77	60	165
15	1.28	51	65	2.02	26	53
16	3.68	17	63	1.20	59	71
17	4.13	60	247	4.30	18	77
18	5.59	25	140	1.67	56	94
19	1.45	76	111
20	1.16	32	38
21
22	5.21	25	131
23	5.13	31	157	4.77	32	153
24	6.63	29	193	7.01	16	112	4.83	44	211
25	5.90	37	221	5.45	19	103
26	4.32	45	193	1.43	75	108
27	4.94	25	123	6.20	20	121	4.11	55	227
28	2.05	87	178
29	1.94	41	80
30	2.49	43	108	3.18	38	122	1.08	32	35
31
Mean	4.69	24	106	5.24	33	149	5.26	25	119	3.69	40	147	2.26	58	127	1.74	50	87
No. of days used	7	7	7	10	10	10	9	9	9	9	9	9	6	6	6	9	9	9

	JULY			AUGUST			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER		
	F	$\lambda+$	i	F	$\lambda+$	i	F	$\lambda+$	i	F	$\lambda+$	i	F	$\lambda+$	i	F	$\lambda+$	i
1	2.00	91	183	1.48	52	77	3.50	20	70
2
3	1.18	103	122
4	1.93	60	116
5
6	1.54	94	145	1.24	52	65	3.71	27	100
7	1.54	70	109	3.56	21	72
8	2.09	58	122	2.56	38	96	4.31	17	71
9	1.84	67	123	2.23	37	82	4.81	29	141
10	2.17	34	74	3.97	25	98
11	3.55	-	-
12	1.67	40	67	2.38	31	73
13	1.61	87	140
14	1.56	61	96	2.10	58	123	2.33	38	89	4.62	19	88
15	1.66	39	66	2.87	37	108	4.26	19	82
16	2.26	33	74
17	1.90	75	142	4.34	-	-	4.53	26	118
18
19	3.79	38	143	3.20	10	32
20	1.88	36	68	3.17	16	52
21	5.39	21	113
22	2.41	34	83
23	1.56	51	80	4.79	15	73
24	1.63	58	95	1.71	73	124
25	1.98	92	183	3.27	27	87
26	6.36	11	72
27	3.49	37	130	7.03	11	79
28	1.42	69	98	1.50	102	153	6.02	14	86
29
30	1.85	45	83	3.78	47	178	2.25	27	60	6.45	15	100	2.66	18	49
31	2.74	42	115	2.22	113	252
Mean	1.71	65	106	1.99	71	137	2.26	56	120	2.46	37	89	4.78	18	84	4.29	19	82
No. of days used	11	11	11	8	8	8	9	9	9	10	10	10	9	8	8	11	10	10

Year: Mean 3.38 41 112
 No. of days used 108 106 106

182 KEW OBSERVATORY

1942

	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE	
	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient
1	0	hr. ...	2	hr. 6.1	1	hr. 0.1	1	hr. 1.1	2	hr. 5.7	0	hr. ...
2	0	...	2	3.3	0	...	0	...	1	1.0	0	...
3	1	0.1	2	3.5	0	...	1	2.1	0	...	0	...
4	1	2.4	1	1.3	2	7.1	2	7.7	0	...	0	...
5	1	0.9	1	2.3	1	1.4	1	0.5	0	...	0	...
6	0	...	0	...	2	3.5	1	2.3	0	...	0	...
7	1	2.7	0	...	2	4.0	1	1.3	1	0.2	1	0.7
8	1	2.5	0	...	0	...	1	1.9	0	...	0	...
9	1	0.5	2	3.5	0	...	2	9.1	0	...	0	...
10	1	0.9	1	0.9	0	...	0	...	2	6.7	0	...
11	1	0.4	0	...	2	3.7	0	...	1	2.1	1	0.3
12	0	...	0	...	2	3.1	0	...	1	1.6	2	4.3
13	1	0.4	1	0.6	1	0.1	0	...	2	8.5	1	0.3
14	0	...	0	...	2	4.5	0	...	1	0.2	1	0.7
15	1	0.4	0	...	1	0.1	0	...	1	1.0	0	...
16	2	3.7	0	...	2	4.6	0	...	1	1.3	0	...
17	0	...	0	...	1	0.1	0	...	0	...	0	...
18	0	...	0	...	1	1.8	1	1.9	1	1.7	1	0.1
19	1	1.7	0	...	2	5.5	0	...	0	...	1	0.1
20	0	...	1	1.2	0	...	1	0.1	0	...	0	...
21	0	...	1	1.7	0	...	2	3.3	1	0.4	0	...
22	0	...	0	...	2	8.7	0	...	1	1.0	0	...
23	2	10.3	1	0.1	1	0.7	0	...	2	4.3	0	...
24	1	2.5	0	...	1	0.1	0	...	2	3.2	0	...
25	0	...	0	...	1	1.6	0	...	2	6.5	0	...
26	1	0.1	2	8.7	0	...	0	...	2	3.4	0	...
27	1	2.9	1	1.5	0	...	0	...	1	0.6	0	...
28	1	0.5	0	...	0	...	0	...	0	...	0	...
29	2	3.9	0	...	1	0.4	0	...	1	1.3	0	...
30	2	8.0	0	...	1	0.1	0	...	1	0.6	2	3.5
31	2	4.5	0	...	1	0.5	0	...	1	0.4	0	...
Total	-	49.3	-	34.7	-	51.7	-	31.3	-	51.7	-	10.0
No. of days used	-	31	-	28	-	31	-	30	-	31	-	30
Mean	-	1.6	-	1.2	-	1.7	-	1.0	-	1.7	-	0.3

	JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient	Character	Duration of negative potential gradient
1	1	hr. 0.8	0	hr. ...	0	hr. ...	0	hr. ...	2	hr. 4.0	1	hr. 2.4
2	1	1.1	1	2.7	1	0.1	1	1.5	0	...	1	1.3
3	1	0.9	2	3.3	1	0.2	1	1.2	2	7.5	1	0.9
4	1	0.3	0	...	0	...	0	...	0	...	0	...
5	0	...	0	...	0	...	2	5.6	2	7.1	1	2.8
6	1	0.8	0	...	0	...	1	1.7	1	2.9	0	...
7	0	...	0	...	0	...	1	1.9	1	1.4	0	...
8	1	0.3	1	0.1	0	...	1	0.6	0	...	1	0.1
9	0	...	1	0.9	0	...	0	...	1	0.1	0	...
10	2	17.5	0	...	0	...	0	...	1	1.1	0	...
11	0	...	1	1.4	0	...	0	...	1	0.5	1	2.7
12	0	...	1	0.1	0	...	0	...	2	5.2	1	1.8
13	1	0.6	0	...	1	0.5	1	0.4	2	5.9	1	0.2
14	1	0.1	0	...	1	0.1	0	...	0	...	2	5.3
15	1	0.2	0	...	1	0.2	1	0.4	0	...	1	2.3
16	1	1.0	2	3.5	0	...	0	...	1	2.3	1	2.7
17	2	7.2	0	...	0	...	0	...	0	...	1	2.4
18	2	7.4	0	...	0	...	0	...	1	0.2	2	4.6
19	1	0.2	1	0.9	0	...	0	...	0	...	1	1.6
20	1	0.1	1	0.7	0	...	2	4.7	1	0.7	0	...
21	0	...	0	...	2	3.2	0	...	1	0.6	1	0.7
22	1	0.1	1	0.5	0	...	0	...	1	1.0	1	1.9
23	0	...	0	...	1	0.8	1	0.6	1	0.7	0	...
24	0	...	0	...	1	0.7	1	1.6	1	0.8	0	...
25	0	...	1	1.2	1	0.4	1	2.8	1	0.8	0	...
26	0	...	2	3.3	0	...	2	8.6	1	2.7	0	...
27	1	2.4	0	...	0	...	1	1.7	1	2.7	1	0.9
28	0	...	0	...	1	2.7	2	3.2	1	0.5	1	1.7
29	0	...	1	1.5	1	2.5	1	1.7	0	...	1	0.1
30	0	...	0	...	1	2.6	2	4.3	0	...	1	0.3
31	0	...	0	...	0	...	1	2.2	0	...	1	2.0
Total	-	41.0	-	20.1	-	14.0	-	44.7	-	48.7	-	38.7
No. of days used	-	31	-	31	-	30	-	31	-	30	-	31
Mean	-	1.3	-	0.6	-	0.5	-	1.4	-	1.6	-	1.2

Annual values: Character 0 1 2
No. of days used 169 146 50Duration: Total 435.9
No. of days 365
Mean 1.19 hr.

POTENTIAL GRADIENT (reduced to level surface, Paddock site)
 Kelvin electrograph standardized by Wilson readings, underground laboratory
 Mean values for periods of sixty minutes between exact hours, G.M.T.

183 KEW OBSERVATORY

1942

	JANUARY, factor 4·10				FEBRUARY, factor 4·18				MARCH, factor 4·22			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	330	640	640	650	705	540	350	-15	100	290	380	530
2	465	505	395	420	-115	365	615	575	255	430	900	470
3	195	135	110	35	165	25	-290	855	785	620	240	140
4	-25	270	405	490	100	-	550	490	90	-50	230	470
5	50	395	380	330	225	215	140	265	330	555	470	215
6	235	305	555	380	75	325	540	340	175	520	580	-100
7	480	665	505	-260	265	400	350	525	-50	140	255	280
8	-60	465	505	455	350	325	465	600	660	850	340	660
9	25	305	210	245	40	475	-90	-300	505	710	455	455
10	305	690	530	1045	250	475	425	300	520	445	580	455
11	690	740	605	50	240	740	665	980	150	-165	340	-25
12	615	785	850	160	640	440	440	Z+	-15	200	390	-75
13	295	220	235	60	175	350	265	515	150	315	430	120
14	245	540	515	825	515	880	540	730	190	545	305	-65
15	625	1060	615	210	475	565	600	815	230	430	305	530
16	-25	320	665	405	525	440	715	475	305	480	280	Z-
17	320	490	555	480	400	375	490	415	90	380	305	410
18	295	445	565	295	190	515	550	600	255	230	305	40
19	615	285	100	260	215	625	805	525	190	405	Z+	175
20	540	715	380	565	415	815	880	550	405	455	140	150
21	605	590	295	320	465	290	440	440	100	365	445	445
22	245	85	465	565	400	375	350	955	265	-330	40	75
23	50	245	-35	305	150	340	625	705	75	670	505	685
24	220	590	885	395	390	600	625	890	365	315	710	545
25	185	270	285	320	375	625	600	540	-40	230	505	215
26	170	195	430	690	-40	350	150	40	150	255	520	150
27	85	405	25	430	50	600	500	440	175	430	605	215
28	330	625	405	580	225	165	300	75	230	520	530	405
29	355	515	-170	405					215	405	200	355
30	445	580	-	Z-					230	215	240	390
31	-220	0	370	540					165	215	215	290
(a)	334	454	446	411	308	453	499	546	263	415	391	364
(b)	275	450	409	388	274	454	467	515	223	351	395	311
Mean	(a) 411		(b) 381		(a) 451		(b) 427		(a) 358		(b) 233	
	APRIL, factor 4·23				MAY, factor 4·18				JUNE, factor 4·17			
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.
	<i>volts per metre</i>											
1	190	370	230	330	-40	65	190	215	400	365	165	235
2	180	355	215	305	90	50	215	400	250	275	200	200
3	370	430	230	Z+	200	350	125	375	265	400	185	185
4	225	430	90	-660	200	365	125	140	275	485	200	185
5	65	290	Z+	330	150	375	190	215	175	435	225	150
6	205	215	180	Z-	315	450	150	275	175	225	150	225
7	165	315	510	50	225	350	125	240	15	235	150	150
8	215	315	Z±	370	165	400	465	400	215	250	150	185
9	150	-735	Z-	75	275	400	415	415	200	275	150	200
10	140	280	165	455	225	300	240	Z-	175	335	235	325
11	510	570	230	205	150	300	240	275	335	315	215	235
12	290	330	165	215	140	350	490	-350	115	215	435	-150
13	230	380	165	280	-75	25	125	90	115	315	100	185
14	205	165	470	405	90	375	275	325	135	225	85	185
15	265	570	520	535	190	275	140	215	135	165	200	235
16	485	585	315	495	75	300	190	325	125	300	150	185
17	405	507	405	455	275	290	215	350	100	215	165	135
18	100	-75	205	205	215	-125	240	150	215	235	135	100
19	215	315	100	230	190	325	150	225	50	100	125	215
20	65	190	125	305	200	465	140	340	85	150	125	125
21	150	125	180	190	100	340	200	115	165	150	85	100
22	115	165	165	305	140	215	175	315	85	235	175	175
23	65	305	455	315	190	250	115	-125	125	275	125	75
24	165	545	420	290	Z-	275	-50	115	75	315	235	125
25	280	380	355	370	50	90	-350	-250	65	300	235	215
26	205	215	290	305	125	265	-940	525	350	275	115	125
27	230	545	380	330	175	275	190	75	75	225	150	185
28	230	355	315	255	100	165	215	225	215	235	115	165
29	265	395	380	395	165	300	-100	315	135	300	195	125
30	180	430	305	405	215	300	165	225	85	205	110	Z±
31					175	150	100	165				
(a)	220	362	280	311	172	281	208	261	164	268	169	176
(b)	223	352	286	279	154	267	135	214	167	270	172	165
Mean	(a) 293		(b) 285		(a) 231		(b) 193		(a) 194		(b) 193	

The potential gradient is reckoned as positive if the potential increases upwards. For indeterminate potential gradient the following notation is used: Z+, indeterminate, positive value; Z-, indeterminate, negative value; Z±, indeterminate, in magnitude and sign.

(a) Mean of all positive readings.

(b) Mean from all complete days using both positive and negative readings.

POTENTIAL GRADIENT (reduced to level surface, Paddock site)
 Kelvin electrograph standardized by Wilson readings, underground laboratory
 Mean values for periods of sixty minutes between exact hours, G.M.T.

183 KEW OBSERVATORY

1942

	JULY, factor 4·18				AUGUST, factor 4·12				SEPTEMBER, factor 4·37				
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	
	<i>volts per metre</i>												
1	275	470	345	260	125	370	135	110	145	260	195	155	
2	235	195	305	315	160	Z±	160	235	65	275	145	290	
3	260	290	150	165	175	185	Z±	60	105	130	155	120	
4	85	55	110	150	135	320	185	185	185	395	185	300	
5	110	205	140	220	210	360	110	125	145	210	195	155	
6	205	275	150	220	125	345	125	175	300	405	170	460	
7	150	305	165	180	175	260	85	220	80	565	155	260	
8	305	330	180	165	200	160	110	150	145	275	210	325	
9	260	260	205	165	125	295	150	395	235	250	210	130	
10	70	-495	-830	-75	285	160	150	245	105	250	210	145	
11	100	250	175	190	185	270	Z±	295	40	155	195	185	
12	215	250	115	90	200	310	150	270	40	120	185	210	
13	175	250	140	125	185	395	235	295	90	195	170	235	
14	90	265	175	290	210	370	150	175	120	195	315	120	
15	215	325	165	215	200	235	135	125	170	130	155	290	
16	150	165	115	165	50	210	125	125	210	365	185	325	
17	65	250	-190	190	175	385	185	245	300	340	210	525	
18	275	290	-25	-375	110	370	220	335	290	300	210	325	
19	125	240	115	125	75	185	150	210	235	340	145	340	
20	100	200	165	290	200	320	150	335	105	105	155	195	
21	125	165	165	190	245	220	175	150	120	185	290	0	
22	190	200	165	150	210	235	135	555	120	225	260	355	
23	150	275	150	215	160	295	100	125	155	325	65	605	
24	215	225	150	225	175	260	175	285	210	420	Z+	615	
25	165	215	150	165	160	245	200	35	315	290	275	365	
26	175	250	115	100	220	320	Z±	370	105	210	430	260	
27	-115	325	165	315	125	420	320	435	185	250	210	315	
28	340	290	125	215	85	295	175	210	290	355	15	430	
29	265	250	150	225	295	470	175	Z±	145	-260	145	640	
30	150	375	215	50	125	245	160	245	155	65	380	500	
31	90	250	275	290	135	210	210	270					
(a)	178	256	169	195	169	291	162	233	158	253	194	296	
(b)	168	232	119	163	162	287	161	232	157	230	194	285	
Mean	(a) 199		(b) 172		(a) 214		(b) 211		(a) 225		(b) 217		
	OCTOBER, factor 4·20				NOVEMBER, factor 4·20				DECEMBER, factor 4·20				
	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	2-3h.	8-9h.	14-15h.	20-21h.	
	<i>volts per metre</i>												
1	90	380	165	225	390	380	Z±	40	400	590	340	-25	
2	265	505	225	-40	225	755	515	630	200	670	895	465	
3	215	365	225	380	-90	-910	455	465	695	590	100	480	
4	125	405	240	240	705	880	620	530	330	465	530	655	
5	140	275	300	50	440	380	50	Z±	265	Z-	530	190	
6	50	415	140	300	-175	430	365	565	150	605	580	415	
7	15	365	200	250	75	50	380	705	125	320	340	225	
8	65	290	240	390	405	590	300	315	100	540	430	315	
9	300	380	225	175	250	880	540	430	190	455	415	365	
10	65	165	200	405	380	365	340	275	140	90	250	455	
11	140	250	200	530	175	1070	605	780	175	175	380	465	
12	290	730	215	480	330	340	465	-75	-15	780	540	530	
13	175	405	250	115	-75	90	75	100	115	225	365	340	
14	290	300	190	115	340	530	615	505	-115	480	455	240	
15	50	315	275	455	350	415	290	340	190	365	465	465	
16	140	340	215	315	50	300	340	490	175	225	150	290	
17	200	275	330	290	225	330	405	440	115	165	415	430	
18	115	175	250	365	100	540	365	190	390	75	455	-555	
19	200	290	380	415	125	240	330	465	250	415	480	-355	
20	290	330	Z±	15	175	365	340	100	340	705	530	355	
21	165	505	355	530	225	265	115	365	100	440	540	165	
22	25	365	240	315	-50	555	355	565	-25	100	505	960	
23	140	200	200	215	215	465	565	330	770	540	465	515	
24	75	355	430	695	40	430	380	225	300	125	480	290	
25	380	670	225	415	90	175	225	250	480	755	490	465	
26	240	-820	Z±	290	125	440	630	100	150	300	555	490	
27	530	530	590	290	-25	515	640	605	505	275	380	240	
28	745	-	540	380	480	-10	390	590	225	565	605	175	
29	580	530	645	215	440	615	290	265	225	555	300	90	
30	240	770	265	-140	125	240	615	530	175	165	300	540	
31	25	480	365	390					300	430	530	615	
(a)	205	392	287	319	259	451	400	400	271	406	445	401	
(b)	182	365	278	299	187	391	413	396	239	406	442	337	
Mean	(a) 301		(b) 281		(a) 377		(b) 347		(a) 381		(b) 356		
The factor used for converting the potential at the collector to potential gradient in volts per metre in the open is given for each month.									(a)	225	357	304	326
									(b)	202	339	289	299
									Annual means	(a) 303		(b) 282	

POTENTIAL GRADIENT (reduced to level surface): DIURNAL INEQUALITIES
The departures from the mean of the day are adjusted for non-cyclic change†

184 KEW OBSERVATORY		Selected quiet days																								1942	
	Hour G.M.T.																								Non-cyclic change†	Mean	
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to			
	<i>volts per metre</i>																										
Jan.	-58	-71	-76	-128	-95	-88	-38	+29	+16	+34	+28	+54	+59	+22	+38	+74	+79	+109	+96	-18	-47	-14	+29	-37	+76	461	
Feb.	-88	-91	-141	-165	-161	-134	-41	+21	+28	+21	+65	+65	+14	+17	+76	+103	+73	+5	+61	+124	+106	+71	+13	-38	-26	483	
Mar.	-68	-67	-89	-113	-104	-90	-32	+8	+57	+57	+27	+37	+48	+63	+63	+70	+77	+36	+18	+16	-34	+18	+27	-29	-1	411	
Apr.	-75	-53	-38	-27	-38	+26	+65	+104	+64	+22	-19	-21	-15	+1	+10	+7	+8	-8	-8	+17	+45	+8	-20	-54	+12	282	
May	-67	-63	-56	-52	-22	+56	+129	+131	+97	+65	+14	-19	-39	-31	-42	-43	-29	-23	-6	+34	+37	+12	-35	-51	-6	261	
June	-30	-3	-25	+2	+29	+39	+91	+110	+77	+43	+5	-13	-33	-39	-33	-24	-25	-39	-33	-29	-15	-11	-21	-25	-21	192	
July	-2	-16	-21	-24	-29	+22	+58	+54	+46	+45	-1	-8	-21	-35	-23	-19	-26	-13	-1	+6	+5	-3	+2	+5	-25	189	
Aug.	-47	-42	-34	-11	-17	+35	+79	+135	+128	+83	+39	-12	-19	-47	-50	-41	-61	-46	-20	-7	-1	-7	-17	-21	+14	198	
Sept.	-23	-61	-67	-51	-46	-20	+35	+89	+91	+61	+2	-13	-45	-42	-41	-44	-33	-12	+32	+59	+66	+46	+26	-9	-24	226	
Oct.	-61	-85	-90	-82	-63	-44	+24	+74	+67	+29	-9	-34	-46	-57	-13	+10	+22	+85	+107	+88	+71	+30	+4	-27	-6	250	
Nov.	-23	-50	-95	-140	-118	-82	-33	-16	+27	+84	+58	+30	+16	-7	+19	+2	+54	+51	+92	+63	+30	+19	+39	-22	...	366	
Dec.	-108	-115	-151	-148	-133	-119	-54	-21	+15	+43	+98	+103	+100	+55	+88	+99	+112	+95	+88	+92	+32	-33	-55	-82	...	372	
Year	-54	-61	-74	-78	-66	-33	+24	+60	+59	+49	+26	+14	+2	-8	+8	+16	+21	+20	+36	+37	+25	+11	0	-33	...	308	
Winter	-69	-82	-116	-145	-127	-106	-41	+3	+21	+45	+62	+63	+47	+22	+55	+70	+80	+65	+84	+65	+30	+11	+7	-45	...	421	
Equinox	-57	-66	-71	-68	-63	-32	+23	+69	+70	+42	0	-8	-14	-9	+9	+11	+18	+25	+37	+45	+37	+25	+9	-30	...	292	
Summer	-36	-31	-34	-21	-10	+38	+89	+107	+87	+59	+14	-13	-28	-38	-37	-32	-35	-30	-15	+1	+6	-2	-18	-23	...	210	

Winter: January, February, November, December
Equinox: March, April, September, October
Summer: May to August

† See p. 10. *Observatories' Year Book, 1938.*

AIR POLLUTION: HOURLY MEANS FOR EACH MONTH

185 KEW OBSERVATORY		Complete days only																								1942	
	Hour G.M.T.																								Mean	No. of days used	
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to			
	<i>milligrams per cubic metre</i>																										
Jan.	0.12	0.13	0.10	0.10	0.12	0.17	0.25	0.33	0.37	0.37	0.37	0.33	0.31	0.29	0.27	0.30	0.33	0.38	0.37	0.35	0.29	0.22	0.17	0.15	0.26	31	
Feb.	0.08	0.08	0.08	0.06	0.07	0.13	0.17	0.20	0.20	0.18	0.18	0.16	0.16	0.17	0.16	0.17	0.21	0.27	0.27	0.25	0.22	0.15	0.11	0.09	0.16	28	
Mar.	0.15	0.15	0.13	0.14	0.15	0.17	0.25	0.34	0.27	0.25	0.22	0.21	0.20	0.20	0.22	0.23	0.25	0.30	0.32	0.30	0.27	0.21	0.18	0.16	0.22	31	
Apr.	0.03	0.03	0.04	0.05	0.06	0.09	0.12	0.13	0.11	0.09	0.07	0.06	0.05	0.06	0.07	0.07	0.09	0.09	0.09	0.08	0.07	0.06	0.06	0.04	0.07	30	
May	0.02	0.03	0.03	0.04	0.05	0.07	0.08	0.07	0.07	0.04	0.03	0.03	0.02	0.03	0.03	0.03	0.04	0.04	0.05	0.04	0.05	0.04	0.03	0.03	0.04	31	
June	0.05	0.05	0.06	0.08	0.08	0.09	0.11	0.09	0.07	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.03	0.02	0.03	0.04	0.05	0.05	30	
July	0.03	0.03	0.04	0.05	0.07	0.07	0.06	0.05	0.03	0.02	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	31	
Aug.	0.03	0.03	0.03	0.04	0.05	0.07	0.08	0.07	0.05	0.04	0.02	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.03	30	
Sept.	0.05	0.05	0.07	0.07	0.06	0.08	0.09	0.11	0.10	0.11	0.05	0.05	0.05	0.05	0.04	0.05	0.06	0.09	0.10	0.11	0.10	0.08	0.06	0.05	0.07	29	
Oct.	0.10	0.10	0.10	0.08	0.10	0.11	0.15	0.21	0.19	0.19	0.16	0.10	0.10	0.11	0.12	0.13	0.16	0.16	0.15	0.16	9.16	0.13	0.12	0.10	0.13	31	
Nov.	0.23	0.20	0.20	0.20	0.21	0.23	0.31	0.40	0.48	0.49	0.43	0.38	0.37	0.36	0.33	0.38	0.44	0.50	0.49	0.50	0.44	0.38	0.29	0.27	0.35	30	
Dec.	0.11	0.09	0.07	0.07	0.08	0.14	0.21	0.26	0.31	0.36	0.33	0.30	0.29	0.26	0.28	0.30	0.32	0.31	0.33	0.31	0.25	0.20	0.17	0.14	0.23	31	
Year	0.08	0.08	0.08	0.08	0.09	0.12	0.16	0.19	0.19	0.18	0.16	0.14	0.13	0.13	0.13	0.14	0.16	0.18	0.19	0.18	0.16	0.13	0.11	0.09	0.14	363	
Winter	0.13	0.13	0.11	0.11	0.12	0.17	0.23	0.30	0.34	0.35	0.33	0.29	0.28	0.27	0.26	0.29	0.33	0.37	0.37	0.35	0.30	0.24	0.19	0.16	0.25	120	
Spring	0.09	0.09	0.09	0.09	0.11	0.13	0.19	0.23	0.19	0.17	0.15	0.13	0.13	0.13	0.15	0.15	0.17	0.19	0.21	0.19	0.17	0.13	0.12	0.10	0.15	61	
Autumn	0.07	0.07	0.09	0.07	0.08	0.09	0.12	0.16	0.15	0.15	0.11	0.07	0.07	0.08	0.08	0.09	0.11	0.13	0.13	0.13	0.13	0.11	0.09	0.07	0.10	60	
Summer	0.03	0.03	0.04	0.05	0.06	0.07	0.08	0.07	0.05	0.03	0.03	0.03	0.02	0.03	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	122	

